


REPAIR PARTS PRICE LIST

No. 122

STEAM ENGINES

SIDE CRANK SPRING MOUNTED



Add 10% to prices listed here to cover freight charges on parts delivered from Salt Lake City, Spokane, Portland, Oakland, Fresno and Los Angeles.

J. I. Case Threshing Machine Co.,
(INCORPORATED)
RACINE, WISCONSIN, U. S. A.

REPAIR PRICE LIST

Side Crank Spring Mounted
 Steam Traction Engines
 Steam Portable Engines
 Steam Skid Engines
 Boilers

J. I. Case Threshing Machine Co.,
 (INCORPORATED)
 RACINE, WISCONSIN, U. S. A.

IMPORTANT

READ CAREFULLY—Instructions for Ordering Repair Parts

STEAM ENGINE NUMBER

The serial number plate can be found on the front part of the Boiler, right hand side.

My Engine Number is No. 31473

HOW TO ORDER

When ordering parts specify

Quantity.

Number of part.

Description of part.

Serial Number and size of engine

Shipping instructions.

SHIPPING INSTRUCTIONS.

Be particular to give Post Office address, the Shipping Station, County and the State. Also specify how goods are to be shipped,—Parcel Post, Express or Freight.

TERMS.

Repair parts are sold only for cash; and if remittance does not accompany the order, the goods will be shipped C. O. D. by Express or Parcel Post or sight draft against bill of lading by Freight.

TELEGRAMS.

When ordering repairs by telegram use cipher code, spelling same exactly as given in this book. Prepay all telegrams.

RETURNING PARTS.

When you return parts—(Be sure to)

1. Prepay transportation charges.
2. Put your name and address on parts being returned.
3. Mail us a letter giving a list of parts being returned. State why you return same, (for credit or duplication.)
4. Give size and number of engine from which parts were taken.

If you give us the above information when returning parts, you will receive prompt service. Without this information, we cannot accept goods, and you will be delayed until we receive full instructions.

We will not be held responsible for errors in filling telephone orders. Prices are subject to change without notice.

Order repairs from nearest Case branch house, as at each of the following branches we carry a stock of repair parts for quick shipment.

BRANCH HOUSES

Arkansas: Stuttgart.
California: Oakland, Los Angeles: Fresno.
Colorado: Denver.
Georgia: Atlanta.
Illinois: Peoria.
Indiana: Indianapolis.
Iowa: Des Moines: Sioux City:
Kansas: Wichita.
Kentucky: Lexington.
Louisiana: Crowley.
Michigan: Lansing.
Minnesota: Minneapolis.
Mankota.
Missouri: Kansas City, St. Louis.

Montana: Billings, Great Falls, Glasgow.
Nebraska: Lincoln, Sidney.
New York: Syracuse:
North Dakota: Fargo, Bismarck, Williston, Minot,
Ohio: Columbus.
Oklahoma: Oklahoma City, Enid.
Oregon: Portland.
Pennsylvania: Harrisburg.
South Dakota: Aberdeen, Watertown, Sioux Falls.
Texas: Amarillo, Dallas.
Utah: Salt Lake City.
Washington: Spokane.
Wisconsin: Oshkosh

CANADA

Alberta: Calgary, Edmonton.
Saskatchewan: Regina, Saskatoon.

Manitoba: Winnipeg: Brandon.
Ontario: Toronto.

Factory and General Offices
at Racine, Wisconsin, U. S. A.

Local Dealers in Nine Thousand Towns in the United States and Canada
Address All Communications To:

J. I. CASE THRESHING MACHINE COMPANY, Inc.



453 C
634 C
A 634 C
1006 C
A 1006 C



276 C
632 C
A 1097 C
1669 C



81160 C
81161 C
81295 C
81296 C



A 872 C
1278 C
1711 C



A 136 C
A 1005 C
1142 C




SIMP. PORT
1279 C
869 C
870 C
871 C
1142 C



COMP. PORT.
686 C
687 C
688 C
1142 C




1308 C
277 C
1436 C



162 C-286 C-221 C



A 1670 C



1265 C 1166 C
421 C 129 C
642 C 646 C
1107 C 801 C
212 C 111 C
644 C 1156 C
900 C 1085 C
1103 1157 C



163 C
287 C
223 C



422 C 643 C
213 C A 645 C
130 C 647 C
1086 C



1102 C
A 1102 C



88818 C



1103 C
A 1103 C
738 C




1108 C 1110 C
1112 C 1087 C



1295 C
1153 C
1154 C



1297 C 964 C
447 C 149 C
962 C 965 C
932 C 1024 C
863 C 1572 C



355 C
495 C
788 C
798 C
1719 C
770 C



357 C



381 C



469 1/2 C 469 C 784 C
783 C 969 C 1175 C
1158 C 1159 C 1089 C
1176 C



356 C 789 C
356 1/2 C A 789 C
A 356 1/2 C 1592 C




A 1591 C



1651 C



431 C 629 C
224 C 1084 C
A 994 C 358 C



699 C A 1595 C
1082 C B 1595 C



698 C
1083 C
A 1594 C



697 C A 1593 C
1081 C B 1593 C



292 C



170 C



171 C



A 1626 C B 1626 C
C 1626 C



785 C 786 C 1098 C



1194 C 1195 C
A 1194 C A 1195 C



606 C



181 C



510 C



361 C
A 361 C



1002 C
1165 C
1518 C
A 1518 C



341 C
1668 C
1545 C



1398 C

A 920 C A 918 C

A 1059 C A 1617 C



924 C
922 C
778 C
795 C
1060 C



436 C
502 C
347 C
506 C



432 C
920 C
394 C
918 C
385 C
775 C



336 C
940 C
1059 C
A 1320 C 1320 C



4570 517 C 522 C



946 C
948 C
903 C
A 903 C



742 C



741 C 745 C



941 C 942 C 1055 C
A 1065 C 909 C
A 909 C 1727 C



226 C 168 C
A 226 C A 168 C



705 C



1779 C



1683 C 748 C
1682 C 1680 C



1681 C



1726 C



729 C



795 C 483 C 1092 C



1538 C



466 C



167 C



1248 C



1537 C



1535 C



1534 C



1533 C



1532 C



1531 C



1530 C



1116 C



1115 C



1114 C



1113 C



1112 C



1111 C



1110 C



1109 C



1108 C



1107 C



1106 C



1105 C



1104 C



1103 C



1102 C



1101 C



1725 C



543 C



543 C



543 C



543 C



543 C



543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C

543 C


543 C

543 C


543 C

543 C

543 C



486 C 791 C
939 C 1503 C
324 1/2 C



934 C
933 C
932 C
792 C


596 C
520 1/2 C
520 C
243 1/2 C



782 C
930 C



931 C




A 1144 C
B 1144 C
1000 C
A 1000 C



574 C
575 C




496 C
599 C



1739 C
1749 C
1397 C



937 C 793 C 935 C



1504 C



1505 C




A 1287 C



1289 C A 1289 C




1121 C A 1121 C
1035 C A 1035 C



1198 C A1198 C
B1198 C B1198 C
1743 C A1198 C
1747 C A1198 C
1858 C A1198 C



1288 C




938 C
794 C
936 C




1742 C
1746 C
1857 C



A 793 C A 935 C A 937 C



1119 C 1120 C



1033 C 1034 C



874 C 876 C
875 C 877 C



857 C 859 C
861 C 1036 C
1614 C 1833 C
1835 C 1837 C
1839 C



230 C
247 C
237 C
960 C
961 C
1860 C



858 C 860 C
862 C 1057 C
1615 C 1834 C
1836 C 1838 C
1840 C



553 C
A 553 C




0396-8C
0398 C 1
0224 C 1
0224 C 1



0395-7C
0397 C 1
0223 C
02223 C 1



537 C



353 C
1186 C
1185 C
1217 C
1187 C



359 C
1186 C
1218 C
1188 C




892 C



777 C



338 C



993 C A 993 C
B 993 C 1317 C
A 1317 C




1781 C



1824 C
1825 C



444 C 198 C 1611 C
445 C 199 C 1353 C
1149 C 1151 C A 1353 C
A 1149 C A 1151 C 1792 C
B 1149 C 1322 C 1793 C
578 C A 1322 C 1795 C
1150 C 1076 C 1796 C
A 1150 C 746 C 1801 C
A 746 C B 746 C



1285 C A 1546 C
A 1285 C B 1546 C
A 847 C A 892 C
B 847 C B 892 C
A 1145 C C 892 C
B 1145 C A 1146 C
B 1146 C



847 C
1147 C
1145 C
1146 C
842 C
1148 C



1780 C



672 C
1167 C
799 C



A 799 C
A 672 C
1686 C



488 C 1168 C A 1168 C
1172 C A 1172 C 538 C
A 1173 C 749 C A 749 C



1529 C
1213 C



1530 C
1214 C



661 C
663 C
664 C
666 C
953 C
A 953 C
1619 C



662 C
664 C
666 C
953 C
A 953 C
1619 C



1017 C
765 C
1028 C
1078 C



1298 C
1299 C
1300 C
1301 C



618 C
670 C




1101 C





1170 C
450 1/2 C
1105 C
1169 C
A 1169 C
450 C





750 C
1508 C
790 C
A 790 C
1507 C
450 C












STEEL PIECES FOR ROAD ROLLER



CONNECTING-RODS.




PISTON RODS


SIMPLE




COMPOUNDED



FRONT AXLES



REAR AXLES



0910C - 4' 2 1/2"

0910C1 - 4' 0"

0911C - 4' 3 3/8"

0918C - 4' 4 3/8"

0912C - 4' 5 3/8"

0913C - 4' 7 3/8"

0914C - 4' 9 3/8"

0914C1 - 4' 11 1/2"

0914C2 - 5' 0"

02900C - 4' 4 3/8"

0913C1 - 4' 6 1/2"


03520C - 4' 4 1/8"

03908C - 4' 11 3/8"


03010C - 5' 4 1/2"

0916C.2 - 5' 9 1/4"


LINKS




LINKS




LINKS.




LINKS




KEYS




GEARED PUMP PARTS.




KEYS



VALVE AND ECCENTRIC RODS



SEE NOTE BELOW.




SEE NOTE BELOW.



0730C-29 1/8




SEE NOTE BELOW.







NOTE

0720C TO 0725C, AND 0731C-0734C-0735C-0737C HAVE V-THREAD. WHILE C.I. OF SAME NUMBERS HAVE U.S. THREAD.





SEE NOTE.





Rawpork
Rayort
Razer
Reache
Read
Read
P

STEERING SHAFTS.



B166C
894 C

SIDE CRANK SPRING MOUNTED ENGINE REPAIRS FOR SIMPLE AND COMPOUNDED ENGINES.

When Ordering Engine Repairs YOU MUST Give Engine Number.

CASE REPAIRS—Letter C

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Pl Pa
Rebuke.	6 C		\$ 1 75		Piston ring high pressure 45 and 50H., compounded			1
Rabbi	28 C		50.00		Drive pulley, 26-in. dia. 7 1/2-in. face, 30H. spl.			2
Rabbiter	29 C		50.00		Drive pulley, 26-in. dia. 7 1/2-in. face, 36 and 40H. spl.			2
Racemic	30 C		50.00		Drive pulley, 26-in. dia. 7 1/2-in. face, 45 and 60H. spl.			2
Rachio.	31 C		50.00		Drive pulley, 26-in. dia. 7 1/2-in. face, 50 and 75H. spl.			2
Chose.	32 C		50.00		Drive pulley, 26-in. dia. 7 1/2-in. face, 18H. spl.			
Razee.	33 C		225.00		Drive pulley, 50-in dia. 110H. skid spl.			
Rebukeful.	35 C				Spur gear for differential, with spring covers, 50 teeth, 45 and 60H.; (75H., simple, prior to engine 9385) — 08010C1		896 C	5
Rebuking.	36 C		15.00		Bevel gear for differential, keyed on shaft, 44 teeth, 2 1/8-in. bore, 45 H.; (60H., prior to 25452)		1947 C	6
Rebury.	37 C		18.50		Bevel gear, with pinion, 44 and 17 teeth, 2 1/8-in. bore, 45H.; (60H., prior to engine 7093).		703 C	6
Rebus	38 C		3 50		Bevel pinion for differential, 45, 50 and 60H.; (75H. simple, prior to 9385)		939 C	5
Rebuted	39 C		1.50		Cover for springs in 35C (prior to engine 7093).		39 1/2 C	
Recall	39 1/2 C		1 50		Cover for springs in 35C, 45H., prior to 26643; 60H., prior to 25452; 75H., prior to 9385	39 C	897 C	5
Palmitate	A39 1/2 C		1.50		Cover for springs in 35C, 45 and 60H	39 1/2 C		7
Recalled	40 C		20.00		Center frame for differential 45H.; (60H., prior to 25452), (75H., simple prior to engine 9385).		1946 C	
Racket	41 C		17.50		Winding drum, 2 1/8-in. bore, 30H		899 C	5
Radial.	42 C		17.50		Winding drum, 2 1/8-in. bore, 36 and 40H			1
Radiative.	43 C		17.50		Winding drum, 3 3/8-in. bore, 45 and 60H			1
Radicand	44 C		17 50		Winding drum, 3 1/8-in. bore, 50 and 75H			1
Recant.	46 C				Spur gear on traction wheel, 75 teeth, 45H., replaced by A46C, (60H., prior to engine 7093).		A46 C	
Recant.	A46 C		55.00		Spur gear for traction wheel, 45H.	46 C	704 C	5
Recantas	47 C		1 25		Clamp for wheel brace, prior to engine 6592			
Chose.	48 C		1 50		Flange for heater, 30, 36, 40, 45 and 50H "Grace"			8
ough.	A49 C		2 00		Pipe flange, 45 and 60H., "Grace"			
Radically	86 C		1 75		Piston ring, 36 and 40H., simple and roller.			1
Warlet.	101 C		125 00		Cylinder, low pressure, 9 1/2x10-in., 18H., compound, prior to engine 6602			
Wasted	102 C		50 00		Cylinder, high pressure, 6 1/2x10-in. for 101C			
Recaption	105 C		1 50		Cover for packing in center head, 36, 40, 45, 50 and 60H., compounded.			1
Recaptor	106 C		75		Washer for packing in center head, all compounded except 75 and 80H			1
Rechabite	107 C		1 75		Packing, external, in center head, all compounded engines except 75 and 80H			1
	107 1/2 C				See 08521C			
Receptor	108 C		1 50		Packing, external, in center head, all compounded engines except 75 and 80H			1
Ratmart.	109 C		1 50		Gland for 101C			
Rattest	110 C		1 50		Bushing for 109C			
Ratute.	111 C		1 50		sleeve ring for 101C			
Rauant	112 C		10.00		Piston for 101C			
Ravakes	113 C		2.50		Piston ring for 112C			
Rabbinical.	114 C		7.00		Piston for 102C			
Rabbinist	115 C		1.50		Piston ring for 102C (each)			
Raveled	116 C		15 00		Slide valve for 101C			
Rabblement.	117 C		15.00		Steam chest cover for 101C			
Receptor	117 1/2 C		15.00		Steam chest cover 36 and 40H., compounded.			
Receiver	118 C		1 75		IRON stuffing box for valve stem, 18 to 80H. and RR.			1
Recency	119 C		1 25		Gland for 118C, 18 to 80H., and RR.			1
Recense	120 C		75		IRON nut for 118C, 18 to 80H., and RR.			1
	120 C		75		IRON stuffing nut for throttle, 30 to 80H	465 C		
Recent	121 C		12 00		Crosshead 45, 50 and 60H.			1
Recently.	121 1/2 C		12.00		Crosshead, 30, 36 and 40H. and RR			1
Recentness	122 C		2 50		Shoe for crosshead 30 to 60H., 75H. and RR; (80H., prior to 26641) 2386C		3125 C	1
Ravemet	123 C				Jam nut for crosshead, prior to engine 6750, use 209 1/2C.			
Ravenas	124 C		5 00		Bearing for rock shaft, prior to engine 6750.			
Ravenit	125 C		2 50		Cap for 124C			
Raph.	126 C		6 00		Rocker arms attached to valve stem and eccentric rod, prior to 6750.			
Ra wheel	127 C		12 00		Crank shaft bearing, crank side, prior to engine 6750			
Rawmeat.	128 C		3.50		Cap for 127C			
Receptacle.	128 1/2 C		25		Cover for oil cup on crank bearing, 18 to 75H., prior to 21214			1
Rabato	A128 1/2 C		25		Cover for oil cup on crank bearing, 18 to 80H., prior to 26641.			
Parakite	B128 1/2 C		25		Cover for oil cup on crank bearing, 18 to 75H., (80H., prior to 26600).		A1408C	12
Receptary	129 C		12.00		Crankshaft bearing, without babbitt, 45 and 60H., prior to engine 7093; 45H., simple, prior to engine 7519.		646 C	2
Raceway.	130 C		4 00		Cap for 129C		647 C	2

CASE REPAIRS—Letter C

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
Rawpork	130 1/2 C		15		Cover for oil cup on 128C and 130C, prior to engine 6750			
Rayort	131 C		7 00		Bracket for reverse block, prior to engine 6750			
Razer	132 C		7 00		Reverse block, prior to engine 6750			
Reache	132 1/2 C		2 00		Collar for 132C, prior to engine 6750			
Read	133 C		2 00		Jaws for 132C, with steel gib			
Readat	134 C		1 50		Jaws for 132C, with chilled face			
Readest	135 C		7 00		Eccentric hub, 3-in. travel, 3 3/8-in. bore, prior to engine 6750.			
Reception	136 C				Eccentric strap, 30 to 60H., (75H., prior to 9385), cannot ship halves; replaced by A136C.		1005 C	2
Reception	A136 C		9 00		Eccentric strap, 30, 36, 45 and 60H., prior to 1912, give engine number.			
Palmitte	B136 C		9 00		Eccentric strap, 30, 36, 40, 45 and 60H. and roller			
Reafed	138 C		5 00		Bearing for idler shaft, prior to engine 6750			
Realiter	139 C		15		Oil cup cover for 138C			
Realkirk	140 C		7 00		Bearing for counter shaft, prior to engine 6750			
Reallick	141 C		15		Oil cup cover for 140C			
Reams	142 C		10 00		Bearing for hind axle, prior to engine 6750			
Reares	143 C		25 00		Crank disc, prior to engine 6750			
Reaters	144 C		3 50		Throttle valve casing, prior to engine 6750			
Rebunk	145 C		3 50		Throttle valve casing, part containing seat, prior to engine 6750.			
Rebussed	146 C		2 00		Valve for 144C			
Rebuxt	147 C		1 00		Stuffing box nut for 144C			
Recapter	148 C		4 00		Elbow bracket for governor, prior to engine 6750			
Recess	149 C		4 00		Governor pulley on crank shaft, 45 and 60H., prior to engine 8012		965 C	2
Recarre	150 C		1 50		Governor pulley on governor, prior to engine 6750			
Recession	151 C		7 00		Brass box for connecting rod, crank end, prior to engine 7093		638 C	1
Rechange	152-3 C		6 00		Brass box for connecting rod, crosshead end, prior to engine 7093		636 C	1
Recharter	154 C		1 50		Draw block for slide valve, 36, 45 and 60H., compounded prior to 21214			1
Racing	A154 C		1 50		Draw block for slide valve, 36, 45 and 60H., compounded prior to 1912, give engine number		A1140C	1
Recetin	155 C		15 00		Front bolster for spring, prior to 6750			
Rechaped	156 C		5 00		Loose part of 155C			
Rechast	157 C		2 00		Tightener block for 155C			
Rechint	158 C		5 00		Shelf for pump, prior to engine 6750			
Rechuset	159 C		25		Post for shelf, 158C			
Reciede	160 C		8 00		Shelf for quadrant, engine 6279			
Recirted	161 C		20 00		Steering roller, prior to engine 6750.			
Recheat	162 C		6 00		Quadrant for reverse, with 163C, 30 to 60H., simple, prior to 1912, give engine number, see 221C			
Palmitic	A162 C		4 00		Quadrant for reverse, 30 to 80H., and RR.	A1890C		8
Rechoose.	163 C		1 00		Side piece, bolted to 162C, prior to 1912, give engine number			2
Recken	164 C		4 00		Bracket for friction clutch forked lever, prior to engine 6750.			
Reclaim	165 C		1 50		Collar on hind axle, 4-in. long, prior to engine 6750			
Recidivate	166 C		1 00		Quadrant for throttle lever, 30, 45 and 60H., prior to 26641 36 and 75 H., prior to 24959		B166C	
Paralogist.	A166 C		1 25		Quadrant for throttle lever, 80H., prior to 26641		B166C	
Paralysis.	B166 C		1 25		Quadrant for throttle lever, 30 to 80H., and roller	1894 C		8
Recidivous.	167 C		35		Head for throttle lever, 1/2-in. rod prior to engine 7093		894 C	
Recipe	168 C		25		Hand nut for throttle, 30 to 75H., prior to 21214			
Racking	A168 C		25		Hand nut for throttle 30, 45 and 60H., prior to 26641, 36 and 75H., prior to 24959		1902 C	
Reclent.	169 C		75 00		Drive pulley, with friction rim, prior to engine 6750			
Recipient	170 C		5 00		Quadrant for clutch lever, with 171C, 36, 45, 60 & 75H.; (80H., prior to 26642; 40H., prior to 28852, RR., prior to 22872, 30H., prior to 33099			2
Reciprocal	171 C		1 00		Side piece, bolted to 170C			2
Reclot	172 C		2 50		Bracket for steering shaft, lower, prior to engine 6750			
Reclupes.	173 C		2 00		Bracket for steering shaft, upper, prior to engine 6750			
Radiable.	174 C		2 50		Center support for straw gates, 60H. (18 and 20H., prior to 6750)			6
Recluser	175 C		25 00		Arm for friction clutch, prior to engine 6750			
Recobate.	176 C		8 00		Pinion on crank shaft, 14 teeth, prior to engine 6750			
Recodest	177 C		2 50		Bearing for steering roller, worm wheel side, prior to engine 6750			
Recogop	178 C		75		Support for center support, prior to engine 6750			
Recoimest.	179 C		2 75		Dead plate for straw burning, prior to engine 6750			
Radiancy	179 1/2 C		3 50		Dead plate for burning straw, 60H			
Recoinist.	180 C		12 00		Bracket under cylinder, 101C			
Reciprocate	181 C		35		Dog for clutch lever, 36, 45, 60 and 75H. (80H., prior to 26642; 40H., prior to 28852, RR., prior to 22872, 30H., prior to 33099).			2
Recolnate	182 C		135 00		Cylinder, 10x10, low pressure, 20H., prior to engine 6750			
Recolpa.	183 C		55 00		Cylinder, 7x10, high pressure, for 182C, prior to engine 6750			
Reciprocity.	183 1/2 C		55 00		Cylinder, 7x10, high pressure, for 354C, 45 and 50H., compounded			1
Recision	184 C		10 00		Piston head, threaded for rod, low pressure, 45H., compounded, prior to engine 8115; also 8569 to 8575.		981 C	1
Recitation.	185 C		2 50		Piston ring, 60 and 65H., simple; 45 and 50H.L.P., compounded			1
Recited	186 C		8 00		Piston head, threaded for rod, high pressure, 45H. compounded, prior to engine 8115; also 8569 to 8575.		986 C	1
Reckless	187 C		12 00		Head between high and low pressure cylinders, 45 & 50H., compounded			1
Reckoned	188 C		6 00		Head for 183C and 183 1/2C			1
Recomets	189 C		20 00		Slide valve, 20H., compound, prior to engine 6750.			1
Reclament.	189 1/2 C		20 00		Slide valve, 45, 50 and 60H., compounded			1
Recomite	190 C		2 00		Collar on idler shaft, prior to 6750			
Recommew	191 C		15 00		Bracket under frame for 101C, prior to engine 6750			
Recomnota.	192 C		25 00		Bracket under frame for 182C, prior to engine 6750			
Recompirt	192 1/2 C		25 00		Bracket under frame for 182C, prior to engine 6750			
Recompute.	193 C		2 00		Flange to connect exhaust pipe to frame bracket, prior to engine 6750			
Reconete	194 C		7 00		Deflecting plate for 32-in. boiler, prior to engine 6750			
Reconiter	195 C		6 00		Shelf for quadrant to replace 160C, prior to 6750			
Reconlunt.	195 1/2 C		6 00		Shelf for quadrant, 5/8 shorter than 195C, prior to engine 6750			
Reconrust.	196 C		17 00		Steam chest cover for 182C, prior to 6750			
Reclinate	196 1/2 C		17 00		Steam chest cover, 45, 50 and 60H., compounded			1
Recoor	197 C		1 25		Hand wheel for boiler front, replaced 75ME, prior to engine 6750			

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
Reclining.	198 C		45.00		Hub for hind axle, with key way, 45 and 60H., prior to engine 7093.		199 C	4
Reclose.	199 C		45.00		Hub for hind axle, without key way, 45 and 60H., prior to engine 10008 (see 1151C).		1151 C	4
Recosted.	200 C		45.00		Hub for hind axle, tight, engine 6727 only			
Recouit	201 C		45.00		Hub for hind axle, loose, engine 6727 only			
Recoupe.	202 C		10.00		Rocker arm for 20H., compound, prior to 6750.			
Recovart.	203 C		6.00		Bearing for 202C			
Recrants.	204 C		3.00		Cap for 202C			
Reclude.	205 C		9.00		Piston head for low pressure cylinder, threaded, 36H., compounded, prior to 8287		985 C	1
Reclusely	206 C		2.25		Piston ring, 5/8-in. wide, 45 and 50H. simple			1
Reclusion	207 C		6.00		Piston head for high pressure cylinder, 36H. compounded, prior to engine 8287		984 C	1
Reclusive	208 C		1.50		Piston ring for high pressure cylinder, 36 and 40H. compounded			1
Radish	209 C				Jam nut for crosshead, 30, 36 and 40H., replaced by 0416C			1
Radix	209 1/2 C				Jam nut for crosshead, 45 and 60H.: 75H. simple, prior to 9490 replaced by 02590C			1
Recognize.	210 C		1.50		Reverse lever, 30 to 75H., prior to 21214			2
Radula.	A210 C		1.50		Reverse lever, 30 to 75H., prior to 1912, give engine number		1891 C	2
Raffia	211 C		1.00		Throttle lever, 30, 45 & 60H., prior to 26641; 36 & 75H., prior to 24959		1895 C	3
Recoiler.	212 C		10.00		Crankshaft bearing without babbitt, 36H., prior to engine 7070.		644 C	2
Recoiling.	213 C		4.00		Cap for 212C, without babbitt		645 C	2
Chouse	214 C		2.00		Flange for heater, 60, 65, 75 and 80H., "Grace"			
Recrap	215 C		8.00		Bearing for axle, engine 6727 only			
Recrebative	216 C		15		Cover for oil cup on 215C			
Recroma	217 C		4.50		Bearing for counter shaft, engine 6727 only			
Recroted.	218 C		15		Cover for oil cup on 217C			
Rectab.	219 C		5.00		Bearing for idler shaft, engine 6727 only			
Rectent.	220 C		15		Cover for oil cup on 219C			
Raffish.	221 C		5.00		Quadrant for reverse, all compounded, except 75H., prior to 1912, give engine number (see 162C)		A162C	2
Rective.	222 C		30.00		Intermediate gear, engine 6727 only			
Recoilment.	222 1/2 C		30.00		Intermediate gear, 48 teeth, 5-in. bore, 36H., prior to 21214			5
Ragtime	A222 1/2 C		30.00		Intermediate gear, 48 teeth, 5-in. bore, 36 & 40H. (R.R. prior to 22872).		1368 C	5
Radical.	223 C		1.00		Outside piece on 221C, prior to 1912			2
Recoin.	224 C		7.50		Pinion on crank shaft, 36H., prior to engine 8926.		1106 C	2
Recturst.	225 C		110.00		Cylinder, low pressure, 9x10 in., 15H., compounded, engine 6727 only.			
Recoinage	225 1/2 C		110.00		Cylinder, low pressure, 9x10 in., 36H., compounded, prior to 22869.			1
Rabate.	A225 1/2 C		110.00		Cylinder, low pressure, 36 and 40H., compounded			1
Ragweed.	226 C		.35		Hand wheel for blower rod, 30 to 110H., for throttle on 18H., prior to 21214			3
Ragwort.	A226 C		.35		Hand wheel for blower, 36 to 110H., for throttle rod on 18H.			3
Railway	227 C		50.00		Cylinder, high pressure, 6 1/2 x 10-in., 36 and 40H., compounded			1
Recollect.	228 C		5.50		Cylinder head for 227C			1
Radiation.	229 C		11.00		Head between high and low pressure cylinders, 36 & 40H., compounded			1
Raindrop	230 C		50		Cap for rear axle, 36 to 75H. portables, prior to 26641	237 C	A960 C	4
Rainfall	231 C		50		Nut for draw block, R.H., all compounded except 75H., prior to 21214 (see 1141C).			1
Raised.	A231 C		50		Nut for draw block, R.H., all compounded except 75H., prior to 1912		A1141C	1
Raising	232 C		50		Support for center support, straw burning engines, prior to 10007 (see 997C).		A1180C	6
	233 C				Safety plug (see supply list).			
Recurte	234 C		4.50		Bed plate for engine frame, prior to engine 6750.			
Recommend.	234 1/2 C		4.00		Bed plate for engine frame, 36H., prior to 22869.			1
Recommit.	235 C		6.00		Steering ring, R.H. for split axle, all engines, prior to engine 8012, 30H prior to engine 9115		780 C	
							926 C	
Rajah	236 C		6.00		Steering ring, L.H., for split axle, all engines prior to engine 8012; 30H prior to engine 9115		928 C	5
							781 C	
Ralline	237 C		.50				927 C	5
Rament.	238 C				Cap for rear axle, 36 to 75H., portable engines, prior to engine 10008.		929 C	4
Redabotus	239 C		12.00		Connecting rod, all engines, prior to 7093 (see 0690C).		230 C	4
Redbort.	241 C		10.00		Bolster bracket, engines prior to 6750.			
Redbrent.	242 C		7.00		Boiler front for 32-in. shell engines, prior to 6750			
Redbroke.	243 C		6.00		Door for 241C.			
Raffling.	243 1/2 C		5.00		King bolt, engine 6727 only.			
Recompense.	244 C		8.00		King bolt, 30H., engines between 8310 and 9114 (see 934C)	596 C	934 C	4
					Bracket for steering roller, R.H., 36, 45 and 60H., prior to engine 7094, 45H., simple, prior to 7519		718 C	5
Recompose.	245 C		6.00		Bracket for steering roller, L.H., 36, 45 and 60H., prior to engine 7094, 45H., simple, prior to 7519		719 C	5
Reconcile	246 C		1.00		Cap for steering roller bracket, L.H. (see 976C), 36 to 75H., not used after 1904			5
Reconciling.	247 C		.25		Cap for axle, 1 1/8-in. bore (18H., all engines, prior to 8012; 30H., prior to 9114.		960 C	4
Redcurtz.	255 C		6.50		Bracket for reverse block, prior to engine 6750			
Rambutan	256 C		2.50		Cap for 255C and 453C, prior to 7093.			
Reddopt	257 C		2.50		Collar on idler shaft, engine 6727 only.			
Ramie.	260 C		65.00		Disc, complete, with pin and shaft, 45 & 60H., prior to engine 9046; also 45H. simple, 9076 to 9095, 9115 to 9118 and 9158, 60H. simple; 9167 to 9191, 9205 to 9210; 60H. compounded, 9199 to 9204 (give engine number)		1101 C	1
Redefers	261 C		7.00		Reverse shaft, prior to engine 6750			
Redelope.	262 C		90.00		Engine frame, 20H., prior to engine 6750			
Recondite.	262 1/2 C		90.00		Engine frame, 45 and 60H., prior to 18180			1
	A262 1/2 C				Use 08152C1.			
	B262 1/2 C				Use 08152C2.			
Redemk	270 C		3.00		Governor pulley, 5-in. diameter, prior to engine 6750.			

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
Redence	271 C		80 00		Engine frame, 15H., compound, engine 6727 only; also to change cylinder and frame combined, prior to engine 6750			
Ramism	271 1/2 C		80 00		Engine frame, 36H., prior to 18180			1
	A271 1/2 C				Use 08215C1			
	B271 1/2 C				Use 08215C4			
Redepth	273 C		2 50		Cap for 271C			
Ramose	276 C		8 00		Reverse shaft, prior to engine 7093		632 C	2
Ramous	277 C		1 50		Gib for 276C		1309 C	2
Rabbin	278 C		2 50		Gear shield, 30H., replaced by A278C			
Param	A278 C		3 25		Gear shield, 30H., prior to 26641			3
Paralytic	B278 C		3 25		Gear shield, 30H., prior to 33099			3
Rampion	280 C		2 75		Gear shield, 36H., replaced by A280C			
Rampion	A280 C		4 50		Gear shield, 36H			7
Rarrsted	283 C	125 00			Pulley, 48-in. diameter, 2 1/8-in. bore, 36 and 40H., portable (special)			2
Ramtil	284 C	125 00			Pulley, 48-in. diameter, 3 3/8-in. bore, 45 and 60H., portable (special)			2
Ramulus	285 C	125 00			Pulley, 48-in. diameter, 3 7/8-in. bore, 50 and 75H., portable (special)			2
Ranarium	286 C	6 00			Quadrant for reverse, with 287C, 75H., prior to 26015		A162 C	2
Rancher	287 C	1 00			Side piece for 286C, 75H., prior to 26015			2
Ranching	288 C	1 50			Collar on counter shaft, 2 1/8-in. bore, 45H. (60H., prior to engine 7093)		755 C	6
Redknet	289 C	50			Crab for hand hole plate, prior to engine 6750			
Redmen	290 C	1 00			Counter balance plug for 117C, brass, tapped for 3/8-in. pipe			
Rednont	291 C	10 00			Peep hole plate, prior to 6750			
Reconsider	292 C	1 50			Lever for friction clutch quadrant, 36, 45, 60 and 75H. ((80H., prior to 26641; 40H., prior to 28852, 30H., prior to 33099))		2101 C 2327 C 2364 C	2
Rabbling	293 C	3 00			Gear shield, 45H., replaced by A293C			
Rabbling	A293 C	5 50			Gear shield, 45H			3
Redoucer	296 C	25 00			Bracket under cylinder, engine 6727 only			
Rancorous	297 C	3 25			Gear shield, 60H., replaced by A297C			
Rancorous	A297 C	6 00			Gear shield, 60H			3
Rapture	300 C	1 50			Wedge block in connecting rod, crosshead end, prior to engine 7093		640 C	1
Redrest	304 C	60 00			Spur gear on traction wheel, 80 teeth, engine 6727 only			
Redsirt	305 C	12 00			Pinion on counter shaft, 18 teeth, 2 1/8-in. bore, engine 6727 only			
Randing	306 C				Spur gear for differential, with spring covers, 51 teeth, 36 & 40H.; (RR., prior to 22872) Use 08909C		1874 C	5
Rangy	307 C	16 00			Center frame for differential, 36H.			5
Ranine	308 C	3 00			Bevel pinion for differential, 12 teeth, 1 1/8-in. bore, 36 and 40H., RR.			5
Recorder	309 C	11 00			Bevel gear for differential, keyed on shaft, 43 teeth, 2 1/8-in. bore, 36H.			
Ranula	310 C	15 00			Bevel gear and pinion, 18 and 43 teeth, 2 1/8-in. bore, engines 6727 and 6757 only			
Recording	311 C	1 50			Cover for springs in differential, 36H., prior to 22869			
Rapacity	A311 C	1 50			Cover for springs in differential, 36 and 40H.			5
Rapier	314 C	50			Outer ring for 1 3/4-in. balance plug, 36 to 60H., compounded; (75H., prior to 12493)		1233 C	1
Recount	315 C	50			Outer ring for 1 1/2-in. balance plug, 30H., compounded			1
Recourse	316 C	1 00			Collar on counter shaft, 2 1/8-in. bore, 36H.			6
Redudast	317 C	1 50			Collar on idler shaft, engine 6727 only			
Recoveror	318 C	6 00			Valve guide holder, 30, 36 and 45H., compounded traction, 30, 36 and 45H., portable, 60H., simple portable (see 829C) prior to 1912 (give engine number)			1
Recovery	319 C	70 00			Disc, complete, with pin and shaft, 33H., prior to engine 9046; also 36 H., simple, 9141 to 9155; 36H., compounded, 9126 to 9140 (give number)		1100 C	1
Redverse	320 C	20 00			Slide valve, engine 6727 only			
Recreant	320 1/2 C	20 00			Slide valve, 36 and 40H., compounded			1
Recreate	321 C				Stuffing box for piston rod, 30 and 36H., prior to engine 8012, replaced by 912C			
Recreation	321 1/2 C				Stuffing box for piston rod, 45 and 60H., prior to engine 8012, replaced by 910C			
Recrement	322 C				Gland for 321C, replaced by 913C			
Recross	322 1/2 C				Gland for 321 1/2 C, replaced by 911C			
Recrossed	323 C	1 25			IRON nut for gland in frame, 30 to 65H., (75H. simple, prior to engine 9490)	512 C	1015 C	1
Reebast	324 C	10 00			Bolster bracket, engine 6727 only		791 C	
Recruited	324 1/2 C	10 00			Bolster bracket, 45 and 60H., prior to engine 8012 (36H., port., prior to 9046, 36H., 1 rac., prior to 19563)		1749 C 720 C	4 5
Recruitment	325 C	20 00			Steering roller, 36 and 45H., prior to engine 7093		328 C	1
Rectangle	326 C	3 50			Governor stand, 36H., compounded, prior to engine 10008			
Reecink	327 C	20 00			Arm for friction clutch, engine 6727 only			
Raptus	328 C	3 50			Governor stand, 36H., compounded, prior to 22869	326 C	A967 C	1
Rarebit	329 C	3 75			Gear shield, 75H., replaced by B329C			
Rarebit	A329 C	5 50			Gear shield, 75H., replaced by B329C			
Rarebit	B329 C	4 75			Gear shield, 75H			3
Refat	330 C	2 00			Collar on hind axle, L.H., engine 6727 only			
Refined	331 C	5 00			Collar on hind axle, R.H., engine 6727 only			
Rectified	332 C	3 50			Governor pulley on crank shaft, 36H., prior to engine 8012		964 C	2
Chow	333 C	75			Plug jet for oil burner			12
Paralyze	334 C	50			Foot piece for traction brake and sprinkler			
Rectify	335 C	4 00			Bed plate for engine frame, 30H., not drilled, prior to 26647			1
Rectitude	336 C	60 00			Cannon box for hind axle, 60H., to engine 8012		940 C	2
Refint	337 C	2 00			Slide bracket, prior to engine 6750			
Rectoral	338 C	8 00			Bracket for drag links, 30 to 45H., prior to engine 8012		777 C	4
Reflock	339 C	35 00			Cannon bearing, 20H., prior to engine 6750			
Refloyd	340 C	1 25			Slide for slot over key way, engines, prior to 6750			
Rectory	341 C	1 00			Cup washer under spring brackets, 30 to 80H. (RR., prior to 22872)		1868 C 1916 C	2
Refoster	342 C	35 00			Cannon bearing for idler shaft, 20H., prior to engine 6750			
Refracted	343 C	8 00			Frame for smokebox door, engine 6727 only			
Refradent	344 C	5 00			Door for 343C			

CASE REPAIRS—Letter C

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
Refrank	345 C		1 50		Collar on crank shaft, prior to engine 6727			
Recumbence	346 C		3 50		Collar on hind axle, L.H., 45H., prior to engine 7093		507 C	2
Recumbent..	347 C		5 00		Collar on hind axle, R.H., 45H., prior to engine 7093		506 C	2
Rasper	348 C		4 00		Grate support, 36 and 45H., prior to engine 9046 (see 739C)			6
Rascality	349 C		50		Pipe flange for tank, 30, 36, 45 and 60H., prior to 26641	805 C		3
Refront.	350 C		7 50		Quadrant shelf, engine 6727 only			
Regainer.	351 C		7 00		Pinion on crank shaft, replaced by 629C			
Recurrent.	352 C		7 00		Eccentric hub, 36H., traction, prior to 26641			2
Palmoneta	A352 C		7 00		Eccentric hub, 36 and 40H., traction and roller.			8
Recursion	353 C		15 00		Spring pot bracket, R.H., all engines, prior to 10008		1185 C	4
							1187 C	
Recurvate..	354 C		125 00		Cylinder, low pressure, 45H., compounded, prior to 26641			1
Paramagnet.	A354 C		125 00		Cylinder, low pressure, 45 and 50H., compounded			
Recurvous.	355 C		25 00		Arm for friction clutch, 45 and 60H., prior to engine 8012		788 C	2
Recusant..	356 C		3 00		Shoe for friction clutch, 2 holes, prior to 7093			2
Rashness	356 1/2 C		3 00		Shoe for friction clutch. 1 hole, 30H., and road roller, prior to 19563, all engines prior to engine 8012		789 C	2
Perchance.	A356 1/2 C		3 00		Shoe for friction clutch, 30H., and road roller			2
Recusation	357 C		6 50		Sleeve for friction clutch, prior to engine 7093		697 C	2
Redact	358 C		50		Turn buckle for clutch, 30H., and road roller, prior to 21214, all engines prior to 8012		994 C	2
Raspy...	A358 C		50		Turn buckle for clutch, 30H., and road roller			
Redaction	359 C		15 00		Spring pot bracket, L.H., all engines prior to 10008		1186 C	
							1188 C	4
Regamert.	360 C		25 00		Bracket, 20H., engines prior to 6750			
Redbird	361 C		1 25		Guide block for lower cannon box, 30 to 75H., prior to 21214			2
Rasse.	A361 C		75		Guide block for lower cannon box, 30 to 75H., prior to 22869			9
Redbreast	362 C		80 00		Drive pulley, 36-in. diameter, 3 1/8-in. bore, 45 and 60H., prior to engine 8012		787 C	2
Regave.	363 C		3 00		Dead plate for straw burning, firebox 24x52-in., 20H., prior to engine 6750			
Regenite	364 C		1 50		Link lifter, 20H., prior to engine 6750			
Regepser.	365 C		3 50		Link elbow, 20H., prior to engine 6750			
Regience	366 C		3 75		Link elbow bracket, prior to engine 6750			
Reginter	367 C		8 00		Grate, coal, 20H., prior to engine 6750, firebox 24x52-in			
Regitent	368 C		20 00		Arm for friction clutch, 42-in. pulley, prior to engine 6750 (special)			
Regoan	369 C		3 50		Shoe for friction clutch, 42-in. pulley, prior to engine 6750			
Regraces..	370 C		2 50		Grate, 2-bar, firebox 24x52-in., 20H., prior to engine 6750			
Regrah	371 C		1 75		Lining for smokebox, 20H., prior to engine 6750			
Ratal.	372 C		4 00		Grate support, 60H., prior to engine 9046		747 C	6
Regreat.	373 C		1 75		Lining for smokebox, 20H., prior to engine 6750			
Reguent.	374 C		1 75		Lining for smokebox, 20H., prior to engine 6750			
Reguler	375 C		120 00		Pulley, 42-in. diameter, 3 3/8-in. bore, with friction rim for clutch, engines prior to 6750 (special).			
Regulont.	376 C		1 75		Door for peep hole, prior to engine 6750			
Redbud	376 1/2 C		2 00		Door for peep hole in boiler, all tractions except 30H., prior to engine 10008		382 C	3
Redcoat	377 C		50		Lining for 376 1/2 C and 382 C, prior to 10536			3
Reddish.	378 C		50		Hinge for 376 1/2 C and 382 C, prior to 10536			3
Ratching.	379 C		50		Crab for hand hole in water tank, prior to 22839			3
Redeemed.	380 C		25		Hand hole plate in water tank, prior to 22839			3
Redeeming.	381 C		3 00		Strap for sleeve, 357C prior to 7093		698 C	2
Ratite	382 C		2 00		Peep hole door, all engines prior to 10536, except 30H	376 1/2 C	424 C	3
Ratline	385 C		60 00		Cannon box for axle 45H., prior to engine 8012		775 C	2
Redemand.	386 C		40 00		Cannon box for countershaft, 45H., prior to engine 8012		776 C	6
Parament.	387 C		50		Pipe flange, 1 1/4-in. 75H., prior to 26641			12
Redemise	388 C		25 00		Arm for friction clutch, 36H., prior to engine 8012		798 C	2
Redemption.	389 C		75 00		Drive pulley, 36-in. diameter, 2 1/8-in. bore, road roller (33H., prior to engine 8012)		797 C	2
Rattling	392 C		125 00		Pulley, 42-in. diameter, 3 7/8-in. bore, with friction rim for clutch (special) 75H			2
Ratty.	393 C		25 00		Arm for 42-in. friction clutch, 3 7/8-in. bore, for 392C. 75H			2
Redented	394 C		50 00		Cannon box for axle, 36H., engines prior to 8012		9 3	2
Raucous	395 C		40 00		Cannon box for counter shaft, 36H., engines prior to 8012		9 9	
Redeye	396 C		15 00		Bracket for intermediate gear and link, 36, 45 and 60H prior to engine 10008, 75H., simple, prior to engine 9046		5 1	5
Ravine.	397 C		8 00		Bracket on boiler for countershaft radius links all engines except 30H prior to engine 10008		1131	5
Ration	398 C		20 00		Smokestack, no screen, 36, 45H., (60 and 75H prior to 33873) (30H. prior to 26641, 40H. and RR, prior to 28852—38149C		99 1/2 C	
							99 3/4 C	
							99 3/8 C	
Reimporce	399 C		20 00		Heater shell, engines prior to 6750		99 1/8 C	3
Redly	400 C		110 00		Cylinder, low pressure, 30H., compounded, prior to engine 10003		409 C	1
Redness	401 C		50 00		Cylinder, high pressure, 30H., compounded			1
Rayon.	402 1/2 C		20 00		Slide valve, 30H., compounded			1
Redound	403 C		10 00		Head between high and low pressure cylinders, 30H., compounded			1
Reactive.	404 C		12 00		Steam chest cover, 30H., compounded			1
Redraw.	405 C		5 50		Cylinder head for high pressure cylinder, 30H., compounded			1
Readily.	406 C		15 00		Bevel gear for differential, keyed on shaft, 43 teeth, 2 1/8-in. bore, engines 6752, 6754 and 6755 only			
Ready	407 C		18 00		Bevel gear, with pinion, 43 and 18 teeth, 2 1/8-in. bore, engines 6752, 6754, 6755 only			
Reaffirm	408 C		8 50		Pinion on counter shaft, 18 teeth, 2 1/8-in. bore, 30H., prior to 33099			5
Expository.	A408 C		7 50		Pinion on counter shaft, L.H., 30H			
Reagency.	409 C		110 00		Cylinder, low pressure, 30H., compounded, prior to 23641	400 C		1
Palmy.	A409 C		110 00		Cylinder, low pressure, 30H., compounded			
	410 C				Body for 2-in. Case throttle, 30, 36 and 45H (furnish only throttle complete)			

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
	411 C				Valve for 2-in. Case throttle, 30, 36 and 45H. (furnish only throttle complete)			
	412 C				Body for 2½-in. Case throttle, 60 and 75H., (furnish only throttle complete)			
	C412 C				Body for 2½-in. Case throttle, 60, 65, 75 and 80H.—08749C1			
	413 C				Valve for 2½-in. throttle, 60 and 75H. (furnish only throttle complete)			
	A413 C				Valve for 2½-in. throttle, 60, 65, 75 and 80H.—08749C1			
Ravel	415 C		8 50	...	Piston head for low pressure cylinder, 30H., compounded, prior to engine 8012; also 8384 to 8387		983 C	1
Redshort	416 C		2 00		Piston ring for low pressure piston, 30H., compounded			1
Realist	417 C		5 50		Piston head for high pressure cylinder, 30H., compounded, prior to engine 8012; also 8384 to 8387		982 C	1
Reducent	418 C		1 50		Piston ring for high pressure piston, 30H., compounded			1
Reducing	419 C		1 50		Cover for packing in center head, 30H., compounded			1
Reduct	420 C		75 00		Engine frame, 30H., prior to 21214			1
	A420 C				See 08189C1			
	B420 C				See 08189C4			
Really	421 C		10 00		Crankshaft bearing, without babbitt, 30H., prior to engine 7093		642 C	2
Realty	422 C		4 00		Cap for 421C, without babbitt		643 C	2
Reamage	423 C		1 25		Peep hole door frame (see 682-3-4-5C)	382 C		3
Reamy	424 C				Peep hole door (see 682-3-4-5C) replaced by A424C			
Reanimate	A424 C		75		Peep hole door for 423C			3
Reduction	425 C		4 00		Cap for crankshaft box on 420C, 30H., replaced by A425C			
Reappear	A425 C		4 00		Cap for engine frame, without babbitt, 30H., prior to 26647			1
Parametric	B425 C		4 00		Cap for engine frame, without babbitt, 30H., prior to 33099		B643 C	11
Rearmost	426 C		17 50		Intermediate gear, engines 6752, 6754, 6755 only			
Reductive	426½ C		17 50		Intermediate gear, 36 teeth, 5½-in. bore, 30H., prior to 33099			5
Febrile	A426½ C		20 00		Intermediate gear, 30H			
Reason	427 C		20 00		Bracket for 426C			
Redundant	428 C		2 25		Washer for intermediate gear bracket, prior to 13654		1303 C	5
Reasoner	A428 C		2 00		Washer for intermediate gear bracket, 33 to 80H. (RR., prior to 22872)		1371 C	5
Reasoning	429 C		25		Cover for oil box on 428C, not drilled, prior to 13654			5
Reassume	A429 C		15		Cap for A428C, replaced by 0259C			
Reassure	431 C		6 50		Pinion on crankshaft, 13 teeth, 4½-in. bore, 30H., prior to 33099		1106 C	2
Reeded	432 C		40 00		Cannon box for axle, 30H., prior to engine 8012		920 C	2
Reaver	433 C		30 00		Cannon box for countershaft, 30H., prior to engine 8012		921 C	6
Reef	434 C		17 00		Steering roller, 30H., and RR., prior to 32147			5
Expounder	A434 C		17 00		Steering roller, 30H., and RR.			
Reembark	435 C		1 75		Collar for hind axle, L.H. 30H., prior to engine 8012		925 C	2
Rebel	436 C		3 00		Collar for hind axle, R.H., 30H., prior to 8012		924 C	2
Rebeldom	437 C		1 50		Collar for crank shaft, 30H., prior to engine 7093			1
Reenforce	438 C		1 50		Collar for counter shaft, 30H., prior to 19563			6
Rebellion	A438 C		1 00		Collar on counter shaft, 30H., prior to 33099			6
Rebind	439 C		7 50		Bracket on boiler for radius link, 30H., prior to 10008		1160 C	5
	440 C		60 00		Disc, complete with pin and shaft, 30H. (give engine number)			
	A440 C				See 08751C, 08494C, 08494C2			
Rehoant	441 C		25		Washer for intermediate link bracket, 30, 36, 45, 50, 60, 65, 75 and 80H., (40H., prior to 28852, see 01180C)			
Rebuff	442 C		8 00		Bracket for cylinder, engines 6752, 6754, 6755 only			
Refect	443 C		50 00		Spur gear bolted to traction wheel, 80 teeth, 30H., and 36H., prior to engine 10008		448 C	5
Rebuild	444 C		40 00		Hub for hind axle, with key way, 30H., 1897			4
Refection	445 C		40 00		Hub for hind axle, without key way, 30H., prior to engine 10008		1149 C	4
Refectory	446 C		80 00		Drive pulley, 36-in. diameter, 2½-in. bore, ½-in. keyway, 30H., prior to engine 8012			
Rebuttal	446 C		80 00		Drive pulley, 36-in. diameter, 2½-in. bore, ½-in. key way, 30H			2
Referable	447 C		3 00		Governor pulley on crankshaft, 4-in. diameter, 2½-in. bore, 30H., prior to engine 8012		962 C	2
Referee	448 C		55 00		Spur gear bolted to traction wheel, 80 teeth, 36H. (30H., prior to 33099) (road roller, prior to 20003)	443 C	1762 C	5
Expression	A448 C		45 00		Spur gear for traction wheel, 30H.			
Rebutter	449 C		20 00		Shell for heater, engines 6752, 6754, 6755 only			
Reference	450 C		1 50		Head for heaters, tapped for ¾-in. pipe heaters 488C, 558C, 695C, prior to engine 10008		1169 C	4
Referment	450½ C		1 50		Head for heater, solid, for heaters 488C, 558C, 695C, replaced by 1105C, prior to engine 10008		1170 C	4
Referred	451 C		1 50		Draw block for slide valve, 30H., compounded, prior to 21214			1
Recapper	A451 C		1 50		Draw block for slide valve, 30H., compounded, prior to 26641			1
Palmyra	B451 C		1 50		Draw block for slide valve, 30H., compounded			
Recast	452 C		20 00		Smokestack, cast iron, engines 6752, 6754, 6755 only			
Refinement	453 C		8 00		Bracket for reverse shaft, with 256C, cap, engines prior to 7093		634 C	2
Refinery	454 C		6 00		Bracket for steering roller, R.H., 30H., prior to 14808			5
Recede	A454 C		6 00		Bracket for steering roller, R.H., 30H., prior to 33099			5
Expressive	B454 C		6 00		Bracket for steering roller, R.H., R.H., 30H			
Reflected	455 C		4 00		Bracket for steering roller, L.H., 30H., prior to 14808			5
Recedence	A455 C		4 00		Bracket for steering roller, L.H., 30H., prior to 33099			5
Expressly	B455 C		4 00		Bracket for steering roller, L.H., 30H			
Reflection	456 C		75		Cap for brackets 454C and 455C, prior to 14808			5
Reflector	457 C		10 00		Shelf for quadrant, 30H., prior to engine 8012		942 C	3
Reflex	458 C		7 00		Eccentric hub, 1½-in. throw 2½-in. bore, 30H., prior to 26641			2
Palolo	A458 C		7 00		Eccentric hub, 30H.			8
Refloat	459 C		25		Washer for draw bar spring, 30, 33, 45 and 60H.			3
Receipt	460 C		70 00		Drive pulley, 32-in. dia., 2½-in. bore, engines 6752, 6754, 6755 only			
Receiving	461 C		20 00		Arm for friction clutch, for 460C			
Recension	463 C		1 00		Bottom nut for 410C and 412C, 30 to 60H., prior to 33099 (75H., prior to 22859)			3
Paloverde	A463 C		1 00		Bottom nut for throttle, 75 and 80H., prior to 33873 (60H., 1911only)			12
Receptive	464 C		1 50		Valve stem for Case throttle, 30 to 80H., prior to 26641			3

CASE REPAIRS—Letter C

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
Paranoia.	A464 C		1 50		Valve stem for throttle, 30 to 80H., prior to 33947		04341 C	9
Recessive	465 C		50		Stuffing box nut for Case throttle, 30 to 60H., prior to 33099, 65H. prior to engine 33947		120 C	3
Recital	466 C		25		Lever for Case throttle, 30 to 45H., prior to 26641, 60H., prior to 24524, 75H., prior to 22860	676 C		3
Palpable	A466 C		25		Lever for throttle, 60, 75 and 80H., prior to 26641			12
Paranymph.	B466 C		25		Lever for throttle, 30 to 80H., see 2077C.			12
Renown	467 C		1 75		Bracket for steering shaft, upper, engine 6753 only			
Reflow.	469 C		4.00		Bracket for friction clutch lever, all engines prior to 8012 except 30H		784 C	2
Refluent	469½ C		4 00		Bracket for friction clutch lever 30H., prior to engine 8012.		783 C	2
Reflux	472 C		25.00		Spur gear for differential, with spring covers, 51 teeth, 30H., prior to 33099, 09063C			5
Expulsion	A472 C		30 00		Spur gear for differential, with spring covers, 30H., Use 09063C1			
Reckon	473 C		15.00		Center frame for differential, 30H., prior to 33099			5
Expulsive	A473 C		15.00		Center frame for differential, 30H			
Reformado	474 C		15 00		Revel gear with pinion for differential, 40 teeth, 30H., prior to 33099			5
Expurgate..	A474 C		18.00		Revel gear with pinion for differential, 30H., BUSHED			
Reformation.	475 C		11.00		Bevel gear for differential, keyed on shaft, 40 teeth, 30H., prior to 33099			5
Expurgator.	A475 C		12.00		Revel gear for differential, keyed on shaft, 30H			
Reformed	476 C		2 50		Revel pinion in differential, 10 teeth, ½-in. bore, 30H.			5
Reformist.	477 C		1 50		Cover for springs in differential, 30H., prior to engine 22869			5
Rabbet.	A477 C		1 50		Cover for springs in differential, 30H., prior to 33099			5
Exquisite.	B477 C		1 50		Cover for springs in differential, 30H			
Refound	478 C		8 00		Bracket for engine frame, 26-in. boiler, 30H., prior to engine 8012		955 C	1
Refract	482 C		17 50		Bracket for intermediate gear, 30H., prior to engine 10008		1162 C	5
Refraction..	483 C		50		Bracket for platform springs, prior to engine 8012.		795 C	3
Refraction.	484 C		15 00		Smokestack, without screen, 30H., prior to 14835			3
Reckoning..	A484 C		15.00		Smokestack, without screen, 30H., prior to 33099		09379 C	3
Reframe	485 C		6 00		Base for 484C			3
Rabbinic	A485 C		6 00		Base for A484C, prior to 33099		1913 C	3
Paragraph..	486 C		6 00		Bolster bracket, 30H., prior to 8012 and 10007 to 19532 (see 959C and 1739C)			4
Refutable	488 C		20.00		Shell for heater, 30H., prior to engine 10008		1739 C	4
Refusal.	490 C		3 00		Bracket for steering shaft, upper, 30H., prior to engine 8012		1168 C	4
Refuted	491 C		3 00		Fire door, 18H. (30H., prior to 33099)		947 C	5
Regain	492 C		1 25		Lining for 491C, 18H. (30H., prior to 33099)		561 C	6
Regal	493 C		1 25		Flange for heater, 18H., 30H., prior to 10008		562 C	6
Regalia	494 C		2.00		Exhaust pipe between cylinder and heater, 30H., prior to engine 10008		1167 C	1
Record	495 C		25.00		Arm for friction clutch, 2½-in. bore, 30H., prior to 26641		1166 C	1
Parapegm	A495 C		25.00		Arm for friction clutch, 30H., replaces 495C			2
Recoup	496 C		7 50		Spider lock nut for axle, 30 and 36H., prior to engine 10008			11
Regarder	497 C		1 00		Jam nut for piston rod, 30 and 36H., compounded, prior to engine 8012 (see 209C)		1144 C	4
Regardful	498 C		5 50		Grate, 4-bar, outside, 30H			1
Regardless	498½ C		1 25		Grate, 1-bar, 30H			6
Regather.	499 C		5 50		Grate, 4-bar, middle, 30H			6
Regatta	499½ C		4 00		Grate, 3-bar, middle, 30H			6
Regency	500 C		1 50		Collar on crank shaft, 2½-in. bore, 36H., prior to engine 7093			1
Recover	501 C		1 25		Wrench for stuffing box, 75H., fits 1015C, prior to 21214		1823 C	6
Regenerate.	502 C		3 50		Collar for hind axle, R.H., prior to engine 8012 (see 922C)		922 C	2
Regent	503 C		2 25		Collar for hind axle, L.H., prior to engine 8012 (see 923C)		923 C	2
Recreancy.	504 C		32.00		Intermediate gear, 47 teeth, 5¼-in. bore, 45 and 60H., prior to 21214 (75H., simple, prior to 9385, see 951C)			15
Recruit.	A504 C		32.00		Intermediate gear, 47 teeth, 5¼-in. bore, 45 and 60H.			5
Regible.	505 C		1 50		Collar on crank shaft, 45 and 60H., prior to engine 7093; 45H., simple, prior to 7519			1
Regiment	506 C		4 00		Collar on hind axle, R.H., 45 and 60H., prior to engine 8012 (see 778C and 915C)	347 C	778 C	2
Registrar.	507 C		2 75		Collar on hind axle, L.H., 45 and 60H., prior to engine 8012	346 C	779 C	2
Registry	508 C		8 00		Bracket for engine frame, 36H., prior to engine 8012, not drilled.		956 C	1
Regnancy	510 C		75		Guide for lower cannon box, 30 to 75H., prior to 21214			2
Regnant.	511 C		9 00		Bracket for engine frame, 60H., prior to engine 8012, not drilled.		953 C	1
Regorge	512 C		2 00		Lock nut for 321C and 321½C, engines prior to 7093		323 C	1
Regrade	513 C		75		Bracket for upper cannon box guide link, 30H., prior to 19563, 36, 45, and 60H., prior to 10008		1219 C	6
Regraft.	514 C				Use A514C			
Regrater	A514 C		1 25		Counter balance plug in steam chest cover, 1¾-in., 36 to 60H., compounded, see 08520C			
Recrual..	515 C		1 25		Use A515C			
Regressive..	A515 C		1 25		Counter balance plug in steam chest cover, 1½-in., 30H., compounded (see 08529C)			
Regratful	516 C		6 50		Base for smokestack, 35H. (40H., and RR., prior to 28852, see 2164C)		1913 C	3
Regretful	517 C		10 00		30H., with 20-ft. stack		741 C	3
Repater	519 C		1 75		Shelf for quadrants, 35 and 45H., prior to engine 7093			
Regularly	520 C		8 00		Upper bracket for steering shaft, engine 6753 only			
Regulation	520½ C		7 00		King bolt, 45 & 60H., engines prior to engine 8012 (see 792C & 932C)			4
Regulator	521 C		1 00		King bolt, 36H., engines prior to 8012.		933 C	4
Reguline..	522 C		10 00		Brass plug for boiler filler, prior to engine 8012, 1¼-in		851 C	3
Regulus	523 C		15		Shelf for quadrants, 60H., prior to engine 7093		745 C	3
Reasoned	524 C		10		Bottom ring for spark arrester, 30, 45, 60 and 75H., (80H., prior to 26641; (40H., and RR., prior to 28852)			3
Rehearsal	525 C		05		Bottom plate for spark arrester, 30, 45, 60 and 75H. (80H., prior to 26641, 40H. and RR. prior to 28852)			3
Rector	526 C		2 50		Lock for spark arrester, 30, 45, 60 and 75H. (80H., prior to 26641 40H. and RR., prior to 28852)			3
Rectorate	A526 C		2 50		Pump shelf, 75H., prior to 19553			3
					Pump shelf, 75H., prior to 24278.			3

CASE REPAIRS—Letter C

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Pla Pag	La Pie
Palpate	B526 C		2.50		Pump shelf, 75H., 80H., prior to 26641			7	
Rehearse	527 C		40 00		Cannon box for counter shaft, 60H., prior to engine 8012		914 C	6	
Rectorial	528 C		10 00		Bracket for engine frame (special)				
Reimburse	529 C		25		Socket wrench for 1/2-in. square head cap screw			6	
Reimplant.	530 C		4 00		Cap for engine frame, 36H., prior to 21214, replaced by A530C.				
Recounted	A530 C		4 00		Cap for engine frame, 36H., prior to 25866			1	
Prraph	B530 C		4 00		Cap for engine frame, 36H., 40H., and roller, prior to 28852.			11	
Pepollex	C530 C				Cap for engine frame, 40H., and roller (cannot furnish)			11	
Rectrix	531 C		4.50		Cap for engine frame, 45 and 60H., prior to 21214 (75H., prior to engine 9490) (see 1009C) replaced by A531C.				
Recumbency	A531 C		4 50		Cap for engine frame, 45 and 60H., prior to 26641			1	
Paraphrase.	B531 C		5 50		Cap for engine frame 45 and 60H.			11	
Reimprint.	532 C				Use 08018C				
Recuperate.	533 C		50		Block for 532C and 1099C			2	
Reindeer...	534 C		8 00		Rocker arm, 36, 45 and 60H., simple traction, prior to 25866, give engine number (30H., simple traction, prior to 7093) see 1052C		634 C	1	
Palpation	A534 C		6 00		Rocker arm, 30, 36, 40, 45, and 60H., simple traction and roller.			9	
Recusancy	535 C		6 00		Bearing for rocker arm, 30, 36, 45 and 60H., simple traction and 75H., prior to 25866, give engine number		1960 C	1	
Palpebral	A535 C		12.00		Bracket for rocker arm, 36, 45, 60 and 75H.			9	
Reinfuse.	557 C		40 00		Bracket for drag link, 60H., prior to engine 8012.		777 C	4	
Reinless.	538 C		3 50		Frame for smoke box, 28-in. boiler, 30 and 36H., and R.R. prior to 33099, 40H., prior to 19 5, give engine number		A582 C	3	
Exstrophy.	A538 C		3 50		Frame for smoke box, 30H. and RR.				
Reinquire	539 C		6 00		Door for 538C, 30, 36H. and RR., prior to 33099, 40H., prior to 1915, give engine number		A583 C	3	
Extempore	A539 C		6.00		Door for A538C, 30H., and RR.				
Reins	543 C		1 25		Flange pipe for water tank			3	
Reinsert	544 C		1 25		Flange elbow for water tank, engines prior to 8012.			3	
Reinstall.	545 C		60 00		Cylinder, high pressure, 7 1/4x10-in., 60H., compounded			1	
Reinstate	546 C		130.00		Cylinder, low pressure, 11x10-in., 60H., compounded, prior to 26641			1	
Parasceve.	A546 C		130.00		Cylinder, low pressure, 60H., compounded.				
Reinvest.	547 C		8.50		Pinion on counter shaft, 36H., prior to engine 7093		700 C	5	
Reissue	548 C		18.00		Bevel gear, with pinion, for differential 36H., prior to engine 7093.		701 C	5	
Raced	549 C		50		Nut for draw block, simple portables, 30, 36, 45 and 60H., prior to 21214			1	
Redactor	A549 C		50		Nut for draw block, 50, 65 and 80H. (30, 36, 45 and 60H., simple portable, prior to 25573)		A852 C	1	
Reiter.	550 C		2 50		Funnel for filling boiler, prior to engine 8012		970 C	3	
Reiterate...	551 C		50		Lid for 550C			3	
	552 C				Use 08081C				
Rejection	553 C		15		Washer for wheel brace and axle clamp			4	
Repress	554 C		3 00		Plate between frame and valve stem guide, prior to 6750				
Redargue.	555 C		1 50		Draw block, simple portables, 30, 36, 45 and 60H., prior to 21214.			1	
Redditive	A555 C		1 50		Draw block, simple portables, 30, 36, 45 and 60H., prior to 25573.		A853 C	1	
Rejoining	556 C		1 50		Shelf for pump, 30, 36, 45 and 60H., and RR., prior to 33099 (40H., prior to 28852).			3	
Rejoint	557 C		1 75		Shelf for pump, 30H., prior to engine 8012		1013 C	3	
Rejourn	558 C		20.00		Shell for heater, 45 and 60H., prior to engine 10008, 75H., simple, prior to engine 9385 (see 749C).		1173 C	4	
Rejudge	559 C		20.00		Steering roller, 60H., prior to engine 7093.		721 C	5	
Redeemer	560 C		5.00		Slide for valve guide, 30, 36, 45 and 60H., portables, prior to 25573.		1951 C	1	
Rekindle.	561 C		3.50		Fire door, all engines except 18 and 30H. (30H., after 33099)	491 C		6	
Redfin	562 C		1 75		Lining for fire door, 561C			6	
Relation	563 C		8.00		Bracket for engine frame, 28-in. boiler, 45H., prior to engine 8012		957 C	1	
Relative	566 C		3.00		Bracket for steering shaft, upper, all engines except 30H., prior to engine 7093 (see 902C, 943C, 945C, 947C)		724 C	5	
Redia...	567 C		2.25		Brick support, R.H., 36H., prior to 26641; 45H., prior to 16120	572 C	570 C	6	
Parashah...	A567 C		2.25		Brick support, R.H., 36 and 40H.			10	
Redirect...	568 C		2.25		Brick support, L.H., 36H., prior to 26641; 45H., prior to 16120.	573 C	571 C	6	
Parasite	A568 C		2.25		Brick support, L.H., 36 to 40H.			10	
Redouble...	569 C		10		Injector pipe support, 30 to 75H., traction (40H., prior to 28852)	654 C		3	
Redraft...	570 C		2.50		Brick support, R.H., 60H., prior to 25452; 45 and 75H., prior to 24278	572 C		6	
Parasitic.	A570 C		2.50		Brick support, R.H., 45 to 80H.			10	
Redress.	571 C		2 50		Brick support, L.H., 60H., prior to 25452; 45 and 75H., prior to 24278.	573 C		6	
Parasitism..	A571 C		2 50		Brick support, L.H., 45 to 80H.			10	
Redskin	572 C		2 50		Brick support, R.H., 36, 45 and 60H., not used after 1902	812 C	567 C	6	
Reducible...	573 C		2 50		Brick support, L.H., 36, 45 and 60H., not used after 1902	813 C	568 C	6	
Percept	574 C		75		Mud hook for 53-in. wheel, 30H., L.H., prior to 33099			4	
Reading.	575 C		75		Mud hook for 53-in. wheel, 30H., R.H., prior to 33099			4	
Relator	576 C		6.50		Base for smokestack, 29-in. boiler, 60H., prior to 18244			3	
Reefer.	A576 C		5 00		Base for smokestack, 60H., prior to 33873			3	
	B576 C		8.00		Base for sheet iron stack, 60H.				
Reeky	577 C		1 00		Jam nut for piston rod, 45 and 60H., compounded, prior to engine 8012			1	
Relaxed	578 C		40.00		Hub for hind axle, without key seat, 3 1/8-in. bore, 36H., prior to 10008.		1150 C	4	
Reeled.	579 C		75		Socket wrench for 3/4-in. hexagon head cap screws			6	
Delegate.	580 C		6 50		Cylinder head for high pressure cylinder, 60H., compounded			1	
elent.	581 C		13.00		Head between high and low pressure cylinder, 60H., compounded.			1	
elented	582 C		4.00		Frame for smokebox, 28-in. boiler, 45H., (50H., prior to 32147)		2160 C	3	
owder	A582 C		4.00		Frame for smoke box, 28-in. boiler, 40H.	538 C			
elentless.	583 C		7 00		Door for smoke box frame, 45, 60H., (75H., prior to 17509) (50H., prior to 32147)		1316 C	3	
owry.	A583 C		7 00		Door for smoke box, 40 and 50H.	539 C			
essor.	584 C		6.00		Base for smokestack, 28-in. boiler, 45H. (50H. with cast stacks).			3	
et	585 C		8.50		Piston head for high pressure cylinder, threaded, 60H., compounded, prior to engine 8012 (must give engine number).		988 C	1	
evant	586 C		11 00		Piston head for low pressure cylinder, threaded, 60H., compounded, prior to engine 8012 (must give engine number)		989 C	4	
iable...	587 C		2.00		Piston ring for high pressure piston, 60H., compounded			1	

CASE REPAIRS—Letter C

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
Paranoia	A464 C		1 50		Valve stem for throttle, 30 to 80H., prior to 33947		04341 C	9
Recessive	465 C		50		Stuffing box nut for Case throttle, 30 to 60H., prior to 33099, 65H. prior to engine 33947		120 C	3
Recital	466 C		25		Lever for Case throttle, 30 to 45H., prior to 26641, 60H., prior to 24524, 75H., prior to 22860	676 C		3
Palpable	A466 C		25		Lever for throttle, 60, 75 and 80H., prior to 26641			12
Paronymph	B466 C		25		Lever for throttle, 30 to 80H., see 2077C			12
Renown	467 C		1 75		Bracket for steering shaft, upper, engine 6753 only			
Reflow	469 C		4 00		Bracket for friction clutch lever, all engines prior to 8012 except 30H		784 C	2
Refluent	469 1/2 C		4 00		Bracket for friction clutch lever 30H., prior to engine 8012		783 C	2
Reflux	472 C		25 00		Spur gear for differential, with spring covers, 51 teeth, 30H., prior to 33099, 09063C			5
Expulsion	A472 C		30 00		Spur gear for differential, with spring covers, 30H., Use 0906 C1			5
Reckon	473 C		15 00		Center frame for differential, 30H., prior to 33099			5
Expulsive	A473 C		15 00		Center frame for differential, 30H			
Reformado	474 C		15 00		Revel gear with pinion for differential, 40 teeth, 30H., prior to 33099			5
Expurgate	A474 C		18 00		Revel gear with pinion for differential, 30H., BUSHED			
Reformation	475 C		11 00		Bevel gear for differential, keyed on shaft, 40 teeth, 30H., prior to 33099			5
Expurgator	A475 C		12 00		Revel gear for differential, keyed on shaft, 30H			
Reformed	476 C		2 50		Revel pinion in differential, 10 teeth, 7/8-in. bore, 30H			5
Reformist	477 C		1 50		Cover for springs in differential, 30H., prior to engine 22839			5
Rabbit	A477 C		1 50		Cover for springs in differential, 30H., prior to 33099			5
Exquisite	B477 C		1 50		Cover for springs in differential, 30H			
Rebound	478 C		8 00		Bracket for engine frame, 26-in. boiler, 30H., prior to engine 8012		955 C	1
Refract	482 C		17 50		Bracket for intermediate gear, 30H., prior to engine 10008		1162 C	5
Refraction	483 C		50		Bracket for platform springs, prior to engine 8012		795 C	3
Refractory	484 C		15 00		Smokestack, without screen, 30H., prior to 14835			3
Reckoning	A484 C		15 00		Smokestack, without screen, 30H., prior to 33099		09379 C	3
Reframe	485 C		6 00		Base for 484C			3
Rabbinic	A485 C		6 00		Base for A484C, prior to 33099		1913 C	3
Paragraph	486 C		6 00		Bolster bracket, 30H., prior to 8012 and 10007 to 19532 (see 959C and 1739C)			4
Refutable	488 C		20 00		Shell for heater, 30H., prior to engine 10008		1739 C	4
Refusal	490 C		3 00		Bracket for steering shaft, upper, 30H., prior to engine 8012		1168 C	4
Refuted	491 C		3 00		Fire door, 18H. (30H., prior to 33099)		947 C	5
Regain	492 C		1 25		Lining for 491C, 18H. (30H., prior to 33099)		561 C	6
Regal	493 C		1 25		Flange for heater, 18H., 30H., prior to 10008		562 C	6
Regalia	494 C		2 00		Exhaust pipe between cylinder and heater, 30H., prior to engine 10008		1167 C	1
Record	495 C		25 00		Arm for friction clutch, 2 1/8-in. bore, 30H., prior to 26641		1166 C	1
Parapegm	A495 C		25 00		Arm for friction clutch, 30H., replaces 495C			2
Recoup	496 C		7 50		Spider lock nut for axle, 30 and 36H., prior to engine 10008			11
Regarder	497 C		1 00		Jam nut for piston rod, 30 and 36H., compounded, prior to engine 8012 (see 209C)		1144 C	4
Regardful	498 C		5 50		Grate, 4-bar, outside, 30H			1
Regardless	498 1/2 C		1 25		Grate, 1-bar, 30H			6
Regather	499 C		5 50		Grate, 4-bar, middle, 30H			6
Regatta	499 1/2 C		4 00		Grate, 3-bar, middle, 30H			6
Regency	500 C		1 50		Collar on crank shaft, 2 1/8-in. bore, 36H., prior to engine 7093			1
Recover	501 C		1 25		Wrench for stuffing box, 75H., fits 1015C, prior to 21214		1823 C	6
Regenerate	502 C		3 50		Collar for hind axle, R.H., prior to engine 8012 (see 922C)		922 C	2
Regent	503 C		2 25		Collar for hind axle, L.H., prior to engine 8012 (see 923C)		923 C	2
Recreancy	504 C		32 00		Intermediate gear, 47 teeth, 5 1/4-in. bore, 45 and 60H., prior to 21214 (75H., simple, prior to 9385, see 951C)			15
Recruit	A504 C		32 00		Intermediate gear, 47 teeth, 5 1/4-in. bore, 45 and 60H			5
Regible	505 C		1 50		Collar on crank shaft, 45 and 60H., prior to engine 7093; 45H., simple, prior to 7519			1
Regiment	506 C		4 00		Collar on hind axle, R.H., 45 and 60H., prior to engine 8012 (see 778C and 915C)	347 C	778 C	2
Registrar	507 C		2 75		Collar on hind axle, L.H., 45 and 60H., prior to engine 8012	346 C	779 C	2
Registry	508 C		8 00		Bracket for engine frame, 36H., prior to engine 8012, not drilled		956 C	1
Regnancy	510 C		75		Guide for lower cannon box, 30 to 75H., prior to 21214			2
Regnant	511 C		9 00		Bracket for engine frame, 60H., prior to engine 8012, not drilled		958 C	1
Regorge	512 C		2 00		Lock nut for 321C and 321 1/2C, engines prior to 7093		323 C	1
Regrade	513 C		75		Bracket for upper cannon box guide link, 30H., prior to 19563, 36, 45, and 60H., prior to 10008		1219 C	6
Regraft	514 C		1 25		Use A514C			
Regrater	515 C		1 25		Counter balance plug in steam chest cover, 1 3/4-in., 36 to 60H., compounded, see 08520C			
Recruital	A515 C		1 25		Use A515C			
Regressive	516 C		6 50		Counter balance plug in steam chest cover, 1 1/2-in., 30H., compounded (see 08529C)			
Regretful	517 C		10 00		Base for smokestack, 36H. (40H., and RR., prior to 28852, see 2164C)		1913 C	3
Repater	519 C		1 75		30H., with 20-ft. stack		741 C	3
Regularly	520 C		8 00		Shelf for quadrants, 35 and 45H., prior to engine 7093			
Regulation	520 1/2 C		7 00		Upper bracket for steering shaft, engine 6753 only			
Regulator	521 C		1 00		King bolt, 45 & 60H., engines prior to engine 8012 (see 792C & 932C)			4
Reguline	522 C		10 00		King bolt, 36H., engines prior to 8012		933 C	4
Regulus	523 C		15		Brass plug for boiler filler, prior to engine 8012, 1 1/4-in		851 C	3
Reasoned	524 C		10		Shelf for quadrants, 60H., prior to engine 7093		745 C	3
Rehearsal	525 C		.05		Bottom ring for spark arrester, 30, 45, 60 and 75H., (80H., prior to 26641; 40H., and RR., prior to 28852)			3
Rector	526 C		2.50		Bottom plate for spark arrester, 30, 45, 60 and 75H. (80H., prior to 26641, 40H. and RR., prior to 28852)			3
Rectorate	A526 C		2.50		Lock for spark arrester 30, 45, 60 and 75H. (80H., prior to 26641, 40H. and RR., prior to 28852)			3
					Pump shelf, 75H., prior to 19563			3
					Pump shelf, 75H., prior to 24278			3

CASE REPAIRS—Letter C

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
Reliance	588 C		3 00		Piston ring, for low pressure piston, 60H., compounded, prior to engine 10008.		1045 C	6
Reenter.	589 C		6 50		Grate, 4-bar, middle, 36 and 40H. (RR., prior to 32147).		2446 C	6
Reliction	589 1/2 C		5 00		Grate, 3-bar, middle, 36 and 40H., (RR., prior to 32147)		2446 C	6
Relight	590 C		6 50		Grate, 4-bar, side, 36, 40H. (RR., prior to 32147).		2445 C	6
Religion.	590 1/2 C		1 50		Grate, 1-bar, 36 and 40H			6
Religious.	591 C		7 00		Grate, 4-bar, middle, 45 and 50H., see 1394C			6
Relinquish	592 C		7 00		Grate, 4-bar, side, 45 and 50H			6
Relished	592 1/2 C		1 75		Grate, 1-bar, 45 and 50H.			6
Reentry.	593 C		2 25		Center support for straw grate, 36, 40, 45 and 50H			6
Reloan.	594 C		2 00		Dead plate for straw burner, 36 and 40H.			6
Relove.	595 C		4 00		Frame for smoke box, 29-in. boiler, 60H., prior to 18244			3
Reeve.	A595 C		4 50		Frame for smoke box, 60H			3
Relucent.	596 C		7 00		King bolt for 30H., prior to engine 8012.		243 1/2 C	4
Refer.	597 C		1 50		Cross support for brick next to flue sheet, 36, 40, and 50H.			6
Reluct.	599 C		8 00		Spider lock nut for axle, 45 and 60H., prior to engine 10008, 75H., simple, prior to engine 9385		1000 C	4
Refining.	600 C		2 00		Brass plug, 2 1/2-in. pipe tap, brass (special)			3
Reluctancy.	601 C		1 50		Washout plug, 2-in. pipe tap, brass			3
Reluctant.	602 C		7 00		Eccentric hub, 45 & 60H., prior to 25452 (75H., simple, prior to 9385)		1004 C	2
Palpitant	A602 C		7 00		Eccentric hub, 45 and 60H., traction.			8
Relume.	603 C		2 00		Dead plates for straw burning, 45H., prior to engine 7093		758-9 C	6
Reflect	604 C		1 50		Cross support for fire brick next to flue sheet, 60H			6
Relumine	605 C		.25		Latch for reverse lever, 30 to 75H., prior to 21214.			2
Reflecting.	A605 C		.25		Latch for reverse lever, 30 to 75H., prior to 25573.		0774 C	2
Remainder.	606 C		.25		Latch for clutch lever, 30, 36, 45, 60 and 75H., (80H., prior to 26641) 40H., prior to 28852			2
Remake	607 C		10		Eye for cylinder cock rod, 65, 80 and 110H		992 C	3
Remand	608 C		50		Hinge for fire door			6
Remanent.	609 C		15		Hanger for ash pan lower, prior to engine 10008.			3
Remarker.	610 C		35		Latch for fire door			6
Remarking.	611 C		35		Latch for peep hole door, prior to 10536.			3
Remarry.	612 C		10		Keeper for 610C			3
Reflective.	613 C		10		Keeper for 611 C			3
Remast	614 C		35		Stop for ash pan damper rod, 30 to 60H., traction, prior to 22869 (see 1193C)			3
Remedial	615 C		10		Hinge for ash pan door, prior to engine 10008.		1192 C	3
Rememorate.	616 C				2-in. hose clamp (see supply list)			
	618 C		15		Washer for drag link bracket, 30, 36, 45, 60 & 75H. (80H., prior to 28852)		670 C	4
	619 C				1-in. hose clamp (see supply list)			
Remindful.	620 C		25		Washer for crosshead, 30 to 75H. (80H., prior to 26641)		1413 C	1
Reflexed	621 C		25		Crank for ash pan damper door, prior to engine 10008, except 30H.		1191 C	3
Remission.	622 C		25		Crank for ash pan damper door, 30H., prior to engine 10008		1191 C	3
Remissly.	624 C		1 00		Door frame for ash pan, portables, prior to engine 10008		1228 C	3
Remitter.	625 C		75		Door for 624C		1229 C	3
Remorse	628 C		2 50		Collar for crank shaft, 45 and 60H., prior to engine 7093			1
Remotely	629 C		7 00		Pinion on crank shaft, 13 teeth, 45 and 60H. (75H., simple, prior to engine 9385)		1084 C	2
Reform	631 C		3 00		Shield for differential gear, 75H., wood platform		730 C	3
Remount.	632 C		8 00		Reverse shaft, engines prior to 9046, also engines after with disc 319C and 260C.		276 C	2
Remphan	633 C		50		Washer for 632C		1097 C	2
Remurmur	634 C		7 00		Bracket for reverse shaft, 30H., prior to 19563, 36, 45 and 60H., prior to 18180; 75H., simple, prior to 9385		1098 C	2
Refracting.	A634 C		7 00		Bracket for reverse shaft, 30, 36, 45 and 60H., prior to 25573		453 C	2
Palpitate.	B634 C		8 00		Bracket for reverse shaft, 30, 36, 40, 45, 60H and roller.			9
Renal	636-7 C		5 00		Brass box for connecting rod, crosshead end, 30 to 75H., (80H., prior to 26641) crank end, 18H.		152 C	1
Rendible	638-9 C		6 00		Brass box for connecting rod, crank end, 30 to 60H. (75H. prior to 9490)		151 C	1
Rendition	640 C		1 50		Wedge block, crosshead end, prior to 21214.		300 C	1
Refractive.	A640 C		1 50		Wedge block, crosshead end, 30 to 75H. 80H., prior to 26641. crank end, 18H.			1
Renegade	641 C		1 75		Wedge block, crank end, prior to 21214			1
Refractor	A641 C		1 75		Wedge block, crank end, 30 to 75H. (crosshead end, 80H)			1
Renege	642 C		10 00		Bearing for crank shaft, gear side, 30H., prior to engine 10008.		421 C	2
Renerve	643 C		4 00		Cap for crank shaft bearing, gear side, 30H., prior to 26641		422 C	2
Parataxis	A643 C		4 00		Cap for crank bearing, gear side, 30H., prior to 33099.			11
	B643 C				Cap for engine frame, 30H., cannot furnish		B425 C	
Renew.	644 C		12 00		Bearing for crank shaft, gear side, 36H., engines prior to 8012.		212 C	2
Renewal	645 C		4 00		Cap for crank shaft bearing, gear side, 36H., prior to 22869		213 C	2
Rabbeting.	A645 C		6 00		Cap for crank bearing, gear side, 36H.			11
Reniform	646 C		12 00		Bearing for crankshaft, gear side, 45 and 60H., prior to engine 8012.		129 C	2
Renitent.	647 C		6 00		Cap for crankshaft bearing, gear side, 45 and 60H., prior to 26641, (75H., prior to 9490).			2
Paratonic.	A647 C		6 00		Cap for crank bearing, gear side, 45 and 60H			11
Renounce.	648 C		7 00		Rocker arm, 30H., simple, traction, prior to 26641		534 C	1
Renovation.	649 C		75		Washer for 648C and 534C, 1052C, prior to 26641, 3/8" set screw.		1441 C	1
Renovator.	650 C		2 50		Flange elbow for exhaust, 2 1/2-in. pipe, 45H. simple and 60H., prior to 26641, 36H. simple, prior to 22869 (75H. simple, prior to engine 9490 (see 796C)			
Refrain	A650 C		3 00		Flange elbow, 2 1/2-in., 45H. compounded, prior to 26641, 36H compounded, prior to 22869.			
Rentable.	651 C		7 50		Grate, 4-bar, middle, 60H. (see 1395C)			
Rentage	652 C		7 50		Grate, 4-bar, side, 60H			
Renter	653 C		2 00		Grate, 1-bar, 60H			
Renting	654 C		15		Support for injector pipe, prior to engine 10008 (see 569C)		569 C	
Reverse	655 C		15		Collar for counter shaft, 1/2-in. thick, 2 1/8-in. bore, 30H., prior to 33099			

CASE REPAIRS—Letter C

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Pl. Pa
Repacity	656 C		25		Collar for counter shaft, $\frac{1}{4}$ -in. thick, $2\frac{3}{4}$ -in. bore, 30H., prior to 33099			6
Repack	657 C		15		Collar for counter shaft, $\frac{1}{4}$ -in. thick, $2\frac{1}{2}$ -in. bore, 36H.			6
Refresh	658 C		25		Collar for counter shaft, $\frac{1}{4}$ -in. thick, $2\frac{1}{2}$ -in. bore, 36H.			6
Reparable	659 C		15		Collar for counter shaft, $\frac{1}{4}$ -in. thick, $3\frac{1}{4}$ -in. bore, 45 and 60H.			6
	659 C		15		Collar between clutch and bearing, 40H.			6
Repand	660 C		25		Collar for counter shaft, $\frac{1}{4}$ -in. thick, $3\frac{1}{4}$ -in. bore, 45 and 60H.			6
Reparation	661 C		15		Collar for hind axle, $\frac{1}{4}$ -in. thick, $3\frac{1}{4}$ -in. bore, 30H.			6
Repartee	662 C		25		Collar for hind axle, $\frac{1}{4}$ -in. thick, $3\frac{1}{4}$ -in. bore, 30H.			6
Repass	663 C		15		Collar for hind axle, $\frac{1}{4}$ -in. thick, $3\frac{1}{4}$ -in. bore, 36 and 40H. and RR.			6
Repasture	664 C		25		Collar for hind axle, $\frac{1}{4}$ -in. thick, $3\frac{1}{4}$ -in. bore, 36 and 40H. and RR.			6
Repayable	665 C		15		Collar for rear axle, $\frac{1}{4}$ -in. thick, $3\frac{1}{4}$ -in. bore, 45 and 50H., 60H., prior to 18244		952 C	4
Repeat	666 C		25		Collar for rear axle, $\frac{1}{4}$ -in. thick, $3\frac{1}{4}$ -in. bore, 45 and 50H., 60H., prior to 18244		953 C	4
Refuge	667 C		15.00		Bracket for intermediate gear and link, 75H., prior to engine 10008	396 C	1164 C	5
Refulgent	668 C		115.00		Cylinder, low pressure, 10x10-in., special, 36H. compounded			5
Repeal	6 9 C		10		Washer on engine tongue for $\frac{1}{4}$ -in. bolt			5
Repeatedly	670 C		15		Washer for drag link bracket, 60H., prior to engine 8012			5
Repeater	671 C		4.00		Bed plate for engine frame, 45 and 60H., prior to 26641; 75H. simple, prior to engine 9490			5
Repelled	672 C		1.50		Elbow, no flange on heater, $2\frac{1}{2}$ -in. pipe, 36, 45, and 60H., prior to 14814; 75H., simple, prior to engine 9385			5
Refund	A672 C		1.50		Elbow on heater A1172C and A1173C, 36H., prior to 22869; 45 and 60H., prior to 26641			5
	673 C				Roller support for engine tender (see 47R)			5
	674 C				Roller bracket and support for truss rods for engine tender (see 48R)			5
Repellent	675 C		4.00		Governor stand, 60H., compounded, prior to 24278 & 75H., compounded, prior to 22869, 60H. simple, prior to engine 8012 (see 968C)			5
Palpus	A675 C		4.00		Governor stand, 60H., compounded, prior to 26641		1853 C	1
Repentance	676 C		25		Lever on $2\frac{1}{2}$ -in. throttle valve, 60 and 75H., prior to 11643		466 C	1
Repentant	677 C		1.00		Collar on hind axle, $1\frac{3}{4}$ -in. wide, special, 60H., prior to 18244			1
Reputate	678 C				Roller for engine tender, (see 52R)			1
Refusal	680 C		1.75		Cross support for fire brick next to flue sheet, 75H., prior to 17509.			1
Regality	A680 C		1.75		Cross support for fire brick next to flue sheet, 75 and 80H.			1
Chrim	B680 C		3.00		Cross support for fire brick next to flue sheet, 80H., using brick 0163C2			1
Repenter	682 C		.50		Guide for peep hole door, top, all portables except 30H., prior to engine 10008			1
Repenting	683 C		.50		Guide for peep hole door, bottom, all portables except 30H., prior to 10008			1
Repeople	684 C		1.00		Door for peep hole, all portables except 30H., using 682 and 683C			1
Repercuss	685 C		25		Latch for 684C			1
Reptory	686 C		7.00		Eccentric hub, $\frac{1}{2}$ -in. throw, $2\frac{1}{4}$ -in. bore, 30H. compounded, portable			1
Repetend	687 C		7.00		Eccentric hub, $\frac{1}{2}$ -in. throw, $2\frac{1}{4}$ -in. bore, 36 and 40H. compounded, portable			1
Regard	688 C		7.00		Eccentric hub, $\frac{1}{2}$ -in. throw, $3\frac{1}{4}$ -in. bore, 45 and 60H., compounded, portable			2
Regardant	689 C		15.00		Bracket for intermediate gear and link, 36H., to be used when pinion 224C is used to replace 431C to change speed			2
Replace	690 C		75		Reach plate, prior to engine 8012		954 C	4
Replant	691 C		10		Hook for radius links, R.H., all engines except 30H., prior to engine 8012			3
Replant	692 C		10		Hook for radius links, L.H., all engines except 30H., prior to engine 8012			3
Replead	693 C		10		Hook for radius link, R.H., 30H., prior to engine 8012			3
Replenish	694 C		10		Hook for radius link, L.H., 30H., prior to engine 8012			3
Replete	695 C		20.00		Shell for heater, 36H., prior to engine 10008		1172 C	4
Repletion	696 C		75		Cap for crank pin, 30 to 75H., prior to 33099, 80H., prior to 26641. 1589C			4
Replevin	697 C		5.50		Sleeve for friction clutch arm, 30, 36, 40, 45, 60H. and RR., 75H., simple, prior to 9385		04319 C	1
Replevy	698 C		2.50		Strap for sleeve, 697C, 30, 36, 40, 45, 60 and RR.	357 C	1081 C	2
Replication	699 C		3.50		Clamp for sleeve, 697C, 30, 36, 40, 45, 60 and RR.	381 C	1083 C	2
Repolish	700 C		7.00		Pinion on counter shaft, 14 teeth, 36H., prior to engine 9046		1082 C	2
Reporter	701 C		15.00		Bevel gear with pinion for differential, 36H., prior to engine 9046.	547 C	1113 C	5
Reputent	702 C				Ball for socket for engine tender (see 49R)	548 C	1114 C	5
Reposit	703 C		19.00		Bevel gear with pinion for differential, 60H., prior to 25452			5
Palsied	A703 C		22.00		Bevel gear with pinion for differential, 60H., bushed	37 C		5
Reposited	704 C		75.00		Spur gear on traction wheel, 83 teeth, 60H., simple, prior to engine 9385, replaced by A704C			12
Regarding	A704 C		75.00		Spur gear for traction wheel, 60H., prior to 25452	46 C	944 C	5
Parbuckle	B704 C		70.00		Spur gear for traction wheel, 60H.			5
Regicide	705 C		10		Washer for throttle quadrant, prior to 26641, 36H., prior to 25452			12
Repository	706 C		14.00		Pinion on counter shaft, 17 teeth, 60H., prior to 25452			3
Palstave	A706 C		12.50		Pinion on counter shaft, 60H.	893 C		5
Reprehend	707 C		15		Double washer for wood reverse block			12
Regidor	708 C		3.75		Brick support, R.H., 75H., not used after 1902	768 C		2
Regime	709 C		3.75		Brick support, L.H., 75H., not used after 1902	1072 C	570 C	6
Reginal	710 C		1.25		Heater bracket, 75H., prior to 26641	1073 C	571 C	6
Represent	711 C		1.50		Head for eccentric rod, 30H., simple traction, prior to 26641	761 C		4
Region	712 C		1.50		Top bracket for canopy top, prior to 24278		08008 C	1
Registered	713 C		2.00		Bracket on boiler for canopy top		1003 C	3
Reprisal	714 C		1.75		Exhaust elbow, $2\frac{1}{2}$ -in. pipe, $1\frac{3}{4}$ -in. outlet, 45 and 60H. prior to 13685			3
					75H., simple, prior to engine 9385		800 C	3
Registrar	A714 C		1.75		Exhaust elbow, $2\frac{1}{2}$ -in. pipe, 30 to 50H., (60H., prior to 26641).		A 800 C	3
Reprobate	715 C		1.25		Exhaust nozzle for 714C and A714C, $1\frac{3}{4}$ -in. outlet	1001 C		3
Reproduce	716 C		1.50		Exhaust elbow, 2-in. pipe, $1\frac{1}{2}$ -in. outlet, 30 and 36H., prior to 13867.			3
Reglow	A716 C		1.50		Exhaust elbow, 2-in. pipe, 18H., 30H., prior to 25524; 36H., prior to 22869			3

7. CASE REPAIRS—Letter C

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
Reprove.	717 C		1 00		Exhaust nozzle for 716C and A716C (see 771C), 1¼-in. outlet.			3
Reprune.	718 C		8 00		Bracket for steering roller, R.H., 36 to 75H., not used after 1904	244 C		5
Regress.	A718 C		8 00		Bracket for steering roller, R.H., 36 to 60H., prior to 21214, 75H., prior to 19563		1752 C	5
Reptilian.	719 C		6 00		Bracket for steering roller, L.H., 36 to 60H., not used after 1904	245 C		5
Regret.	A719 C		6 00		Bracket for steering roller, L.H., 36 to 60H., prior to 21214; 75H., prior to 19563.		1753 C	5
Republican	720 C		15 00		Steering roller, 36 and 45H., prior to 21214	325 C		5
Regular.	A720 C		15 00		Steering roller, 36, 40, 45 and 50H			5
Republish	721 C		15 00		Steering roller, 60H., prior to 21214	559 C		5
Regulate	A721 C		15 00		Steering roller, 60H.			5
Repudiate.	721½ C				See 08173 C.			
Repugn.	722 C		4 00		Top for straw chute.			6
Repugnance	722½ C		4 00		Bottom for straw chute.			6
Roadman.	722½ C		1 75		Side, R.H., for straw chute.			6
Roadside	722½ C		1 75		Side, L.H., for straw chute			6
Extorted	723 C		75		Door for 722C.			6
Ravaling.	724 C		3 50		Upper bracket for steering shaft, 36, 45 and 60H., prior to engine 8012 (see 902C, 945C, 947C, 943C).	66 C		5
Roast	725 C		50		Draught regulator (special for 561C)			
Rattening	728 C		35		Washer for draw bar, 3 in. (special)			
Roaster	729 C		50		Shield for differential gear, upper, 36, 45 and 60H., prior to 8012			3
pulsive.	730 C		1 50		Shield for differential gear, 36, 45 and 60H., wood platform (75H., simple, prior to engine 9385)		631 C	3
Roas	731 C		2 50		Grate support, 30H., prior to 10421		1181 C	6
Chripulsory	736 C		2 50		Water coulmn, prior to 14970			3
Extcheat	A736 C		2 50		Water column, traction engines (portable after 19563) not used after 24277			3
Ratign.					Head for reverse rod, lever end, prior to engine 9046.		1102 C	2
Repurchase.	737 C		75		Head for reverse rod, reverse block end, prior to engine 9046.		1103 C	2
Reputable.	738 C		50		Grate support, 36 and 45H., prior to 11578.	348 C	1182 C	6
Robitation	739 C		2 50		Gear shield, lower, 30H., prior to engine 8012		975 C	
Robinuted	740 C		3 50		Quadrant shelf, 36 and 45H., prior to engine 8012	517 C	909 C	3
Robinetting.	741 C		8 00		Bracket for quadrant shelves, 741C and 745C, prior to engine 8012 (see 903C, 946C, 948C)			3
Robmiased.	742 C		1 25		Quadrant shelf, 60H., prior to engine 8012	522 C	941 C	3
Robor.					Hub for rear wheel, 2-prong lock nut, 24-in. tire, 75H., prior to 17509.	1076 C		4
Rattleicken.	745 C		8 00		Hub for rear wheel, 75H., with 24-in. wheel, prior to 19563			4
Ravelnsure	746 C		70 00		Hub for rear wheel, 75H., with 24-in. wheel.			4
Roboravenate.	A746 C		70 00		Grate support, 60H., prior to 11554	372 C	1183 C	6
Robraet	B746 C		70 00		Washer for draw bar spring, 30 to 75H. (40H., prior to 26641)		2022 C	3
riulem	747 C		3 00		Heater shell, 75H., prior to 13892	558 C		4
isboice	748 C		25		Heater shell, 75H., prior to 26641.		08256 C	1
ashing	749 C		30 00		Heater head outlet ends, 75H., prior to 26641			4
tiolinder	A749 C		30 00		Frame for straw door, 18 and 30H			4
msma	750 C		2 00		See 08205C.			6
quin	752 C		3 50		Exhaust nozzle for 714C and A714C, 30 to 50H., 1¼-in. opening (see 873C, 895C, 816C).			3
etace	752½ C				Collar for counter shaft, 60H., prior to 25442	288 C	0761 C	6
Require	753 C		1 25		Stuffing box for piston rod, replaced by 910C			
					Gland for 755C, replaced by 911C			
Requiring.	755 C		1 50		Dead plate for straw burner, R.H., 45H., prior to 20300	603 C		6
Requisite	756 C				Dead plate for straw burner, L.H., 45H., prior to 30200	603 C		
Reresolve	757 C				Worm wheel for steering attachment, 36 to 60H., prior to 21214, 75 and 110H., prior to 19563.	824 C	1754 C	5
Resail	758 C		2 50		Bracket for heater, 75H., prior to engine 10008		710 C	4
Resail	A758 C		2 50		Dead plate for straw burner, 30H., prior to 26641		03144 C	6
Pa Resale.	759 C		2 50		Cross grate for straw, center, 30H., prior to 26641			6
Re Relate.	760 C		6 00		Straw grate, 30H			10
					Cross grate for straw, side, 30H., prior to 26641			6
R Relay	761 C		1 25		Collar on hind axle, 1-in. thick, 45 and 60H., prior to 18244 (special)			4
Resalute	762 C		3 75		Governor pulley on governor, 36H., simple, only engines between 7232 to 7968.			3
Rescind.	763 C		1 50		Brake ring bolts to intermediate gear, 36 to 75H., prior to 26641.			6
Parcenary.	A763 C		1 75		Double washer for wood block in Woolf reverse prior to 7093		707 C	2
Rescinded	764 C		2 00		Drive pulley, 42-in. diameter, 2½-in. bore (special) 36H			2
Rescript	765 C		50		Arm for friction clutch with 769C, 36H			2
Reseat.	766 C		1 50		Exhaust nozzle for 716C, 1¼-in. 18H., 30H., prior to 25524		A 714 C	3
					Clevis for front bolster bracket (replaced by 0231C)			
R Release	767 C		8 00		Grate bar (special) engine 6749.			
Reliant.	768 C		25		Cannon box for axle, 45H., prior to 18244	385 C		2
Relief	769 C	115 00			Cannon box for axle, 45H.			2
Relieve	770 C	25 00			Cannon box for counter shaft, 45H., prior to engine 9005	386 C	1094 C	6
Reliquary.	771 C	1 00			Bracket for drag links, not used after 1904	338 C		4
	772 C				Collar on hind axle, R.H., 45H., prior to 18244	506 C		2
Retriped	774 C	2 75			Collar on hind axle, L.H., 45 and 60H., prior to 18244	507 C		2
Resection	775 C	40 00			Steering ring, R.H., 36 and 45H., prior to 21214	235 C		5
Relish	A775 C	50 00			Steering ring, L.H., 36 and 45H., prior to 21214.	236 C		5
Resseek	776 C	35 00			Clip for front axle, 30H., prior to 20121, 36 & 45H., prior to 21214	931 C	1744 C	4
Rely	777 C	10 00			Bracket for friction clutch, forked lever, 30H., prior to engine 10008.	469½ C	1158 C	2
Resell	778 C	6 00			Bracket for friction clutch, forked lever, 45 and 60H., prior to engine 10008 (75H. simple, prior to engine 9385, see 1089C).	469 C	1175 C	2
R Remain.	779 C	3 50			Fork clutch lever, 30H., prior to 26641			2
R Resemble	780 C	7 00			Fork clutch lever, 30H., prior to 33099.			11
R Resented	781 C	7 00			Forked clutch lever, 30H			
R Resentful	782 C	1 25			Fork clutch lever, 45 and 60H., prior to 26641; 36H., prior to 22869 (75H., simple, prior to engine 9385, see 1096C).		1870 C	2
R Resenting	783 C	4 00			D pulley, 40-in. diameter, 45 and 60H.	362 C		2
R Resentive.	784 C	4 00						
Reserving	785 C	3 50						
oily.	A785 C	3 50						
	B785 C	2 50						
ir	786 C	4 50						
	7 C	30 00						

CASE REPAIRS—Letter C

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
Rhysimeter.	A1226 C		1. 50		Rear draft door frame, 30H., prior to 33099		04096 C	3
Rhythmic	1227 C		75		Rear draft door, 30H., prior to 14835			3
Rhythmical	A1227 C		1. 05		Rear draft door, 30H., prior to 33099		04097 C	3
Rhythmist.	1228 C		1. 50		Rear draft door frame, 36 to 75H., prior to 14835	624 C		3
Rhythmize	A1228 C		2. 50		Rear draft door frame, 36, 40, 45, 50, 60, 75 and 110H. (65, 80 and RR., prior to 32147, see 04127C, 04096C)			3
Rhyton	1229 C		75		Rear draft door, 36 to 75H., prior to 14835	625 C		3
Riancy	A1229 C		1. 50		Rear draft door, 36, 40, 45, 50, 60, 75, 110H. (65 and 80H. and RR., prior to 32147, see 04126C, 04097C)			3
Ribaldry	1230 C		1. 25		Counterbalance plug in steam chest cover, 2-in., 75 and 80H., compounded (see 08358C)			
Ribband	1232 C		75		Inner ring for 1230C			1
Ribbing	1233 C		50		Outer ring for 1203C	314 C		1
Ribbon	1248 C		25		Guide pin for steel platform, R.H., prior to 22869, see 1116C			3
Ribihe	1249 C		1. 50		Wedge block, crosshead end; connecting rod, 18H. (prior to 21214)			1
Ribwort	A1249 C		1. 50		Wedge block, crosshead end, 18H			1
Chrismon	1250 C		4. 50		Eccentric strap for eccentric pump			8
Chrisom	B1252 C		6. 00		Body for eccentric pump			11
	A1253 C		3. 00		Gland for eccentric pump			9
	A1254 C		5. 00		Stuffing nut for eccentric pump			9
	A1255 C		7. 00		Plunger for eccentric pump			9
	A1256 C		3. 00		Bearing for eccentric rod, eccentric pump			9
Riccia	1257 C		60. 00		Cylinder, 6x8, 18H			1
Richardia	1258 C		4. 50		Cylinder head, 18H			1
Richterite	1259 C		1. 50		Piston ring, 18H			1
Ricinic	1260 C		5. 50		Steam chest, cover, 18H			1
Rcinus	1261 C		7. 00		Slide valve, 18H			1
	1262 C				See 08083C			
Rictal	1263 C		3. 50		Cap for crank bearings, 18H			1
Rictus	1264 C		4. 50		Bracket for engine frame, 18H			1
Ridable	1265 C		7. 50		Crank shaft bearing, 18H			2
	A1266 C				See 08092C			
Rident	1267 C		75		Cap for crank pin, 18H., prior to 33099		04318 C	1
Ridgeling	1268 C		2. 50		Stuffing box for piston rod, 18H., prior to 28852			1
Prepositor.	A1268 C		3. 50		Stuffing box for piston rod, 18H			12
Ridgy	1269 C		1. 50		Gland for piston rod 18H			1
Ridiculous..	1270 C		1. 25		IRON gland nut for piston rod, 18H			1
Riding	1271 C		11. 00		Cross head, 18H			1
Rifleite	1272 C		2. 25		Shoe for crosshead, 18H			1
Rifleman	1273 C		4. 00		Connecting rod brass, crosshead end, 18H			1
Rifler	1274 C				Jam nut for crosshead, 18H., portable, replaced by 02588C			1
Rigger	1275 C		5. 00		Valve rod guide, 18H			1
Rigging	1276 C		2. 50		Valve rod guide holder, 18H., prior to 22869			1
Radiantly	A1276 C		2. 50		Valve guide holder, 18H			9
Ranny	1277 C		1. 50		Cap for valve rod guide holder, 18H., prior to 22869			1
Perceptive.	A1277 C		1. 50		Cap for valve guide holder, 18H			9
Righter	1278 C		4. 50		Eccentric strap, 18H			2
Rigidity	1279 C		5. 00		Eccentric hub, 18H			2
Rigidly	1280 C		3. 50		Ring for smokebox, 18H			3
Rigidness	1281 C		4. 00		Door for smokebox, 18H			3
Rigmarole	1282 C				Smokestack, 18H., portable, use 08075C1			3
Rigolette	1283 C		15		Hinge for ash pan door, 18H (for draft door 110H.)			3
Rigorism	1284 C		2. 75		Ash pan door frame, 18H			3
Rigorously	1285 C		8. 00		Hub for front wheel, 18H., prior to 22869			4
Radiate	A1285 C		8. 00		Hub for wheel, 18H			4
Rimbase	1286 C		3. 00		Governor stand, 18H			1
Rimery	1287 C				Ball on bolster, 18H., replaced by A1287C			4
Rimmon	A1287 C		2. 00		Ball on bolster, 18H			4
Rinded	1288 C		1. 00		Socket on front axle, 18H			4
Rinderpest	1289 C		10. 00		Bracket for rear axle, with arm, prior to 1905, 18H			4
Rindgall	A1289 C		10. 00		Bracket for rear axle, 18H., prior to 26641			4
Parole	B1289 C		10. 00		Bracket for rear axle, 18H			11
Ringcell	1290 C		3. 50		Grate, 3-bar, middle, 18H			6
Ringed	1291 C		4. 50		Grate, 4-bar, middle, 18H			6
Ringhead	1292 C		4. 50		Grate, side, 18H			6
Ringleader	1293 C		1. 50		End support for grate, 18H			6
Ringmail	1294 C		3. 00		Bed block for engine frame, 18H			1
Ringneck	1295 C		4. 50		Bed block for crank bearing, 18H			2
Ringperch.	1296 C		60. 00		Drive pulley, 36-in. diameter, 7-in. face, 2 3/16-in. bore, 18H			2
Ringplain	1297 C		3. 50		Governor pulley, 18H			2
Ringplover	1298 C		. 35		Gland for heater, A1168C, 30H., prior to 25524			4
Ringshake	1299 C		. 35		Gland for heater, A1173C, 45 & 60H., prior to 26641; 36H., prior to 22869			4
Ringsnake	1300 C		35		Gland for heater, A749C, 75H., prior to 26641			4
Ringster	1301 C		75		Elbow for tank connection, O.S. contractor's tank			3
Ringstone	1302 C		35		Crab for tank connection, O.S. contractor's tank			3
Ringtail	1303 C		1. 50		Washer for intermediate gear bracket, 30H	428 C		5
Riparian	1304 C		50		Lock nut for exhaust ell, 18H. 2-in., (30H., prior to 25524; 36H., prior to 22869)			3
Riparious	1305 C		50		Lock nut for exhaust ell, 2 1/2-in., 30, 36, 40, 45, 50H., and RR.; (60H., prior to 26641)			3
Ripeness	1306 C		50		Lock nut for exhaust ell, 3-in., 60, 65, 75 and 80H			3
Ripienist	1307 C		50		Handle for spark screen adjuster, 30, 36, 45, 60 and 75H			3
Ripon	1308 C		50		Bracket for spark screen adjuster, 30, 36, 45, 60 and 75H			3
Ripost..	1309 C		1. 75		Shoe for reverse block, A1097C and B1097C	277 C		2
	A1310 C				See 08201C1			
	A1311 C				See 08166C			
Ripper	1312 C		1. 75		Bearing for brake bar, R.H., prior to 22869	1026 C	1921 C	
Ripplet	1313 C		1. 75		Bearing for brake bar, L.H., prior to 22869	1027 C	1922 C	

CASE REPAIRS—Letter C

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
Ripply	1314 C		.50		Cap for 1312C and 1313C, prior to 22869	1029 C		6
Ripuarian..	1315 C		1.25		Air chamber for pump, 80 and 110H., see 2238C	1964 C		7
Reduce	1316 C		11.00		Smoke box door, 75 and 80H	583 C		3
Risibility.	1317 C		95.00		Hub for 36-in. tire wheel, 60H., prior to 18244	993 C		4
Risible	A1317 C		95.00		Hub for 36-in. tire wheel, 60H.			4
Risky	1318 C		7.00		Lock nut, 2-prong, 75 and 80H	1000 C		4
Ritualism	1319 C		10.00		Lock nut, 75 and 80H.	999 C		4
Rivality	1320 C		2.50		Collar for lower cannon bearings links, 30H., prior to 18244			2
Riverain	A1320 C		.25		Stop for lower cannon bearing links, see 2360C.			2
Riverine	1322 C		55.00		Hub for hind wheel, 60H., prior to 19563.	1151 C		4
Riveting	A1322 C		55.00		Hub, rear, 60H.			4
Rivina	1323 C		6.00		Two-prong lock nut, 60 and 65H.	1000 C		4
Rivularia	1324 C		7.50		Single prong lock nut, 60 and 65H.	999 C		4
Rivulose	1325 C		100.00		Front roller for road roller, prior to 22872, each			13
Rattan	A1325 C		100.00		Front roller, road roller (each)			13
Roach	1326 C		35.00		Lower bolster ring, road roller, not used after 1906 (give roller number)			13
Roading	A1326 C		30.00		Lower bolster ring, road roller.			13
Roadmaster	1327 C		45.00		Upper bolster ring, road roller, not used after 1906 (give roller number)			13
Roadside.	A1327 C		50.00		Upper bolster ring, road roller, prior to 32147			13
Extortion	B1327 C		50.00		Upper bolster ring, road roller.			
Ravalem	1328 C		18.00		Bearing for bolster ring, road roller, not used after 1906 (give roller number)			13
Roast.	A1328 C		16.00		Bearing for bolster ring, road roller, prior to 22872.			14
Rattery.	B1328 C		16.00		Bearing for bolster ring, roller, prior to 32147			14
Roaster	1329 C		7.50		Front bearing for bolster shaft, road roller, not used after 1906 (give roller number)			13
Roasting	A1329 C		7.00		Bearing for bolster shaft, front and rear, road roller, prior to 31173			13
Chri'ten	B1329 C		7.00		Bearing for bolster shaft, roller, prior to 32147	2444 C		
Extortive	C1329 C		9.00		Bearing for bolster shaft, front, RR.			
Robalo	1330 C		11.00		Bearing for front axle, road roller, not used after 1906 (give roller number)			13
Roband	A1330 C		13.00		Bearing for front axle, road roller, prior to 22872			14
Rattlebox	B1330 C		15.00		Bearing for front axle, roller			14
Robber.	1331 C		13.00		Steering gear bracket with cap, road roller, prior to 22872			13
Robin	1332 C		.50		Cap for 1331C, road roller, prior to 22872	1376 C		13
Robinet	1333 C		3.00		Bearing for worm shaft, road roller, prior to 22872.			13
Robinia	1334 C		.50		Cap for 1333C, road roller, prior to 22872	1377 C		13
Roborant	1335 C		10.00		Steering roller bracket, R.H., road roller, prior to 21214.			13
Rattletrap	A1335 C		9.00		Steering roller bracket, R.H., used with A720C, roller, prior to 22872.			14
Ravelment	B1335 C		8.00		Steering roller bracket, R.H., roller			14
Roborate	1336 C		5.00		Gear on crank shaft for steering, road roller, prior to 22872.	1378 C		13
Roborative.	1337 C		3.50		Spur gear on steering gear shaft, road roller, prior to 22872			13
irite.	1338 C		4.00		Idler gear for steering road roller, prior to 22872			13
ast	1339 C		4.50		Bracket for steering idler gear, road roller, prior to 22872.			13
astious.	1340 C		5.50		Bevel gear for upright steering shaft, RR. (110H., prior to 27646)			5
tic.	A1340 C		5.50		Bevel gear for steering, 110H.			7
umbole.	1341 C		4.00		Bevel pinion for steering, road roller, not used after 1906 (give roller number)			13
ella.	A1341 C				Bevel pinion with cup for steering, road roller, (110H., prior to 27640) use 08037C.			5
uget	B1341 C				Bevel gear with cup, 110H. (use 08037C1)			7
Acclie.	1342 C		6.00		Friction cup for steering, road roller, not used after 1906 (give roller number)			13
Rochea	1343 C		6.00		Friction cone for steering, road roller, not used after 1906 (give roller number)			13
Rochelime.	A1343 C		7.00		Friction cone with hub for steering, road roller (110H., prior to 27640)			5
Parquetry.	B1343 C		8.00		Friction cone with hub for steering, 110H			7
Rockaway.	1344 C		3.50		Friction cup for steering, road roller, not used after 1906 (give roller number)			13
Rockery	A1344 C		4.00		Friction cup without hub for steering, road roller (110H., prior to 27640).			5
Rockling.	1345 C		2.50		Trunnion ring for friction cone, 110H., and roller.			5
Rockweed.	1346 C		2.00		Forked lever for steering gear, road roller, prior to 22872			13
Ravisher...	A1346 C		1.25		Forked lever for steering gear, roller, prior to 32147.			13
Extracted	B1346 C		1.50		Forked lever for steering gear, roller			
Rockwork.	1347 C		1.25		Friction steering lever, road roller, not used after 1906 (give roller number)	1358 C		13
Rococo	1348 C		1.50		Quadrant for friction steering lever, road roller, not used after 1906 (give roller number).			13
Rodding.	1349 C		1.75		End collar for axle, road roller, prior to 22872			13
Reactionary.	A1349 C		1.75		End collar for front axle, roller.			13
Rodentia.	1350 C		.75		Bracket for front scraper, R.H., road roller, not used after 1906 (give roller number).			13
Rodinal	1351 C		.75		Bracket for front scraper, L.H., road roller, not used after 1906 (give roller number)			13
Rodomont..	1352 C		8.00		Bracket for rear scraper, road roller, not used after 1906 (give roller number)			13
Rogation.	A1352 C		8.00		Bracket for front scraper shaft on rear wheel, road roller, not used after 1906 (give roller number).			14
Rogatory	B1352 C		2.00		Front bracket for rear wheel scraper, road roller.			14
Rogue	1353 C		50.00		Rear hub, road roller, 32-spoke, not used after 1908			13
Rostellum.	A1353 C		50.00		Rear hub, 40 spokes, 10-ton roller			
Roguary	1354 C		2.00		Quadrant shelf bracket, R.H., road roller, prior to 22872.			13
Rognish.	1355 C		1.50		Spacing collar for axle, road roller, prior to 22872			13
Reasonably.	A1355 C		3.00		Spacing collar for front roll, roller			14
Rognishly	1356 C		1.50		Block between bolster and steering ring, road roller, not used after 1905			13
oily...	1357 C		.50		Collar on scraper arm, road roller, not used after 1906 (give roller number)			13

CASE REPAIRS—Letter C

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	
Ripe.	1012 C		35		Sleeve for quadrant shelf bracket, 30H., prior to 10008	
Ripely.	1013 C		1 50		Pump shelf, 30H., traction, prior to 19563.	
Ripened.	1014 C		50		Ice creepers, see 01621C.	
Resolatory	1015 C		1 50		IRON nut for stuffing box, 1010C and A1010C	31
Ripening	1016 C		25		Collar on counter shaft, $\frac{3}{8}$ -in. wide, 30H., prior to 33099	
Ripieno	1017 C		50		Collar on hind axle, 1-in. wide, 30H., prior to 33099	
Resolve.	1018 C		4 50		Bed plate for engine frame, 75H., prior to 25088.	67
Ruffed.	1019 C		20 00		Crosshead, 75H., (80H., prior to 26641).	
Ruffian	1020 C		7 50		Brass box for connecting rod, crank end, 75H.; (80H., prior to 26641).	638
Ruffier	1021 C		90 00		Drive pulley, 40-in. diameter, 12-in. face $3\frac{1}{8}$ -in. bore, 50 and 75H. (80H., prior to 26641)	1063
Resolvent.	1022 C		85 00		Drive pulley, 40-in. diameter, 10 $\frac{1}{2}$ -in. face, 2 $\frac{1}{2}$ -in. bore (special) 30H	
Resonance.	1023 C		25 00		Arm for friction clutch, used with 1022C (special)	
Ruffling	1024 C		5 00		Governor pulley on crank shaft, $3\frac{1}{8}$ -in. bore, 50 and 75H. (80H., prior to 26641)	
Resonant...	1025 C		3 00		Lower brake beam lever, portables, prior to 24278	
Ripping	1026 C		4 00		Upper brake beam lever, portables, prior to 24278.	
Ripple	1027 C		35		Collar on hind axle, $\frac{3}{4}$ -in. wide, 45H., 60H., prior to 18244	14
Rippling	1028 C		50		Collar on hind axle, 1-in. wide, 45H. 60H., prior to 18244	
Riprap	1029 C		35		Box for brake beam, portables, not used after 1904	8
Resonate	1029 $\frac{1}{2}$ C		35		Box for brake beam, $\frac{3}{4}$ -in. thicker than 1029C, portables, not used after 1904 (special)	5 C
Rising	1030 C		1 25		Brake quadrant, portables, prior to 24278	C
Risked....	1031 C		25		Dog for brake quadrant lever, portables, prior to 24278.	
Resonator	1032 C		25		Collar for brake bar, portables, prior to 24278	
Ritual.	1033 C		15 00		Axle plate, R.H., all portables except 18 and 30H., prior to 13848.	876 C
Rivage	1034 C		15 00		Axle plate L.H., all portables except 18 and 30H., prior to 13848	877 C
Rival.	1035 C		15 00		Axle arm and hub for 1033C and 1034C, prior to 13848	
Resorbent	A1035 C		15 00		Axle arm and hub for 1196-7C and A1196-7C, prior to 22869	B1196C
Resorcin	1037 C		8 00		Grate, 4-bar, inside, 75H. (65 and 80H. port. and skid)	
Rivalry.	1038 C		8 00		Grate, 4-bar, outside, 75H. (65 and 80H. port. and skid)	
River...	1039 C		2 50		Grate, 1-bar, 75H. (65 and 80H. port. and skid)	
Riveted.	1040 C		95 00		Cylinder, 75H. simple, prior to engine 9490.	1139 C
Riving	1041 C		9 50		Cylinder head for 1040C and 1139C; 75H. simple, prior to 13926	
Resound	A1041 C		9 50		Cylinder head for A1139C, 75 and 80H. simple.	
Rivose	1042 C		7 50		Steam chest cover, 75 and 80H. simple.	
Rivulet	1043 C		10 00		Slide valve, 75H., simple, prior to 13926	
Resource	A1043 C		10 00		Slide valve, 65, 75 and 80H., simple	
Roadbed	1044 C		11 00		Piston head, 75H. simple, prior to 13926	
Respect	A1044 C		11 00		Piston head, 75 and 80H. simple.	
Percipient.	1045 C		2 75		Piston ring, 75 and 80H., simple, and 60H. compounded L.P.	588 C
Roadway	1046 C		17 00		Crosshead, 75H. simple, prior to 9490	10H
Roaming.	1047 C		11 00		Bracket for engine frame, 75H. simple, prior to 9490.	100
Roarer.	1048 C		100 00		Engine frame, 75H. simple, prior to 9490	100
Robbing	1049 C		75 00		Disc complete with pin and shaft, 75H., prior to 9490	100
Respectable	1050 C		35		Collar for hind axle, $\frac{1}{2}$ -in. thick, 60H. (75H., prior to 17509) Special.	
Respectant.	A1050 C		75		Collar for hind axle, 75H.	
Respecter.	1051 C		50		Collar for hind axle, $\frac{3}{4}$ -in. thick, 60H. (75H., prior to 17509)	
Rocked	1052 C		9 00		Rocker arm, 75H., traction, prior to 26015.	
Paludous	A1052 C		6 00		Rocker arm, 75H. traction, (80H., prior to 26641)	21
Rockfish	1053 C		20 00		Bevel gear with pinion on countershaft, 75H. simple, prior to engine 9385.	90
Respectful.	1054 C		15 00		Bevel gear for differential, keyed on shaft, 44 teeth, $3\frac{1}{8}$ -in. bore, 75H. simple, prior to engine 9385	90
Rockrose.	1055 C		14 00		Pinion on countershaft, 17 teeth, $3\frac{1}{8}$ -in. bore, 75H. simple, prior to engine 9385	90
Respecting.	1056 C		1 25		Grouser, R.H., 24-in. tire, 75H., prior to 22869.	
Rocksalt	1057 C		1 25		Grouser, L.H., 24-in. tire, 75H., prior to 22869	
Rodent	1058 C		40 00		Cannon box for countershaft, 75H. simple, prior to engine 9385	
Roebuck	1059 C				Cannon bearing for rear axle, 75H., prior to 17509 (replaced by 1398C)	
Respective	A1059 C		70 00		Cannon bearing for rear axle, 75H. (80H., prior to 30768).	
Chrismal.	B1059 C		70 00		Cannon bearing for rear axle, 80H.	
Roiled.	1060 C		5 00		Collar on rear axle, R.H., 75H., prior to 17509	
Rolling	1061 C		3 50		Collar on rear axle, L.H., 75H., prior to 17509	
Respell	1062 C		1 50		Collar on counter shaft, 75H., simple, prior to 9385	
Roister	1063 C		90 00		Drive pulley, 75H., simple, prior to 9490	
Rolled	1064 C		20 00		Steering roller, 75H., prior to 17509	
Respirator.	A1064 C		20 00		Steering roller, 75H., prior to 19563.	
Recklow.	B1064 C				Steering roller, 75H., replaced by C1064C	
Palustral.	C1064 C		25 00		Steering roller, 75 and 80H.	
Resplend	1065 C		10 00		Shelf for quadrant, 75H., prior to 17509	
Respond	A1065 C		10 00		Shelf for quadrant, 75H., prior to 25088.	
Paly	B1065 C		10 00		Shelf for quadrant, 75H. and 80H., prior to 26641	
Parhelion	C1065 C		10 00		Shelf for quadrant, 75H.	
Rufous.	1066 C				Arm for friction clutch, 75H., prior to 21214, replaced by A1066C	788 C
Respondent.	A1066 C		25 00		Arm for friction clutch, 75H. (80H., prior to 26641).	A
Pariah	B1066 C				Arm for friction clutch, 75H., 26641 to 28852 (use A1066C clutch, complete).	
Rolling	1067 C		1 50		Filling plug, 20, 36, 45, 60H., prior to 21214; 75H., prior to 19563, all traction for 26640	
Romal.	1068 C		1 00		Cap for 106 for end 785C, 60 and 75H. (all others prior to 33099)	
Extent.	A1068 C		1 25		Cap for fit for ew 33098, all except 60 and 75H.	
Romancy	1069 C		4 75		Grate suket for engt, 75H. simple, prior to 9385.	
Romanism	1070 C		2 75		Grate suket for engt, prior to 11506	
Romish	1071 C		3 00		Dead picket for engt burning, 65H.; 75H., prior to 17509	
Responder..	A1071 C		3 75		Dead picket for engt burning, 75 and 80H.	
Romping.	1072 C		2 75		Brick suket for engine 75H., simple, prior to 9385.	
Rompish.	1073 C		2 75		Brick suket bracket, 30H., simple, prior to 9385	
Response..	1074 C		6 00		Base for	

CASE REPAIRS—Letter C

Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
960 C		.25		Cap for front axle, 30H., prior to 26641	247 C		4
960 C		.50		Cap for axle, 30 and 36H., traction, 30 to 110H., portable.	230 C		12
961 C		.25		Cap for front axle, 36 to 75H., portable, rear, prior to 26641			4
961 C		.75		Cap for axle, 40 to 80H., traction, prior to 32147	2023 C		12
961 C		.75		Cap for axle, 40 to 80H., traction.			
962 C		4.00		Governor pulley on crank shaft, 30H.	447 C		2
963 C		4.00		Governor pulley on crankshaft 36H. simple, engines between 8012 and 9045, R.R., 36 and 40H., simple and compound, after engine 10008.	332 C	994 C	2
964 C		4.00		Governor pulley on crankshaft, 36H., prior to engine 10008.	963 C	963 C	2
965 C		4.50		Governor pulley on crankshaft, 45 & 60H. (75H. simple, prior to 9490)	149 C	1024 C	2
966 C		4.00		Governor stand, 30H., simple, prior to 15086.	811 C		1
966 C		3.50		Governor stand, 30H., prior to 26641		A 967 C	1
967 C		4.00		Governor stand, 36H., simple, engines 8012 to 9045 and 10007 to 22869, 30H., compounded, prior to 15086 (see 1123C).	811 C		1
A967 C		3.50		Governor stand, 30, 36, 40H. and roller	328 C		12
968 C		4.50		Governor stand, 60H. simple, prior to 24275 (75H. simple, prior to 22839).	675 C	1853 C	1
A968 C		4.50		Governor stand, 60H. simple, prior to 25452			12
B968 C		4.50		Governor stand, 60H. simple, prior to 26641			12
C968 C		4.50		Governor stand, 60H. simple.			12
969 C		4.00		Bracket for friction clutch forked lever, 36H., prior to engine 10008.		1159 C	2
970 C		2.00		Filling funnel	550 C		3
971 C		8.00		Piston, threaded, 30H. simple, prior to engine 10008	819 C	978 C	1
972 C		8.00		Piston, threaded, 36H. simple, engines between 8012 and 9045	823 C	979 C	1
973 C		9.00		Piston, threaded, 45H. simple, engines between 8012 and 9045.	820 C	980 C	1
974 C		.50		Collar on hind axle, R.H., 1 1/4-in. wide, 60H.; 75H. prior to 17509, see 987C			4
975 C		1.50		Gear shield, 30H., wood platform	740 C		3
976 C		1.00		Cap for steering roller bracket 718C, R.H., all engines except 30H., not used after 1904.	246 C		5
977 C		2.25		Manhole cover for tank			
978 C		8.00		Piston, 30H. simple.	971 C		1
979 C		8.00		Piston, 36 and 40H. simple and RR	972 C		1
980 C		9.00		Piston, 45 and 50H. simple	973 C		1
981 C		10.00		Piston, 60H. simple (45 and 50H. compounded L.P. see 184C).	837 C		1
982 C		5.50		Piston, high pressure, 30H. compounded	417 C		1
983 C		8.50		Piston, low pressure, 30H. compounded	415 C		1
984 C		6.00		Piston, high pressure, 36 and 40H. compounded	207 C		1
985 C		9.00		Piston, low pressure, 36 and 40H., compounded	205 C		1
986 C		8.00		Piston, high pressure, 45 and 50H. compounded	186 C		1
A987 C		.75		Collar on hind axle, R.H., 1 1/2-in. wide, 60H., 75H., prior to 17509, see 974C			4
988 C		8.50		Piston, high pressure, 60H. compounded.	585 C		1
989 C		11.00		Piston, low pressure, 60H., compounded, prior to engine 10008 (see 1117C)	586 C		1
A1097 C		2.25		Ring, low pressure, 1 1/2-in. wide, 36 and 40H., compounded.			1
B1097 C		.75		Collar on hind axle, R.H., 1 3/4-in. wide, 60H., 75H., prior to 17509, see 987C			4
A1098 C		10		Cylinder cock rod support, 30, 36, 45, 50, 60, 75H.; 80H., prior to 26641; 40H., prior to 28852.		607 C	3
A109 C		95.00		Rear hub for 36-in. tire, 60H., prior to 19563; 75H., prior to 17509.		1317 C	4
110 C		95.00		Rear hub for 36-in. tire wheel, 75H., prior to 19563.			4
A1100 C		95.00		Rear hub for 36-in. tire wheel, 75H.			4
1101 C		.50		Turnbuckle for friction clutch, 3/4-in. tap, 36 to 110H., prior to 21214	358 C		2
1102 C		.50		Turnbuckle for friction clutch, 36 to 80H., prior to 26641—110H., prior to 22869.		02881 C	2
A1102 C		6.00		Piston head, 18H.			1
1103 C		4.00		Filter for mounted tank			
A1103 C		.50		Support for center support, straw burner grates, 60 & 75H., formerly 796E, prior to 10007, see 232C		A1180C	6
1104 C		8.00		Lock for rear axle, 45H., prior to 21214, 60H., prior to 18244; 75H., prior to 17509	801 C	1324 C	4
1105 C		7.00		Lock for rear axle, 45 and 50H			4
1106 C		7.00		Spider lock for rear axle, 2-prong, 45H., prior to 21214; 60H., prior to 18244, 75H., prior to 17509		1318 C	4
1107 C		6.00		Spider lock for rear axle, 45 and 50H		1323 C	4
A1107 C		6.00		Lock nut, 1 engine			4
B1107 C		6.00		Exhaust nozzle, 1 3/4x2-in., 36H., prior to 22869		715 C	3
1108 C		1.00		Turn buckle for distance link, 1 1/4-in., 30 to 40H., and RR., prior to 35609, see 1165C (for clutch 110H., prior to 27139).		03400 C	2
1109 C		1.50		Flange for cab support, top of dome, prior to 11582.	713 C		3
1110 C		1.00		Flange for cab support, top of dome, 11581 to 24278.		1905 C	3
1111 C		8.00		Eccentric hub, 75H., traction, prior to 26015	602 C		2
1112 C		8.00		Eccentric hub, 50 and 75H. traction, (80H., prior to 26641).		2049 C	8
1113 C		9.00		Eccentric strap, 75H., traction, replaced by A1005C	136 C		2
1114 C		9.00		Eccentric strap, 75H., traction, prior to 26015		2050 C	8
1115 C		9.00		Eccentric strap, 50 and 75H., traction, 80H., prior to 26641			2
1116 C		8.00		Bracket for reverse block, 75H., prior to 17536	634 C		2
1117 C		8.00		Bracket for reverse block, 75H., prior to 25573		2051 C	9
1118 C		9.00		Bracket for reverse block, 75H., traction (80H., prior to 26641)		1143 C	1
1119 C		11.00		Bracket for engine frame, 75H., prior to 10008	1047 C		
1120 C				Engine frame, 75H., prior to 17536	1048 C		
1121 C				See 08247C1			
1122 C				See 08247C2			
1123 C		7.00		Cap for engine frame, 75H., prior to 21214		2043 C	1
1124 C		7.00		Cap for engine frame, 75H., (80H., prior to 26641).			1
1125 C		135.00		Bushing in frame, 1008C 75H., prior to 17536.	910 C		1
1126 C		135.00		Bushing in frame, A1008C, 75 and 80H.			1
1127 C		70.00		Gland for bushing, 1010C and A1010C.			1

CASE REPAIRS—Letter C

	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
9 C		6.00		Base for smokestack, 75H., prior to 33873, 80H., prior to 26641		2151 C	3
58 C		6.00		Frame for smokebox, 75H., prior to 17509.			3
6 C		6.00		Frame for smokebox, 75 and 80H.			3
26 C		70.00		Hub for rear axle, 75H., simple, prior to 9385.		746 C	4
77 C		2.50		Center support for straw grates, 65H. (75H., prior to 17509).			6
077 C		2.50		Center support for straw grates, 75 and 80H.			6
1078 C		.50		Collar on rear axle, 1-in. wide, 60H., 75H., prior to 17509 (special).			4
1079 C		7.50		Cylinder head for 1080C, 45H., simple, not used after 1905	833 C		1
1079 C		7.50		Cylinder head for 45 and 50H. simple.			1
1080 C		80.00		Cylinder, 45H. simple, not used after 1905.	832 C		
A1080 C		80.00		Cylinder, 45H. simple, prior to 26641			1
1080 C		80.00		Cylinder, 45 and 50H. simple			
1081 C		5.50		Sleeve for friction clutch, 75 and 80H., prior to 26641, see 2097C; 50 and 75H., after 28852	697 C	2097 C	2
1081 C		5.50		Sleeve for friction clutch, 75H., for arm B1066C, 26641 to 28852		1081 C	8
1082 C		3.50		Clamp for friction clutch, 75 and 80H., prior to 26641, 50 and 75H., after 28852	699 C	2098 C	2
1082 C		3.50		Clamp for clutch, 75H., used with arm B1066C, 26641 to 28852.			8
1083 C		2.50		Strap for friction clutch, 75 and 80H., prior to 26641, 50 and 75H., after 28852	698 C	2099 C	2
1083 C		2.50		Strap for clutch 75H., used with arm B1066C, 26641 to 28852			8
1084 C		12.00		Pinion on crank shaft, 15 teeth, 75H. (80H., prior to 26641)	629 C	2095 C	2
1085 C		10.00		Bearing for crank shaft, 75H., prior to engine 10008.	901 C	1157 C	2
1086 C		6.00		Cap for 1085C and 1157C, 75H., prior to 25088.	647 C		2
A1086 C		6.00		Cap for crank bearing, A1157C, 75H. (80H., prior to 26641).		2080 C	11
1087 C		4.00		Bed plate for crank shaft bearing, 75H., prior to engine 10008.		1154 C	2
1088 C				Disc complete with pin and shaft, 75H., replaced by A1088C	1049 C		
A1088 C				See 08328C1 and 08755C			
1089 C		4.00		Bracket for friction clutch, forked lever, 75H., prior to engine 10008		1176 C	2
1090 C		6.50		Steam chest cover, 30, 36 and 40H. simple, and RR	848 C		1
1091 C		75.00		Cylinder, 36H. simple, prior to 22869.	841 C		1
A1091 C		75.00		Cylinder, 36 and 40H., simple and roller.			1
1092 C		50		Bracket for platform springs, tapped for 3/4 bolt, 36 to 75H., prior to 2869, see 795C			3
1093 C		35.00		Cannon box for counter shaft, babbitted, 36H	919 C		6
1094 C		35.00		Cannon box for counter shaft, babbitted, 45H.	776 C		6
1095 C		35.00		Cannon box for counter shaft, babbitted, 60H., prior to 25452.	914 C		6
A1095 C		35.00		Cannon bearing for counter shaft, 60H.			9
1096 C		4.00		Forked clutch lever, 75H., prior to 25088	786 C		2
A1096 C		4.00		Forked clutch lever, 75H. (80H., prior to 26641).		2100 C	11
1097 C		10.00		Reverse block, replaced by A1097C and 1309C.			
A1097 C		10.00		Reverse block with 1309C, prior to 25573.	632 C		2
B1097 C		10.00		Reverse block with 1309C, 30 to 80H.			9
1098 C		.50		Washer for reverse block, prior to 25573.	633 C		2
A1098 C		75		Washer for reverse block, 30 to 80H.			12
1099 C				Use 08008C, prior to 21214.			
A1099 C				Use 08008C1.			
1100 C				Disc complete with pin and shaft, 36H., replaced by A1100C.	319 C		
A1100 C				See 08411C2 and 08752C			
1101 C				Disc complete with pin and shaft, 45 and 60H., replaced, by A1101 C (give engine number).	260 C		
A1101 C				See 08283C1 and 08753C			
1102 C		1.00		Head for reverse rod, lever end, prior to 21214.	737 C		2
A1102 C		1.00		Head for reverse rod, lever end, prior to 26641.		1893 C	2
1103 C		1.00		Head for reverse rod, block end, prior to 21214.	738 C		2
A1103 C		1.00		Head for reverse rod, block end.			2
1104 C		25		Cap nut for heater head, prior to 10008.		1852 C	4
1105 C		1.50		Heater head, outlet end, prior to engine 10008	450 1/2 C	1170 C	4
1106 C		7.50		Pinion on crank shaft, 14 teeth, 30, 36, 40H., see 431C (RR., prior to 22826).	431 C	1883 C	2
1107 C		10.00		Bearing for crank shaft, 30H., prior to 26641.	642 C		2
A1107 C		15.00		Bearing for crank, 30H. traction, see 2042C, prior to 33099.			11
B1107 C		20.00		Bearing for crank, 30H.			
1108 C		4.00		Bed block for 1107C, 30H., prior to 26641.			2
1109 C		10.00		Bearing for crank shaft, 36H., prior to engine 10008.	900 C	1155 C	2
1110 C		4.00		Bed block for 1109C, 36H., prior to engine 10008.		1152 C	2
1111 C		10.00		Bearing for crank shaft, 45 and 60H., prior to engine 10008.	901 C	1156 C	2
1112 C		4.00		Bed block for 1111C, 45 and 60H., prior to engine 10008.		1153 C	2
1113 C		8.00		Pinion on counter shaft, 17 teeth, 2 1/4-in. bore, 36H. (road roller, prior to 19563)	700 C	1764 C	5
1114 C		18.00		Bevel gear and pinion, 43 teeth, 2 1/8-in. bore, 36H. (road roller, prior to 19563).	701 C	1763 C	5
1115 C		70.00		Cylinder, 30H. simple, prior to 25524	817 C		1
1116 C		70.00		Cylinder, 30H. simple			
1117 C		25		Guide for platform, L.H. (see 1248C), prior to 22869.			3
1118 C		11.00		Piston, low pressure, 60H. compounded.			1
1119 C		25		Hose nozzle, 1/2-in., see 2353C			3
1120 C		12.00		Axle plate, R.H., 30H., portable, prior to 10008.	874 C	1198 C	4
1121 C		8.00		Axle plate, L.H., 30H., portable, prior to 10008.	875 C	1199 C	4
A1121 C		8.00		Axle arm and hub, 30H., portable, prior to 13867.			4
1122 C		15		Axle arm and hub, 30H., portable, prior to 22869.		C1198C	4
A1122 C		15		Claw nut for ash pan damper chain, prior to 22869			3
1123 C		4.00		Claw nut for ash pan damper chain, prior to 24278			12
1124 C		135.00		Governor stand, 36H. simple, engines between 9046 and 10007.	967 C	967 C	1
A1124 C		135.00		Cylinder, low pressure, 75H. compounded, prior to 26641.			1
1125 C		70.00		Cylinder, low pressure, 45 and 80H. compounded.			
1126 C		9.00		Cylinder, high pressure, 75 and 80H. compounded.			1
1127 C		16.00		Cylinder head, 75 and 80H. compounded.			1
				Head between high and low pressure cylinder, 75 & 80H. compounded			1

CASE REPAIRS—Letter C

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	
Repel.	907 C		5.50		Grate bar, middle, 3-bar, 1-in. space, 45 and 50H. (special)	
Repellence	908 C		5.50		Grate bar, side, 3-bar, 1-in. space, 45 and 50H. (special)	
Rheumatism.	909 C		8.00		Shelf for quadrant, 36 and 45H., prior to 22839	7
Rabidly	A909 C		8.00		Shelf for quadrant, 36H., prior to 24959; 45H., prior to 25648.	
Palsy	B909 C		8.00		Shelf for quadrant, 36 and 40H., prior to 26641	
Pardoning.	C909 C		7.50		Shelf for quadrant, 36 and 45H., (40H., prior to 30768)	2020
Repellency	910 C		3.00		Stuffing box for piston rod, 45 and 60H., prior to 18180 (75H. simple, prior to 9490)	
Repent.	A910 C		4.00		Stuffing box for piston rod, 45, 50, 60 and 65H.	5
Rhino.	911 C		1.75		Gland in 910C and A910C (see 1011C)	
Repertoire.	912 C		3.00		Stuffing box for piston rod, 30H., prior to 21214; 36H., prior to 18180	3
Repetition.	A912 C		4.00		Stuffing box for piston rod, 30, 36, 40H. and RR.	
Rhodian	913 C		1.75		Gland in 912C and A912C	
Rhodium.	914 C		30.00		Cannon box for counter shaft, 60H., prior to engine 9046, also engines 9167 to 9191 and 9205 to 9213	52
Rhodonite.	915 C		6.00		Collar on rear axle, R.H., 60H., prior to 18244	
Repetitive.	916 C		1.50		Collar on counter shaft, 75H	106
Rhomb	917 C		75		Upper bearing for steering shaft, 36H., prior to 21244, 45 and 75H., prior to 19563, 60H., prior to 18244	
Rhombic.	918 C		35.00		Cannon box for rear axle, 36H., prior to 18244	394
Rephrase.	A918 C		50.00		Cannon box for rear axle, 36H., 40H., prior to 26641	
Pare.	B918 C		50.00		Cannon box for rear axle, 40H.	
Rhomboid.	919 C		30.00		Cannon box for counter shaft, 36H., prior to 9049, engines 9052 to 9061—9064 to 9074	395 C 432 C
Rhombus	920 C		30.00		Cannon box for rear axle, 30H., prior to 18244	
Replacer.	A920 C		45.00		Cannon box for rear axle, 30H., prior to 33099	
Extensible.	B920 C		45.00		Cannon box for rear axle, 30H.	
Repliant	921 C		25.00		Cannon box for counter shaft, 30H., prior to engine 10008	433
Replicate.	922 C		4.50		Collar on rear axle, R.H., 36H., prior to 18244	502
Reply.	923 C		2.50		Collar on rear axle, L.H., 36H., prior to 18244	503
Rhyme	924 C		3.00		Collar on rear axle, R.H., 30H., prior to 18244	436
Repone.	925 C		2.00		Collar on rear axle, L.H., 30H., prior to 18244	436
Rhythm	926 C		6.00		Steering ring, R.H., 60 and 75H., prior to 22869	235
Rial.	927 C		6.00		Steering ring, L.H., 60 and 75H., prior to 22869	236
Reposal.	928 C		6.00		Steering ring, R.H., 30H., prior to 20121	235
Reposeful.	929 C		6.00		Steering ring, L.H., 30H., prior to 20121	236
Rialto	930 C		1.50		Clip for front axle, 60 and 75H., prior to 22869	
Riant.	931 C		1.25		Clip for front split axle, 30H., prior to engine 10008	78
Ribald.	932 C		6.00		King bolt, 75H. traction and 45H. portable, prior to 19563; 60H. traction, prior to 18244	588 C
Repositor.	933 C		6.00		King bolt, 36H., prior to 19563	520
Reposses.	934 C		5.00		King bolt, 30H., prior to 19563	243
Ribbed.	935 C		9.00		Front axle clamp, upper, 60 and 75H., prior to 22869	101
Rabidness.	A935 C		8.00		Front axle clamp, upper, 60 and 75H., prior to 26641	100
Paregoric.	B935 C				Front axle clamp, 40 to 75H.—use 09168C, 80H., prior to 3033	102
Rice.	936 C		3.00		Front axle clamp, lower, 60 and 75H., prior to 22869	
Raccoon	A936 C		4.00		Front axle clamp, lower, 60 and 75H., prior to 26641	
Repress.	937 C		7.00		Front axle clamp, upper, 30H., prior to 20121	
Repression	A937 C		5.00		Front axle clamp, upper, 30H., prior to 26641	21
Revealed.	938 C		3.00		Front axle clamp, lower, 30H., prior to 20121	
Repressive.	A938 C		3.00		Front axle clamp, lower, 30H., prior to 26641	90
Rickets	939 C		5.00		Bevel pinion, 11 teeth, 1 1/8-in. bore, 75 and 80H.	9
Ricochet.	940 C		50.00		Cannon box for hind axle, 60H., prior to 18244	
Reprieve.	A940 C		60.00		Cannon box for hind axle, 60H.	
Ricture	941 C		8.00		Shelf for quadrant, 60H., prior to 25452	
Parel.	A941 C		8.00		Shelf for quadrant, 60H., prior to 26641	
Parent	B941 C		8.00		Shelf for quadrant, 60H.	
Riddance	942 C		8.00		Shelf for quadrant, 30H., prior to 26641	
Parentage.	A942 C		7.00		Shelf for quadrant, 30H., prior to 33099	198C
Extensile.	B942 C		15.00		Quadrant shelf, 30H.	
Ridden.	943 C		3.50		Bracket for quadrant shelf, R.H., 60H., prior to 18244	
Reprimand.	944 C				Spur gear in traction wheel, 75H.	
Reprint.	A944 C		100.00		Bracket for quadrant shelf, R.H., 36H., prior to 21214	
Riddling	945 C		3.00		Bracket for quadrant shelf, R.H., 36H., prior to 22869	
Reprise.	A945 C		3.00		Bracket for quadrant shelf, L.H., 36H., prior to 21214	
Rideau	946 C		1.75		Bracket for quadrant shelf, R.H., 30H., prior to 10008	
Rider.	947 C		3.00		Bracket for quadrant shelf, L.H., 30H., prior to 26641	
Ridge.	948 C		1.75		Upper bearing for steering shaft, 30H., prior to 14835	
Reproach.	949 C		75		Upper bearing for steering shaft, 30H., prior to 26641	
Reprovable.	A949 C		75		Upper bearing for steering shaft, 30H.	
Parental	B949 C		50		Cannon box for counter shaft, 75H., prior to 17509	
Reptile.	950 C		40.00		Cannon box for counter shaft, 75H.	
Republic.	A950 C		40.00		Intermediate gear, 41 teeth, 5 1/8-in. bore, 75H., prior to 1750	1066C
Repudiator.	951 C		35.00		Intermediate gear, 75H.	788 C
Requital	A951 C		35.00		Collar on rear axle, 1/2-in. thick, 60 and 65H., 75H. prior to 1C clutch,	
Requite.	952 C		15		Collar on rear axle, 1/2-in. thick, 75 and 80H.	
Rescore	A952 C		25		Collar on rear axle, 1/4-in. thick, 60 and 65H., 75H., prior to 19563, all	
Rescrive	953 C		25		Collar on rear axle, 1/4-in. thick, 75 to 80H	
Rescue.	A953 C		50		Reach plate.	to 33099)
Ridicule	954 C		1.00		Bracket for engine frame, 30H., prior to 21214	
Ridotto	955 C		8.00		Bracket for engine frame, 30H., prior to 26641	
Research.	A955 C		8.00		Bracket for engine frame, 36H., prior to 21214	
Riffrail	956 C		8.00		Bracket for engine frame, 36H., prior to 26641	
Reseize	A956 C		8.00		Bracket for engine frame, 45H., prior to 21214	
Rifling.	957 C		8.00		Bracket for engine frame, 45H., prior to 26641	
Reseizure.	A957 C		8.00		Bracket for engine frame, 60H., prior to 18244	185
Rifted	958 C		9.00		Bracket for engine frame, 60H., prior to 24278	
Resene.	A958 C		9.00		Bolster bracket, 30H., prior to engine 10008	
Resentment.	959 C		8.00			

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
Rollic	A1357 C		50		Collar on scraper arm, road roller, prior to 22872	1347 C	1896 C	13
Rolliche	1358 C		75		Steering lever, road roller, prior to 22872			13
Rollinia	1359 C		75		Small lever on steering lever shaft, prior to 22872			12
Prepossess.	1366 C		4 00		Governor stand, 80H. (see 2030C) prior to 33947.			12
Extraction.	A1366 C		4 00		Governor stand, 80H., see A2030C			14
Rebelious.	1368 C		30 00		Intermediate gear (see 222 1/2 C) RR., prior to 35304.	A222 1/2 C		14
Ejuba	A1368 C		60 00		Intermediate gear, RR., cast steel bushed, prior to 35609.			
Ejuca	B1368 C		30 00		Intermediate gear, roller.	A1163C		14
Reboation.	1369 C		20 00		Bracket for intermediate gear, RR.			13
Recompress.	1370 C		15 00		Bushing for intermediate gear, RR., prior to 35304	2276 C		
Ejoza	A1370 C		16 00		Bushing for B1368C	A 428 C		14
Pabulum	1371 C		1 50		Cap for intermediate gear bracket, RR	1155 C		13
Paceboard.	1372 C		25 00		Crank shaft bearing, R.H., RR., prior to 32147			
Extractive.	A1372 C		50 00		Crank shaft bearing and steering gear house, R.H., RR	645 C		14
Paced	1373 C		3 50		Cap for crank bearing RR., prior to 32147.			
Extralite	A1373 C				Cap for crank bearing, R.H., RR., cannot furnish			13
Pacemaker	1374 C		4 50		Cover for steering gear, RR., prior to 32147.			
Extrapolar	A1374 C		3 50		Cover for steering gear, RR.			13
Pachyderm.	1375 C		1 25		Shield for steering bevel gear, RR., prior to 32147.			
Extremal.	A1375 C		2 50		Shield for pump and steering gear shaft, R.H., RR.			13
Pacifiable.	1376 C		50		Cap for steering gear box, RR., prior to 32147	1332 C		13
	A1376 C		1 00		Cap for steering gear shaft, R.H., RR.			
Pacific	1377 C		50		Cap for worm box, RR.	1334 C		13
Pacificate	1378 C		6 00		Crank gear for steering, RR., prior to 32147	1336 C	2236 C	14
Extremist	A1378 C		4 50		Drive pinion on steering gear shaft, RR	1379 C	A1378C	14
Packing.	1379 C		4 00		Bevel gear for steering, RR., prior to 32147.			14
Packman.	1380 C		6 00		Bracket for steering roller, L.H. (see 1753C) RR.	A 719 C		14
Packstaff.	1381 C		1 25		Cover for R.H. steering roller bracket, RR			13
Padding	1382 C		7 50		Splice plate for rear roll, RR	01595 C		13
Paddy.	1383 C		35		Plug for rear roll, RR			6
Romance.	1384 C		25 00		Front bolster, 30H., skid			6
Romanium	1385 C		4 00		Rear bracket, 30H., skid		1393 C	6
Romanize	1386 C		25 00		Front bolster, 36H., skid, (45H., prior to 22869).			6
Romant	1387 C		25 00		Front bolster, 60H., skid, prior to 18244.			6
Romantic	A1387 C		25 00		Front bolster, 60, 80H., skid	A1388C		6
Romany	1388 C		25 00		Front bolster, 75H., skid, prior to 22869.			6
Radiated	A1388 C		25 00		Front bolster, 75H., (80H., prior to 31409).		A1387C	6
Romaunt	1389 C		6 50		Rear bracket, 36, 45, 60, 75H. and 110H., skid, see 04163C, 04124C, 2434C			6
Roncador.	1390 C		4 00		Flanged ring for 9-in. sheet iron smokestack, 30H., see 1721C.			3
Rondeau	1391 C		3 00		Base for sheet iron smokestack, 18H.			3
Ralizing	1392 C		1 75		Flanged ring for 7-in. sheet iron smokestack, 18H.			
Parrel	1393 C		25 00		Front bolster, 40, 45, 50 and 65H., skid.	1386 C		6
Rondelet	1394 C		6 00		Grate, 3-bar, 45 and 50H. (see 591C).			6
Rondelle.	1395 C		6 50		Grate, 3-bar, 60H. (see 651C).			6
Rongeur	1396 C		6 50		Grate, 3-bar, 1-inch spacing, 60H.			
Ronquill.	1397 C		7 00		Bolster bracket for forged king pin, 45, 60 and 75H. traction, and 45, 50 and 65H., portable, (80H., traction, prior 30332)	791 C	2142 C	4
Roomer	1398 C		50 00		Cannon box, special, 75H., prior to 17509 (see 1059C)			2
Roominess.	1399 C		6 75		Grate, 3-bar, 1-inch spacing, 75H.			6
Roommate.	A1408 C		50		Oil cup cover, 80 and 110H	B128 1/2 C		7
Rooster	1412 C		3 50		Crosshead shoe, 110H			1
Rooted	1413 C		25		Washer for crosshead pin, 80 and 110H.	620 C		1
Rootless	1424 C		2 50		IRON stuffing box for valve rod, 110H			1
Rootworm	1425 C		2 00		Gland for stuffing box, 110H			1
Ropable	1426 C		2 00		IRON nut for stuffing box, 110H.			1
Ropeway.	1427 C		2 00		Draw block for slide valve, 110H., prior to 21214			
Ropework.	A1427 C		2 00		Draw block for slide valve, 110H			
Roping	1428 C		75		Jam nut for valve rod, 110H., prior to 21214			
Roque.	A1428 C		75		Jam nut for draw block, 110H			1
Roridula	1436 C		2 50		Gib for reverse head, 110H			2
Rechant.	1437 C		1 25		Washer for reverse bracket, 110H.			2
Rechaser.	1439 C				Rocker arm, 110H., replaced by A1439C.			
Rorippa	A1439 C		6 00		Rocker arm, 110H., see 1712C			1
Percolate.	1441 C		75		Washer for rocker arm, prior to 33099, see 04321C.	649 C	04321 C	1
Rosaceous.	1442 C		15 00		Execcentric strap, 110H., see 1711C			2
Rosales.	1459 C		45 00		Center frame for differential, 110H., (4-in. counter shaft).			5
Rosaniline.	A1459 C		45 00		Center frame for differential, 110H.			5
Rosarian.	1460 C		6 50		Bevel pinion for differential, 110H.			5
Roscommon.	1461 C		30 00		Bevel keyed to counter shaft (4-in. counter shaft) 110H.			5
Roseate.	A1461 C		30 00		Bevel keyed to counter shaft, 110H			5
Rosebit	1462 C		30 00		Bevel keyed to pinion (4-in. counter shaft) 110H.			5
Rosebud	A1462 C		25 00		Bevel keyed to pinion, 110H.			5
Reconway.	1500 C		15 00		Smoke box door, 150H., skid.			
Recope	1501 C		10 00		Frame for smoke box door, 150H., skid.			4
Rosebush	1503 C		15 00		Bolster bracket, 110H., prior to 27646.			
Parricide.	A1503 C		10 00		Bolster bracket, 110H		03336 C	
Rosehead	1504 C		20 00		King pin, 110H., prior to 27646			
Rosella	1505 C		3 00		Reach pin, 110H., prior to 27646.			
Rosepoint	1506 C		45 00		Shell for heater, 110H., not used after 1907			
Rosetangle	1507 C		3 00		Heater head inlet end, 110H., not used after 1907.			
Rosewood.	1508 C		3 00		Heater head outlet end, 110H., not used after 1907			
Rosin	1509 C		50		Gland for heater, 110H., not used after 1907			1
Rosindol.	A1512 C		1 75		Bracket for heater, 110H., not used after 1907			2
Rosmarine	1513 C		4 50		Exhaust elbow, 110H			
Rosolie	1514 C		75		Lock nut for exhaust elbow, 110H.			4
Rosolio.	A1515 C		6 00		Governor stand, 110H., not used after 1907.		1775 C	
Rosser	1516 C		4 00		Turn buckle for distance link, 110H., prior to 22869.			
Rawish.	A1516 C		6 00		Turn buckle for distance link, 110H			2

CASE REPAIRS—Letter C

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
Rectigo	1520 C		5.00		Ash pan door frame, 150H., skid			
Rectona	1521 C		7.50		Grate bar, side, 150H., skid			
Rectorin	1522 C		7.50		Grate bar, middle, 150H., skid			
Rectune	1523 C		1.75		Single bar grate, 150H., skid			
Recuber	1524 C		1.25		Shelf for grate support, 150H., skid			
Recuper	1525 C		4.50		End support for grate, 150H., skid			
Recura	1526 C		5.50		Middle support for grate, 150H., skid			
Rostellate	1527 C		2.00		Exhaust nozzle, 2 1/4-in. 110H.			3
Rostrum	1528 C		2.00		Exhaust nozzle, 2 1/2-in., 110H.			3
Rosulate	1529 C		2.50		Expansion tee, 80H., 110H., prior to 18141			4
Rotameter	A1529 C		2.50		Expansion tee, 110H., prior to 22869			4
Rawboned	B1529 C		2.75		Expansion cross, 110H.			12
Rotary	1530 C		75		Nut for 1529C, 80H., 110H., prior to 18141			4
Rotate	A1530 C		1.00		Nut for A1529C and B1529C, 110H.			3
	1533 C				Body for throttle, 3-in., 110H. (cannot furnish)			
	B1533 C				See 08022C3			
	1534 C				Valve for throttle, 110H. (cannot furnish)			
Rotational	1535 C		2.00		Valve stem for throttle, 110H.			3
Redan	1536 C		75		IRON nut for throttle stuffing box, 110H.			3
Rotative	1537 C		3.00		Nut bottom of throttle, 110H., prior to 27646			3
Pandect	A1537 C		1.50		Bottom nut for throttle, 110H.			12
Rotator	1538 C		4.50		Nut for expansion joint, 110H., prior to 23615			3
Rotgut	1545 C		1.25		Cup washer for bolster spring, R.H., 65 & 80H. (110H., prior to 21214)	1868 C	1824 C	2
Rotiform	A1546 C		13.50		Hub for front wheel, 110H., prior to 22869			4
Radicate	B1546 C		17.00		Hub for front wheel, 110H., prior to 27646			4
Parrot	C1546 C		25.00		Hub for front wheel, 110H.			9
Rotten	1549 C		2.50		Collar on counter shaft (4-in. shaft) 110H.			6
Rotula	A1549 C		2.25		Collar on counter shaft, 110H., prior to 27646			6
Rotundate	1553 C		1.00		Socket wrench for 1-in. hexagon nut, 110H.		03408 C	6
Rotundity	1554 C		50		Hinge and lifter for front draft door 110H.			3
Roughage	1555 C		50		Draft door lifter, 75 and 80H. (see 1191C—1751C)			3
Roughdry	1556 C		25		Front draft door hinge and lifter, 110H.			3
Roughen	1557 C		2.00		Wrench for turn buckle, 110H.			6
Rechasa	1558 C		10.00		Base for stack, 150H., skid			
Rechasing	1559 C		8.00		Flange for stack, 150H., skid			
Roughhew	1560 C		115.00		Cylinder, 110H.			1
Roughing	1561 C		12.00		Cylinder, head, 110H.			1
Roughshod	1562 C		10.00		Steam chest cover, 110H.			1
Roulade	1563 C		12.00		Slide valve, 110H.			1
Rouleau	1564 C		15.00		Piston, 110H.			1
Roundhead	1565 C		3.50		Piston ring, 110H.			1
	A1566 C				See 08001C			
Rousant	A1567 C		12.00		Cap for frame bearing, 110H.			1
Rousement	A1568 C		45.00		Train of bearings, L.H., 110H., prior to 27646			7
Parry	B1568 C		70.00		Train of bearings, L.H., 110H.			7
Rousing	1570 C		30.00		Crosshead, 110H., steel			1
Roustabout	1571 C				See 08012C			
	A1571 C				See 08012C1			
Routing	1572 C		6.50		Governor pulley on crank, 110H.			2
Rowboat	1573 C		10.00		Connecting rod brass, crank end, 110H., prior to 27646			1
Parse	A1573 C		15.00		Connecting rod brass, crank end, 110H.			9
Rowdyish	1574 C		7.50		Connecting rod brass, crosshead end, 110H.			1
Rowlock	1575 C		2.00		Wedge block for 1573C, 110H., prior to 21214			1
Rubadub	A1575 C		2.00		Wedge block for 1573C, 110H., prior to 27646			1
Parsley	B1575 C		2.00		Wedge block for A1573C, 110H.			12
Rubas	1576 C		1.75		Wedge block for 1574C, 110H., prior to 21214			1
berize	A1576 C		1.75		Wedge block for 1574C, 110H., prior to 27646			1
ip.	B1576 C		1.75		Wedge block for A1574C, 110H.			12
efaction	1577 C		4.50		Stuffing box for piston rod, 110H.			1
ella	1578 C		3.00		Gland for piston rod stuffing box, 110H.			1
na	1579 C		2.50		IRON nut for piston rod stuffing box, 110H.			1
Rubescence	A1580 C		65.00		Train of bearings, R.H., for two speed, 110H.			7
Rubiales	A1581 C		10.00		Cap for crank bearing, R.H., two speed, 110H.			7
ubicund	A1582 C		7.50		Cap for auxiliary shaft bearing, R.H., 110H., prior to 27646			7
irson	B1582 C		10.00		Bearing for intermediate shaft bearing, R.H., 110H.			9
abidium	B1583 C		4.00		Bearing for steering shaft, 110H., prior to 27646			7
ubiginooe	A1584 C		4.00		Cap for auxiliary shaft bearing, L.H., 110H., prior to 27646			5
arsonage	B1584 C		7.00		Cap for intermediate shaft bearing, L.H., 110H.			2
	A1585 C		50		Cap for A1583C, 110H., prior to 27646			2
	1586 C		15.00		Bracket for reverse head, 110H.			
in.	A1587 C		12.00		Eccentric hub, 110H.			
y	1589 C		1.00		Washer for crank pin, 80H., prior to 32935, see 04321C; 110H., prior to 27646	696 C	04321 C	1
e.	1590 C		185.00		Fly wheel, 110H.			2
	A1591 C		20.00		Arm for friction clutch, two speed, 110H.			2
	1592 C		5.00		Shoe for friction clutch, 110H., prior to 27646			2
	A1592 C		5.00		Shoe for friction clutch, 110H.			8
	A1593 C		8.00		Sleeve for friction clutch, prior to 18141, 110H.			2
	B1593 C		8.00		Sleeve for friction clutch, 110H., prior to 27646			2
	C1593 C		15.00		Sleeve for friction clutch, 110H., prior to 28852			
	A1594 C		3.50		Trunnion ring for friction clutch, 110H., prior to 27646			2
	B1594 C		5.00		Trunnion ring for friction clutch, 110H., prior to 28852			8
	C1594 C		11.00		Trunnion ring for friction clutch, 110H.			8
	A1595 C		6.00		Clamp for sleeve, 110H., prior to 18141			2
	B1595 C		6.50		Clamp for sleeve, 110H., prior to 27646			2
	C1595 C		12.00		Clamp for sleeve, 110H., prior to 30332			
cy.	D1595 C		20.00		Clamp for clutch, 110H.			8
	A1597 C		7.00		Steering gear on crank shaft, 110H., prior to 27646		A1696C	5
	A1599 C		5.00		Steering gear on steering shaft, 110H., prior to 27646		2087 C	5

CASE REPAIRS—Letter C

Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
A1600 C		30 00		Double gear on clutch arm, two speed, 110H			7
A1602 C		30 00		High speed gear and clutch, two speed, 110H			7
A1603 C		35 00		Gear on auxiliary shaft, two speed, 110H			7
A1604 C		60 00		Intermediate gear, 110H., prior to 27646			5
B1604 C		60 00		Intermediate gear, 110H.			12
A1605 C				Differential spur gear, 110H.—use 08898C			5
A1606 C		30 00		Pinion keyed to bevel, 110H., prior to 18141			5
B1606 C		25 00		Pinion keyed to bevel (4-in. counter shaft) 110H			5
C1606 C		30 00		Pinion bolted to bevel, 110H., prior to 27646			5
D1606 C		35 00		Pinion bolted to bevel, 110H.			7
A1607 C		25 00		Pinion keyed to counter shaft, 110H. (4-in. counter shaft)			5
B1607 C		25 00		Pinion keyed to counter shaft, 110H., prior to 27646			5
C1607 C		30 00		Pinion on counter shaft, 110H			7
1608 C		150 00		Spur gear for traction, 110H., prior to 19563			5
A1608 C		150 00		Spur gear for traction, 110H., prior to 27646			5
B1608 C		150 00		Spur gear for traction wheel, 110H			
A1609 C		3 50		Cover for differential spring, 110H			5
A1610 C		4 50		7 runnion ring for A1602C, two speed, 110H			7
1611 C		100 00		Hind hub, 110H			4
1612 C		12 00		Two-prong lock nut, 110H.			4
1613 C		12 00		Single prong lock nut, 110H.			4
1614 C		1 75		Grouter, R.H., 110H.			4
1615 C		1 75		Grouter, L.H., 110H			4
1616 C		65 00		Upper cannon bearing, (4-in. counter shaft) 110H			6
A1616 C		75 00		Upper cannon bearing, 110H.			6
A1617 C		85 00		Lower cannon bearing, 110H.			2
1618 C		2 00		Collar for lower cannon bearing, 110H., prior to 18141			7
1619 C		50		Collar for rear axle, 1/2-in., 110H			4
1620 C		35		Collar for rear axle, 1/8-in., 110H			4
A1624 C		2 50		Quadrant for two speed lever, 110H			7
A1626 C		2 50		Forked lever for friction clutch, 110H., prior to 18142			2
B1626 C		2 50		Forked lever for friction clutch, 110H., prior to 19563			2
C1626 C		2 50		Forked lever for friction clutch, 110H., prior to 27646			2
D1626 C		6 00		Forked lever for clutch, 110H.			11
A1627 C		3 00		Forked lever for two speed, 110H			7
1628 C		6 50		Grate support, L.H., 110H.			6
1629 C		6 50		Grate support, R.H., 110H			6
A1630 C		10 00		Rocking grate, 110H.			6
A1631 C		10 00		Stationary grate, 110H.			6
1632 C		8 00		Frame for smoke box, 110H.			3
1633 C		13 00		Door for smoke box, 110H.			3
1634 C		8 00		Smokestack base, 110H			3
1635 C		4 00		Flanged elbow on cylinder, 110H., not used after 1907			1
1636 C		3 00		Brick support, R.H., 110H., prior to 27646			6
A1636 C		2 75		Brick support, R.H., 110H			10
1637 C		3 00		Brick support, L.H., 110H., prior to 27646			6
A1637 C		2 75		Brick support, L.H., 110H			10
1638 C		3 00		End grate support, 110H.			6
1639 C		4 50		Dead plate, 110H			6
1640 C		1 75		Brick support next to flue sheet, 110H			6
1641 C		3 50		Center support for straw gates, 110H			6
1643 C		35		Lever for throttle, 110H., 22872 to 23615			
A1643 C		35		Throttle lever, 110H., prior to 27646			3
B1643 C		25		Throttle lever, 110H., prior to 28852			12
1644 C		75		Wrench for stuffing box and crosshead lock nut, 110H.		2077 C	6
1645 C		75		Wrench for piston stuffing box and 1-in. hexagon nuts, 110H.			6
1646 C		35		Stop for damper rod, 110H., prior to 18141			3
A1646 C		35		Stop for damper rod, 50, 80 and 110H			3
1648 C		25 00		Steering roller, 110H., not used after 1907			5
A1648 C		25 00		Steering roller, use B1648C			
B1648 C		25 00		Steering roller, complete, 110H.			
1650 C		9 00		Steering roller bracket, L.H., 110H., not used after 1907			5
A1650 C		10 00		Steering roller bracket, L.H., 110H			5
1652 C		25		Strainer for ejector hose, 110H., prior to 22869			3
A1653 C		14 00		Steering roller bracket, R.H., 110H., not used after 1907			5
B1653 C		14 00		Steering roller bracket, R.H., 110H., prior to 28852			5
C1653 C		14 00		Steering roller bracket, R.H., 110H			
1655 C		50		Cap for steering gear shaft, 110H., prior to 27646			9
1656 C		50		Cap for worm shaft, 110H., prior to 27646			9
A1656 C		50		Cap for worm shaft, 110H			9
1657 C		2 75		Shield over steering gear, 110H., prior to 27646			7
A1657 C		2 25		Shield for pump gear, 110H.; (80H., prior to 28852)		A2082C	7
1658 C		9 50		Rocking grate, rear, 110H			6
1659 C		15 00		Ring for extension wheel, 110H			6
1660 C				Bracket for cross link, 75H., replaced by A1220C	1220 C	A1220C	
1661 C		45 00		Sleeve for friction clutch, two speed, 110H			2
1662 C		75		Toggle lever for friction clutch, 110H., prior to 19563			2
A1662 C		75		Toggle lever for friction clutch, 110H., prior to 22869			2
B1662 C		1 00		Toggle lever for clutch, 110H., prior to 27646			2
1663 C		75		Toggle crank for friction clutch, 110H., prior to 19563			2
A1663 C		75		Toggle crank for friction clutch, 110H., prior to 27646			2
1664 C		50		Toggle for friction clutch, 110H., prior to 19563			2
A1664 C		50		Toggle for friction clutch, 110H., prior to 27646			2
1665 C		2 00		Friction clutch hand lever, 110H., prior to 19563			2
A1665 C		2 25		Friction clutch hand lever, 110H., prior to 27646			2
B1665 C		3 00		Friction clutch hand lever, 110H.			10
1666 C		1 50		Forked lever for steering gear, 110H., prior to 27646			5
A1666 C		1 50		Forked lever for steering gear, 110H			8
1667 C		1 50		Steering lever, R.H., 110H., prior to 27646			5

CASE REPAIRS—Letter C

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
Partly . . .	A1667 C		1 25		Short steering lever, 110H			10
Railroader .	1668 C		1 50		Steering lever, L.H., 110H			5
Raimentless .	1669 C		13 00		Reverse head, 110H			2
Raincoat .	A1670 C		8 00		Quadrant for reverse, 110H., prior to 27646			2
Partner .	B1670 C		10 00		Quadrant for reverse, 110H			8
Rainless .	A1671 C		5 00		Reverse lever, 110H., prior to 27646			2
Partridge .	B1671 C		3 50		Reverse lever, 110H			10
Rainstorm .	A1672 C		1 50		Reverse lever plunger, 110H., prior to 27646			2
Parturient .	B1672 C		1 50		Reverse lever plunger, 110H			12
Rajaship .	1673 C		50		Cap for reverse lever plunger, 110H., prior to 27646			2
Parallax .	A1673 C		50		Gib for reverse lever, 110H			12
Rakeage .	1674 C		15		Latch for reverse lever, 110H., prior to 27646			2
Rallier .	1675 C		15		Eye for reverse rod, 110H., prior to 27646			2
Ralliment .	1676 C		2 00		Cap for quadrant shaft bearing, R.H., 110H., prior to 27646			7
Ramberge .	1677 C		35		Oil cup cover for A1581C, two speed, 110H.			7
Ramiferous .	1678 C		25		Oil cup cover for A1582C, 110H., prior to 27646			7
Ramificate .	1679 C		25		Oil cup cover for A1584C, 110H., prior to 27646			7
Ramified .	1680 C		1 50		Throttle quadrant, 110H., prior to 27646			3
Parure .	A1680 C		1 25		Throttle quadrant, 110H			
Ramming .	1681 C		1 25		Throttle lever, 110H., prior to 27646		1895 C	3
Ranchman .	1682 C		10		Throttle lever friction clip, 110H., prior to 27646, 30 to 110H., port., and skid, prior to 26641			3
Ranchless .	1683 C		15		Throttle lever hand wheel, 110H., prior to 27646; 30 to 110H., port. and skid, prior to 26641			3
Randite .	1684 C		35		Double eye for throttle rod	1756 C		3
Rangatira .	1685 C		35		Eye for throttle rod, lever end, 30, 45, 60, 75 and 80H., see 02918C; (30 to 110H., port., and skid, prior to 26641)	A 894 C	1902 C	3
Rangeless .	1686 C		3 50		Heater elbow, 110H., not used after 1907		1780 C	4
Ranivorous .	1687 C		3 50		Hinge flange for 11-in. sheet iron stack			8
Ranking .	1688 C		75		Adjustable draw eye, 110H			6
Rankish .	1689 C		50		Collar on pump shaft, 80H., prior to 28852, steer shaft, 110H., prior to 27646			5
Rantism .	1690 C		2 25		Collar on crank shaft, two speed, 110H			7
Rantize .	1691 C		22 00		Winding drum, 110H			1
Rapidly .	1692 C		25		Tank flange for 1-in. pipe, 110H., prior to 24278			3
Rapidness .	1693 C		1 25		Grouter for wheel extension, R.H., 110H			6
Raptorial .	1694 C		1 25		Grouter for wheel extension, L.H., 110H			6
Rarepipe .	1695 C		10 00		Pump frame, 110H., prior to 24391		1966 C	7
Raptatory .	1696 C		7 50		Pinion on crank for shaft pump, 110H., prior to 27646			7
Parvenu .	A1696 C		10 00		Pump drive pinion, 110H			7
Rashling .	1697 C		16 00		Crank gear for pump, 110H., prior to 27646		2087 C	7
Raspatory .	1698 C		11 00		Hub for crank gear, 110H., prior to 27646		2175 C	7
Raspberry .	1699 C		7 00		Crank gear bearing, 110H., prior to 27646		2143 C	7
Ratability .	1700 C		13 00		Bushing for 1699C, 110H., prior to 27646			7
Rataplan .	1701 C		10 00		Piston for pump, 110H., prior to 24391		1967 C	7
Raspingly .	1702 C		4 50		Gland for pump stuffing box, 110H., prior to 24391		1969 C	7
Rastaban .	1703 C		7 00		Gland nut for pump stuffing box, 110H., prior to 24391		1970 C	7
Ratchel .	1704 C		2 00		Pump connecting rod end, 110H., not used after 1907			7
	A1704 C				Use 08027C1		0807C3	
Ratepayer .	1705 C		75		Cap for 1704C, 110H., prior to 27646			
Rateless .	1706 C		1 50		Bushing, crank end pump connecting rod, 110H., prior to 27646		2110 C	7
Rathest .	1707 C		75		Bushing, plunger end pump connecting rod, 110H., not used after 1907			
Ratiuncle .	1708 C		75		Washer for pump crank gear hub, 110H., prior to 27646			7
Rathely .	1709 C		75		Washer for pump crank pin, 110H., prior to 18141		01178 C	7
Ratheness .	1710 C		25 00		Bearing for crank shaft, portable and skid, 110H., prior to 28852			7
Prepubic .	A1710 C				Crankshaft bearing, R.H., 110H., port. and skid—use 08114C1			
Rationally .	1711 C		10 00		Eccentric strap, portable and skid, 110H., prior to 28852		1442 C	2
Rationate .	1712 C		5 50		Rocker arm, portable and skid, 110H., prior to 28852		A1439C	1
Rattler .	1713 C		5 50		Bolster plate, 110H., portable			7
Ravissant .	1714 C		10 00		Bed block for engine frame, 110H., port. and skid, prior to 28852			7
Rayonnant .	1715 C		1 75		Bearing for rocking grate lever, portable and skid, 65, 80 and 110H			6
Ravenry .	1716 C		60 00		Train of bearings, R.H., single speed, 110H., prior to 27646			7
Parvis .	A1716 C		75 00		Train of bearings, R.H., 110H			7
Refective .	1717 C		7 00		Cap for crank shaft bearing, single speed, 110H., prior to 27646			7
Parvitude .	A1717 C		15 00		Cap for crank bearing, R.H., 110H			11
Ravinement .	1718 C		15 00		Pinion keyed to 1719C, single speed, 110H., prior to 27646		A1719C	2
Reachless .	1719 C		35 00		Arm for friction clutch single speed, 110H., prior to 27646			2
Parvoline .	A1719 C				Arm for clutch, 110H., furnish B1719C clutch complete			
Christian .	B1719 C		55 00		Arm and pinion for clutch, 110H			11
Reactance .	1720 C		50		Bushing in bolster, 110H., skid, prior to 28852			7
Prepuce .	A1720 C		1 25		Bushing for bolster, 110H., skid			12
Reactivity .	1721 C		5 50		Flange for 11-in. smokestack, 40 & 50H., skid (110H., prior to 31409)			3
Reachable .	1722 C		7 50		Smokestack base, 110H., skid			8
Reactional .	1723 C		1 75		Collar on intermediate shaft, 110H., prior to 18141			7
Readjuster .	1724 C		10 00		Bearing on crank gear on pump, 110H., port. and skid, prior to 28852			7
Readapt .	1725 C		75		Support for pipes 110H., prior to 28852			3
Readdress .	1726 C		1 00		Bracket for throttle lever, 110H., portable and skid, prior to 22869			3
Razing .	A1726 C		1 25		Throttle quadrant, 30 to 110H., portable and skid, prior to 28852			8
Readership .	1727 C		8 50		Quadrant shelf, road roller, prior to 22872			
Paganish .	A1727 C		5 00		Shelf for quadrant, roller, prior to 32147			14
Extremity .	B1727 C		17 00		Shelf for quadrant, roller			
Readjourn .	1728 C		75		Holder for front scraper, road roller			
Reaffect .	1729 C		2 50		Holder for rear scraper, road roller, prior to 22872			
Paganism .	A1729 C		4 50		Holder for rear roll scraper, roller			14
Realness .	1730 C		35		Collar for scraper spring, front, road roller (rear, prior to 22872, see 1899C)			
Reapable .	1731 C		35		Bracket for front scraper pipe, road roller			
Realign .	1732 C		50		Collar on rear scraper shaft next to tank, road roller			
Percolator .	1733 C		1 50		Mitre gear, L.H., steering attachment			5

CASE REPAIRS—Letter C

Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
1734 C		3.50		Quadrant shelf bracket, R.H. (L.H. steering attachment)			5
1735 C		4.50		Quadrant shelf bracket, L.H. (L.H., steering attachment)			5
1736 C		1.00		Cap for gear case, L.H., steering attachment			5
1737 C		8.00		Steering roller bracket, R.H. (L.H., steering attachment), 36H., prior to 21214.			5
A1737 C		9.00		Steering roller bracket, R.H.; for L.H. steering attachment, 36H.			5
1738 C		6.00		Steering roller bracket, L.H. (L.H., steering attachment), 36H., prior to 21214.			5
A1738 C		6.00		Steering roller bracket, L.H., for L.H. steering attachment			5
1739 C		5.50		Bolster bracket, 30, 60 and 75H., port., 30H., traction, prior to 33099	486 C	2159 C	4
1740 C		1.25		Steering chain clip, lower, 30H., traction, prior to 26641.	782 C	A1744C	4
1741 C		1.25		Steering chain clip, upper, 30H., traction, prior to 26641		A1744C	4
1742 C		.75		Clip for pole, lower, 30H., portable, prior to 26641.		A1746C	4
1743 C		.75		Clip for pole, upper, 30H., portable, prior to 26641		A1746C	4
1744 C		1.25		Chain clip, lower, 36, 40 and 45H., prior to 26641	782 C		4
A1744 C		2.25		Chain clip, 30 and 36H.	1741 C		9
1745 C		1.25		Chain clip, upper, 36, 40 and 45H., prior to 26641		A1744C	4
1746 C		1.00		Pole clip, lower, 36 and 45H., prior to 26641			4
A1746 C		2.25		Pole clip, 30 to 110H., portable	1742 C		9
1747 C		.75		Pole clip, upper, 36 and 45H., prior to 26641		A1746C	4
1748 C		.10		Washer for steering chain spring, 30 to 50H., and RR			
1749 C		10.00		Bolster bracket, 36H.; (40H., prior to 31359)	324 1/2 C	2142 C	4
1750 C		.25		Hinge and lifter for ash pan door, 30 to 60H., portable and skid.			3
1751 C		.25		Hinge and lifter for ash pan door, 75 and 80H., portable and skid.		04031 C	3
1752 C		8.00		Bracket for steering roller, R.H., 36, 40, 45, 50, 60, 75H. (80H., prior to 32147).	A 718 C	2170 C	5
1753 C		6.00		Bracket for steering roller, L.H., 36, 40, 45, 50, 60, 75H. (80H., prior to 32147).	A 719 C	2171 C	5
1754 C		6.00		Worm-wheel for steering roller, all except 30H. and RR., see A865C	760 C		5
1755 C		1.00		Throttle lever, portable and skid, prior to 26641.		03170 C	10
1756 C		.35		Double eye for throttle rod, front, 30 to 75H., not used after 1911	894 C	1684 C	3
1758 C		3.50		Union nut for throttle, 75H., prior to 24278.			9
A1758 C		1.75		Union nut for throttle, 75 & 80H., prior to 33873, 60H., prior to 26641			9
1760 C		.25		Washer for radius link, 110H., prior to 27319			5
1761 C		.75		Support for grate support to lower grate (special) 36 to 75H.			6
1762 C		65.00		Spur gear, road roller, 40H., prior to 26641	448 C		14
A1762 C		60.00		Spur gear, roller, prior to 32147			14
B1762 C		60.00		Spur gear, roller, prior to 35304			14
C1762 C		85.00		Spur gear, roller (steel)			
1763 C		14.00		Bevel gear and pinion, RR., prior to 22872.	1114 C		
A1763 C		18.00		Bevel gear and pinion, 40H., and roller, bushed, prior to 35304			7
B1763 C		25.00		Bevel gear and pinion, roller (steel)			
1763 1/2 C		20.00		Bevel gear and pinion bored for 1767C bushing, special, prior to 22872			
1764 C		7.50		Pinion on counter shaft, RR., prior to 22872.	1113 C		
A1764 C		7.50		Pinion on counter shaft, 40H. (roller, prior to 32147).		2137 C	7
1767 C		3.00		Bushing for 1763 1/2C roller, prior to 22872, special			13
1772 C		.75		Pump connecting rod head and block, plunger end, 110H., prior to 24391			7
1773 C		.15		Block for head, 1772C, 110H., prior to 24391.			9
1774 C		.75		Lever for cylinder cock, 110H., prior to 28852.			7
1775 C		4.00		Governor stand, 110H.	A1515C		1
1776 C		4.00		Flange for governor stand, 110H.			1
1777 C		1.25		Flange for tank outlet, 80 and 110H., prior to 28852.			3
A1777 C		1.75		Flange for tank, 30, 40, 50, 65, 80 and 110H., RR., prior to 35609.			8
1778 C		.35		Cover for 1777C and A1777C, 40, 50, 65, 80 and 110H.; RR. prior to 35609			3
1779 C		1.00		Flange for ejector, 110H.			3
1780 C		11.00		Heater elbow inlet, 110H.	1686 C		4
1781 C		8.50		Heater elbow outlet, 110H.			4
1782 C		.75		Flange on heater for water inlet, 110H.			3
1783 C		.75		Flange on heater for water outlet, 110H.			3
1784 C		85.00		Hub for municipal wheel and freighter, 36H. and 12 ton RR			3
1785 C		2.00		Boiler filler cross, port. and skid (traction, prior to 26641)	1067 C	1067 C	12
1786 C		4.00		Upper lever for French brake, prior to 24278			10
1787 C		1.50		Bowl for pump suction, 110H., prior to 22869.			3
A1787 C		2.00		Bowl for pump suction, 110H.			8
1788 C		90.00		Hub for municipal wheel, 45H., prior to 24278			
A1788 C		90.00		Hub for municipal wheel and freighter, 45H.			
1789 C		60.00		Spur gear, municipal wheel, and freighter, 45H.			
1790 C		60.00		Spur gear, municipal wheel, and freighter, 36H. (30H., prior to 33099) see A448C.			
1791 C		3.00		Front axle bracket, convertible roller			13
A1791 C		5.00		Bracket for front round axle, convertible roller.			
1792 C		65.00		Hub, 60H., freighting wheels, prior to 21214		1797 C	4
1793 C		70.00		Hub, 75H., freighting wheels, prior to 21214		1798 C	4
1794 C		70.00		Hub, 30H., municipal and freighting wheels, prior to 33099	1801 C		
A1794 C		70.00		Hub, 30H., freighting wheel			
1795 C		50.00		Hub, 36H., freighting wheels, prior to 21214			4
1796 C		65.00		Hub, 45H., freighting wheels, prior to 21214			4
1797 C		100.00		Hub, 60H., municipal and freighting wheels	1792 C		
1798 C		100.00		Hub, 75H., municipal and freighting wheels	1793 C		
1799 C		70.00		Spur gear, 60H., municipal and freighting wheels, prior to 24278			
A1799 C		70.00		Spur gear, 60H., municipal and freighting wheels.			
1800 C		90.00		Spur gear, 75H., municipal and freighting wheels.			
1801 C		50.00		Hub, 30H., freighting wheel, prior to 21214		1794 C	4
1802 C		30.00		Front hub, 30H., municipal wheel, prior to 26641			
A1802 C		30.00		Front hub, 30H., municipal wheel			
1803 C		30.00		Front hub, 36 to 75H., municipal wheel, prior to 26641		2033 C	
A1803 C		30.00		Front hub, 40 to 80H., municipal			

CASE REPAIRS—Letter C

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
Ragged	1804 C		50		Grouter for 8-in. extension rims.			6
Percussion.	1805 C		12.00		Ring for 60 and 66-in. extension rim			6
Recordable.	1806 C		75		Grouter for 12x66-in. extension rim			6
Recoupable.	1809 C		15		Bushing for spike hole when grouters are used RR.			13
Recouple.	1810 C		5 50		Support for rocking grate, R.H., 65, 75 and 80H			10
Recoveree.	1811 C		5 50		Support for rocking grate, L.H., 65, 75 and 80H			10
Recreative	1812 C		7 50		Rocking grate, 75 and 80H			6
Recruiter	1813 C		7 50		End grate, 75 and 80H			6
Rectifying.	1814 C		7 00		Stationary grate, 75 and 80H.			6
Recrown	1815 C		20		Wrench, $\frac{1}{2}$ and $\frac{1}{4}$ jaws, for $\frac{1}{4}$ and $\frac{3}{8}$ set screw			6
Rectigraph	1816 C		20		Wrench, $\frac{1}{2}$ and $\frac{1}{4}$ jaws, for $\frac{1}{4}$ and $\frac{3}{8}$ cap screw			6
Recurrence.	1817 C		20		Wrench, $\frac{1}{2}$ and $\frac{1}{4}$ jaws, for $\frac{1}{4}$ and $\frac{5}{16}$ nuts and $\frac{1}{16}$ and $\frac{7}{16}$ cap screw.			6
Recurrent.	1818 C		30		Wrench, $\frac{1}{2}$ and $\frac{1}{4}$ jaws, for $\frac{3}{8}$ nut and $\frac{1}{16}$ cap screw.			6
Rectoress.	1819 C		30		Wrench, $1\frac{1}{2}$ and $\frac{3}{4}$ jaws for $\frac{1}{2}$ nut and $\frac{5}{8}$ and $\frac{3}{4}$ cap screw			6
Rectorship.	1820 C		40		Wrench, $1\frac{1}{2}$ and $1\frac{1}{4}$ jaws, for $\frac{5}{8}$ and $\frac{3}{4}$ nuts and $\frac{5}{8}$ cap screw			6
Recussion.	1821 C		65		Wrench, $1\frac{1}{2}$ and $1\frac{1}{4}$ jaws, for $\frac{5}{8}$ and 1 nuts.			6
Redden.	1822 C		1 25		Wrench, $2\frac{1}{2}$ and $2\frac{1}{4}$ jaws, for $1\frac{1}{4}$ and $1\frac{1}{2}$ nuts.			6
Reddendum.	1823 C		1 75		Wrench, $2\frac{1}{2}$ and $2\frac{1}{4}$ jaws, for $1\frac{1}{2}$ and $1\frac{3}{4}$ nuts			6
Redeemable	1824 C		1 25		Washer for bolster spring, R.H., 110H	1545 C		12
Percussive.	1825 C		1 25		Washer for bolster spring, L.H., 110H.			12
Redemptive.	1826 C		18.00		Spring pot bracket, R.H., 110H. (see 0167C).			
Passable.	1827 C		125.00		Hub for 80H., municipal and freighter.			
Ragout.	1828 C		15		Washer for eye bolt, conts. bunkers, "Grace"			12
Raguled	1829 C		50		Oil cup body.			12
Raked.	1830 C		10		Cover for oil cup			12
Raking.	1831 C		50		Washer for spike, roller, prior to 22872	02090 C		13
Rally.	1833 C		2 25		Grouter, R.H., 36H., freighter			
Rallying.	1834 C		2 25		Grouter, L.H., 36H., freighter			
Ramadan	1835 C		2 50		Grouter, R.H., 40 and 45H., freighter			
Ramage	1836 C		2 50		Grouter, L.H., 40 and 45H., freighter			
Rambooze.	1837 C		2 75		Grouter, R.H., 60H., freighter			
Ramekin	1838 C		2 75		Grouter, L.H., 60H., freighter			
Redemptory.	1839 C		3 25		Grouter, R.H., 75H., freighter.			
Rammed	1840 C		3 25		Grouter, L.H., 75H., freighter			
Redeemless.	1844 C		3 00		Water column, 30 to 75H., B.C., engines, prior to 24278.			8
Pandura	A1844 C		3 00		Water column, 30 to 80H., prior to 26641			8
Passalus	B1844 C		3 00		Water column, 30 to 80H., and RR			8
	B 1844 1/2 C		3 50		Water column, 60H. (special)			
Rampage.	1845 C		3 00		Water column, 110H., B.C. engine, prior to 24278			8
Pane	A1845 C		4 00		Water column, 110H.			
Rancidity	1849 C		75		Plug ell for intermediate gear oil cup, 36 to 80H., and RR.			12
Rancor	1850 C		6 00		Exhaust to heater, 30, 36, 45H., 40H. and RR., prior to 32147, see 2158C, 2321C, A1166C			8
					Exhaust from heater, 30 to 50H., and roller			8
Randy	1851 C		5 00		Cap nut for heater, 30 to 80H., and roller.	1104 C		12
Redingote	1852 C		35		Governor stand, 75H., simple, prior to 24278.	968 C		12
Rediged.	1853 C		4 00		Governor stand, 75H., simple, prior to 26641			12
Panel.	A1853 C		4 00		Governor stand, 75H., simple, prior to 33873.		A2030C	12
Passenger	B1853 C		4 00		Governor stand, 75H., compounded, prior to 24278			12
Ranging	1854 C		4 00		Governor stand, 75H., compounded, prior to 26641			12
Panetela.	A1854 C		4 00		Governor stand, 75H., compounded, 80H., compounded.	675 C		12
Passible.	B1854 C		4 00		Clip for steering chain, lower, 60 and 75H., prior to 26641	930 C		4
Rank.	1855 C		1 50		Clip for steering chain, 40 to 75H., (80H., prior to 30332).		2194 C	9
Passing.	A1855 C		2 25		Clip for steering chain, upper, 60 and 75H., prior to 26641		A1855C	4
Ranked.	1856 C		1 50		Clip for pole, lower, 60 and 75H., portable, prior to 26641		A1746C	4
Ransom	1857 C		1 00		Clip for pole, upper, 60 and 75H., prior to 26641.		A1746C	4
Rapid	1858 C		75		Cap for front skein, 110H., prior to 27646			4
Rapine	1860 C		75		Cap for front skein, 110H			12
Passion.	A1860 C		1 50		Washer for steering chain spring, 60, 65, 75 and 80H.			12
Raptor	1861 C		10		Body for pump and injector suction strainer, 80 & 110H., use 08072C			
Rapturous.	1862 C				Nut for suction strainer, 80 and 110H			9
Rarefy.	1863 C		15		Washer for steering chain eye bolt, 110H., prior to 27646			12
Rarity.	1864 C		15		Washer for steering chain eye bolt, 110H			12
Passionate.	A1864 C		50		Hand hole plug for tank.			12
Rascalion	1865 C		75		Flange for tank			12
Redient.	1866 C		75		Washer for platform spring.			12
Ratoon	1867 C		05		Cup washer for bolster spring, R.H., 75H. (80H., prior to 26641)	341 C	1545 C	
Ratably.	1868 C		1 25		Crank bearing, R.H., 36H., portable.	1155 C		11
Percussor	1869 C		15 00		Forked lever for clutch, 36, 45 and 60H. (40H., prior to 28852).			11
Ratch	1870 C		4 00		Forked lever for clutch, 40H. and RR			11
Presage.	A1870 C		4 00		Bearing for steering shaft, 36H. (40H., prior to 28852).	A 945 C		11
Rate.	1871 C		1 00		Oil cup body for spur gear, 30 to 110H			12
Ratify.	1872 C		1 00		Oil cup cover, 30 to 110H			12
Rating.	1873 C		25		Spur gear for differential, use 08074C RR., prior to 35304	306 C		14
Pailful	1874 C		45 00		Spur gear for differential, RR., cast steel, use 08074C1			
Ejupa.	A1874 C		75 00		Cover for differential spur gear, RR., prior to 35304	311 C		13
Painful	1875 C		2 00		Cover for differential spur gear, RR			
Elena	A1875 C		3 00		Center wheel for differential, RR.	307 C		14
Painless	1876 C		17 50		Bevel gear on countershaft, 40H. and RR., prior to 35304	309 C		
Painture	1877 C		13 50		Bevel gear keyed to shaft, RR. cast steel.			
Ejeya	A1877 C		20 00		Bushing for gear and pinion, A1763C, 40H. and RR (see 1767C).			9
Paired.	1878 C		4 00		Cannon box for counter shaft, RR., prior to 32147	1093 C		13
Paladin	1879 C		30 00		Cannon box for countershaft, RR, prior to 35609.			
Extrinsic.	A1879 C		35 00		Cannon box for counter shaft, roller.			
Ejufa.	B1879 C		35 00		Cannon box for axle, (see A918C) RR, prior to 32147	A 918 C		13
Palamon.	1880 C		45 00		Cannon box for axle, RR., prior to 35609.			
Extrorse	A1880 C		45 00		Cannon box for axle, roller.			
Ejuga.	B1880 C		45 00		Filler block for platform side channel, 40H. and RR, prior to 26641.			
Palanouin	1881 C		35		Arm for friction clutch, RR., prior to 32147	388 C		14
Palatable.	1882 C		25 00					

CASE REPAIRS—Letter C

Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
A1882 C		25.00		Arm for friction clutch, RR.			
1883 C		7.50		Pinion for friction clutch, RR, prior to 35304	1106 C		14
A1883 C		15.00		Crank shaft pinion, RR, cast steel.			
1884 C		3.00		Forked lever bracket for clutch, RR.	1159 C		14
1885 C		2.50		Forked lever for clutch, RR, prior to 32147	785 C	A1870 C	13
1886 C		15.		Cap for clutch lever, RR, prior to 32147			13
1887 C		75.		Toggle lever for clutch, RR, prior to 32147			13
1888 C		50		Front cap for steering gear box, RR, prior to 32147			13
A1888 C		50		Cap for steering gear shaft box, RR			
1889 C		2.50		Hand lever for clutch, RR., prior to 32147	292 C	2327 C	13
1890 C		4.00		Quadrant for reverse, RR., prior to 24278	162 C		13
A1890 C		4.00		Quadrant for reverse, RR., prior to 32147		A162 C	13
1891 C		2.00		Lever for reverse, 30 to 80H. and RR.	A 210 C		10
1892 C		35		Latch for reverse lever, roller, prior to 24278	A 605 C	0774 C	13
1893 C		75		Head for reverse rod, lever end, 30 to 80H.	A1102 C		12
1894 C		1.50		Quadrant for throttle lever, 36H. (40H. and RR., prior to 26641)	166 C	B166 C	8
1895 C		75		Throttle lever, 30 to 110H., RR., (110H., see 1681C)	211 C		10
1896 C		75		Steering lever RR., prior to 32147	1358 C		13
A1896 C		1.00		Lever for steering bar, R.H., RR.			
1897 C		50		Collar on upper cannon box, R.H., 40H. and RR., prior to 35609			9
1898 C		50		Support for steering bar, RR.			13
A1898 C		1.00		Lever for steering bar, L.H., RR			
1899 C		1.00		Collar for scraper spring holder, rear (see 1730C) RR			14
1900 C		.25		Long guide for scraper spring, RR			13
1901 C		15		Short guide for scraper spring, RR.			13
1902 C		25		Hand wheel for throttle, 36H. to 110H., RR. (see 1683C).	A 168 C		12
1902 C		25		Knob for cylinder cock rod, 80 to 110H. (see A807C)			
1903 C		15		Latch for steering gear cover, RR			13
1904 C		25		Pipe clip for canopy dome ring.			10
1905 C		2.75		Ring for canopy, R.H., roller, 30, 36, 40, 45 and 50H	A1003 C		10
1906 C		2.75		Ring for canopy, L.H., roller, 30, 36, 40, 45 and 50H.	A1003 C		10
1907 C		75		Rear standard bracket, R.H., roller, prior to 30768			13
A1907 C		50		Bracket for canopy standard, rear, R.H., RR., prior to 35609			13
1908 C		75		Rear standard bracket, L.H., roller, prior to 30768			13
A1908 C		50		Bracket for canopy standard, rear, L.H., RR.			13
1909 C		35		Front standard bracket, RR.			13
1910 C		1.00		Corner iron for canopy, RR.			13
1911 C		50		Rear standard bracket for canopy, lower			10
1912 C		25		Rear standard pipe clip, for canopy			10
1913 C		7.00		Base for stack, 30H. and RR., (40 & 50H., prior to 31359) see A485C.	A 516 C	2326 C	11
1914 C				Engine frame (use 08747C)			13
1915 C		50		Head for steering reach rod, RR., prior to 32147			13
1916 C		1.00		Cup for bolster spring, L.H., 65, 80H., and RR., prior to 35609	341 C		9
1917 C		50		Collar for upper cannon box, L.H., RR., prior to 32147			13 9
1918 C				Washer for spike and plug, 12-ton RR			
1919 C		1.00		Tool box cover casting, R.H., RR (L.H., 40 to 80H., B. cab), see 2091C, prior to 32147		2251 C	9
1920 C		1.00		Tool box casting, L.H., RR, prior to 32147		2251 C	13
1921 C		1.75		Bracket for port. brake shaft, R. H., 45, 50, 60, 65, 75 and 80H. (36H. prior to 24278, see 1987C) (80H., prior to 32147, see 2362C)	1312 C		9
1922 C		1.75		Bracket for port. brake shaft, L. H., 45, 50, 60, 65, 75 and 80H. (36H. prior to 24278, see 1987C) (80H., prior to 32147, see 2362C)	1313 C		9
1923 C		1.00		Bracket for portable brake shaft, L.H., 18 and 30H.			10
1924 C		1.00		Bracket for portable brake shaft, R.H., 18 and 30H.			10
1927 C		5.00		Holder for portable brake shoe, 36 to 80H., see 1979C.			10
1928 C		2.25		Hand lever bracket for portable brake, 36 to 80H., see 1931C			10
1929 C		1.00		Socket for portable brake hand lever, 36 to 80H			10
1930 C		75		Socket for portable brake hand lever, 18 and 30H			10
1931 C		1.50		Hand lever bracket for portable brake, 18 and 30H., see 1928C.			9
1933 C		2.50		Flange on dome, 75H., skid boiler, prior to 24278.			8
A1933 C		2.50		Flange on dome, 60, 65, 75 and 80H., skid boiler.			9
1934 C		3.00		Flange on dome, 110H., skid boiler, prior to 24278.			9
A1934 C		3.50		Flange on dome, 110H., skid boiler.			9
1935 C		5.00		Flange on main steam pipe, 110H			9
1936 C		75		Washer for steering roller, 65, 75 and 80H.			12
1937 C		75		Washer for steering roller, 110H.			12
1939 C		2.00		Grouter, R.H., 30H., freighter			
1940 C		2.00		Grouter, L.H., 30H., freighter.			
1944 C		75		Bearing for steering shaft, 75H. (80H., prior to 26641)	A 902 C		9
1945 C		20.00		Bearing for crank shaft, 75H., portable.	1157 C		11
1946 C		17.50		Center wheel for differential, 60H	40 C		11
1947 C		16.00		Bevel gear for differential, 60H.	36 C		12
1948 C		4.00		Bushing for bevel gear and pinion, 60H			
1949 C		6.00		Rocker arm, 30 to 45H., compounded, traction			9
1950 C		6.00		Rocker arm, 60H., compounded, traction.	830 C		9
1951 C		4.00		Rocker arm, 30, 36, 40, 45, 60H., simple, portable (see 560C) 30 to 45, compounded, portable (see 830C).			9
1952 C		3.50		Rear water column, 60, 75 and 80H., special.			8
1953 C		6.00		Rocker arm, 60H., compounded, portable, used on one engine only			
1954 C		3.50		Dome ring for cab, 60, 65, 75 and 80H			10
1955 C		2.00		Gland for expansion joint, 75 and 80H., 60H., prior to 26641			9
1956 C		10.00		Rear water column, 110H., special			8
1957 C		50		Tool box casting for cab, 30 to 80H., platform tank.			9
1958 C		50		Tool box casting for cab, 30 to 80H., contractor's bunkers.			9
1959 C		1.00		Hand hole plug for 1975C tender.			12
1960 C		12.00		Rocker arm bracket, 30 and 40H. traction and RR.	535 C		9
1961 C		1.25		Intake valve for pump, 110H., prior to 27646		2108 C	9
1962 C		1.25		Discharge valve for pump, 110H., prior to 27646		2108 C	

CASE REPAIRS—Letter C

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
Pantry	1963 C		1 50		Discharge valve seat for pump, 80 and 110H (suction, 110H., prior to 27646)		2178 C	9
Papacy	1964 C		3 00		Air chamber and cover for pump, 110H., prior to 27646		1315 C	7
Papago	1965 C		5 00		Valve plate for pump, 110H., prior to 27646			7
Papain	1966 C		15 00		Pump body, 110H., prior to 27646	1695 C	2103 C	11
Papal	1967 C		7 00		Piston, gear end pump, with lining, 110H., prior to 27646	1701 C	03346 C	12
Papilio	1968 C		6 00		Piston, front end pump, with lining, 110H., prior to 27646	1701 C	03346 C	12
Papilla	1969 C		2 00		Gland for pump, 110H., prior to 27646		1702 C	9
Passive	A1969 C		1 50		Gland for pump, 80 and 110H			9
Papillary	1970 C		3 50		Nut for pump, 110H., prior to 27646	1703 C		9
Passport	A1970 C		1 50		IRON gland nut for pump, 80 and 110H			9
Papillate	1971 C		1 25		Mud lug, R.H., 36 to 50H., freighter.			12
Papilloma	1972 C		1 25		Mud lug, L.H., 36 to 50H., freighter.			12
Papillone	1973 C		1 25		Mud lug, R.H., 60, 75 and 80H., freighter			12
Papillose	1974 C		1 25		Mud lug, L.H., 60, 75 and 80H., freighter.			12
Pasted	1975 C		2 50		Hand hole flange, 16-bbl., galv. tender			9
Pastern	1976 C		1 50		Reducing connection, tender			12
Parabema	1977 C		1 50		Flanged elbow for pump bypass, 40, 50, 65, 80 and 110H			12
Parablast	1978 C		75		Collar on brake shaft, 18 and 30H. (see 1984C)	1032 C		10
Parabolic	1979 C		2 50		Brake shoe holder, 18 and 30H. (see 1927C)			10
Parachute	1980 C		3 00		Lever on brake shaft, 18 and 30H.	1026 C		10
Paraclete	1981 C		4 50		Lever on brake shaft, 36 to 80H	1026 C		10
Paracme	1982 C		4 00		Lever on brake shaft, 18 and 30H., European brake			10
Paracolon	1983 C		6 00		Lever on brake shaft, 36 to 80H., European brake.			10
Paraconic	1984 C		75		Collar on brake shaft, 36 to 80H. (see 1978C)	1032 C		10
Paracusic	1985 C		50		Sleeve on tightener rod, European brake			10
Paradigm	1986 C		25		Collar on tightener rod, European brake.			10
Pasticcio	1987 C		2 00		Bracket for brake shaft, 36 and 40H	1921 C		10
Paradise	1988 C		25		Lever on throttle, 60 and 75H., portable, prior to 26641		2077 C	12
Pastil	1989 C		2 50		Rear water column, 30H. (special).			8
Pastime	1990 C		30 00		Upper cannon bearing, 40H.			9
Pastor	1991 C		17 50		Center wheel for differential, 40H.			8
Pastoral	1992 C		14 00		Intermediate gear bracket, 40H			8
Pastorate	1993 C		10 00		Bolster bracket, 40H., prior to 31359		2142 C	8
Pastr	1994 C		6 00		Elbow between cylinder and heater, 75 and 80H.	796 C		8
Past, rable	1995 C		5 00		Elbow between heater and smokebox, 60, 65, 75 and 80H	A 799 C		8
Pature	1996 C		2 00		Filler cross, 40 and 80H., prior to 26641		1067 C	12
Chromatic	1999 C		1 00		Flange for railing, 110H., Russia			
Chromatin	2000 C		6 75		Grate support, R.H., 110H., special			10
Chromatism	2001 C		6 75		Grate support, L.H., 110H., special			10
Prescient	2002 C		2 50		Flange for hand hole, 16 bbl. tender			9
Prescind	2003 C		2 00		Pipe flange, 2 1/2-in., 16 bbl. tender.			
Patagium	2010 C		1 00		Collar for upper cannon bearing, 80H			9
Patarin	2011 C		70 00		Rear hub, 80H., prior to 26641.			8
Patas	A2011 C		70 00		Rear hub, 80H			8
Patch	2012 C				Spur gear for differential, 80H—use 08907C			12
Patchery	2013 C		3 50		Spring cover for differential, 80H			7
Pated	2014 C		35 00		Intermediate gear, 80H			9
Patella	2015 C		15 00		Intermediate gear bracket, 80H.			8
Patellate	2016 C		40 00		Upper cannon bearing, 80H., prior to 31409			9
Chromatype	A2016 C		40 00		Upper cannon bearing, 80H			
Patency	2017 C		100 00		Spur gear, 80H			12
Patent	2018 C		25 00		Bevel gear for differential, keyed, 80H			12
Patentable	2019 C		17 50		Bevel gear for differential, loose, 80H			12
Patentee	2020 C		22 00		Pinion bolted to bevel gear, 80H			12
Patera	2021 C		20 00		Pinion for countershaft, 80H.			7
Paternal	2022 C		50		Washer for draw bar, 40, 50, 65 and 80H	748 C		12
Paternity	2023 C		50		Skein cap for front axle, 80H., prior to 26641		A 961 C	12
Pathan	2024 C		35 00		Center wheel for differential, 80H.			11
Chrome	2025 C		50 00		Flywheel, 26-in. diameter, 80H., special.			
Pathetic	2026 C		8 00		Quadrant shelf, 45H., prior to 26641	A 909 C	C 909 C	11
	2027 C				See 08104C1			
Chromite	2028 C		25 00		Drum for traction screw brake, roller			
Pressure	2029 C		3 50		Shoe for traction brake, 80H., and roller			
Pathogeny	2030 C		4 00		Governor stand, 80H., prior to 33947 (see 1366C)			12
Exuberant	A2030 C		4 00		Governor stand, 75 and 80H. (see A1366C)	B1853C		
Pathology	2031 C		2 50		Suction bowl, 80H. contractor's bunkers (see 2141C).			8
Pathos	2032 C		3 75		Grate, two-bar, 75H.			10
Pathway	2033 C		30 00		Front hub for municipal wheel, 36H	1803 C		9
Patience	2034 C		25 00		Brake drum, traction brake, 30, 36 and 40H			10
Patient	2035 C		3 00		Anchor bracket, traction brake, 36, 40, 45 and 60H., and roller.			10
Patina	2036 C		4 00		Brake shoe, traction brake, 30 to 60H.			10
Patois	2037 C		2 50		Swivel collar, traction brake, 30 to 60H.			10
Patolli	2038 C		3 50		Anchor bracket, traction brake, 30H.			10
Patonce	2039 C		3 50		Turn buckle for distance link, 80H.			9
Patrial	2040 C		75		Flange for ejector, 30 to 80H.			12
Patriarch	2041 C		17 00		Crank bearing, R.H., 45 and 60H., portable and skid	1156 C		11
Patrician	2042 C		12 00		Crank bearing, R.H., 30H., portable and skid, prior to 33099	1107 C		11
Exuberate	A2042 C		15 00		Crank bearing, R.H., 30H., portable and skid.			
	2043 C				Cap for engine frame, 80H., cannot ship.	A1009C		
	2044 C		13 00		Rear hub, 30H., portable.	B1146C		9
	2045 C		6 00		Elbow, cylinder to heater, 60H			8
	2046 C		15 00		Front hub, 65 and 80H., traction.	C 892 C		9
	2047 C		3 00		Shoe for friction clutch, 65 and 80H. (75H., prior to 28852)	A789 C	A 789 C	8
	2048 C		15 00		Front hub, 30, 36H., traction, 36 to 75H., port. see C847C, conv., RR	B1145C		9
	2049 C		15 00		Eccentric hub, and governor pulley 80H., see A1004C-1024C.	A1004C		8
	2050 C		11 00		Eccentric strap, 65 and 80H.	B1005C		8
	2051 C		10 00		Reverse bracket, 80H.	B1006C		9
	2055 C		5 00		Rocker grate, end, 36 to 50H.			10

CASE REPAIRS—Letter C

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
Presence	2056 C		5 00		Rocker grate, center, 36 to 50H			10
Present	2057 C		4 50		Stationary grate for rocking grate, 36 and 40H			10
Presentee	2058 C		4 00		Support, L.H., for rocking grates, 36 and 40H., RR			10
Presenter	2059 C		4 00		Support, R.H., for rocking grates, 36 and 40H., RR			10
Preservative.	2061 C		4 50		Support, R.H., for rocking grates, 45 and 50H			10
Presently	2062 C		4 50		Support, L.H., for rocking grates, 45 and 50H			10
Preserve.	2063 C		4 50		Stationary grate for rocking grates, 45 and 50H			10
Preserver	2064 C		5 50		Support, R.H., for rocking grates, 60H			10
Preses	2065 C		5 50		Support, L.H., for rocking grates, 60H			10
Preside	2066 C		6 50		Rocker grate, end, 60H			10
President	2067 C		6 50		Rocker grate, center, 60H			10
Presidial	2068 C		6 00		Stationary grate for rocking grates, 60H			10
Chromium	2069 C		55 00		Spur gear for tilted roll, RR			
Chromo	2070 C		9 00		Counter shaft pinion, tilted roll, RR			14
Chromogen.	2071 C		7 00		Rear axle lock, tilted roll, RR			14
Chromogram	2072 C		60 00		Hub for tilted roll, RR			13
Chromosome	2073 C		25 00		Bushing for tilted roll, RR			
Chromotype	2074 C		25		Washer for tilted roll, RR			13
Chromous.	2075 C		2 50		Bevel washer for tilted roll, RR			
Patrolman.	2076 C		60 00		Spur gear, 40H			12
Patrology	2077 C		35		Lever for throttle valve, 110H., 75 and 80H., 26640 to 33873, see B466C, B1643C, 1988C			12
Patron	2078 C		50		Steering shaft bearing, 45 and 60H	A 902 C		9
Patronage	2079 C		50 00		Crank shaft bearing, with cap 2080C, 80H., traction, prior to 30657	A1157C		11
Pressing	A2079 C		50 00		Crank shaft bearing, R.H., with cap 2080C, 80H., traction			11
	2080 C				Cap for crank shaft bearing, 80H., cannot furnish	A1086C		
Patronize.	2081 C	125 00			Fly wheel, 48-in. 80H., portable, special			
Patroon.	2082 C	3 50			Pump gear case, 80H., prior to 30657, replaced by A1657C	A1657C		7
Pression.	A2082 C	2 50			Shield for pump gear, 80H			11
Pressural.	2083 C	25 00			Quadrant shelf, 110H., portable			9
Patty	2084 C	2 00			Cap for pump gear shaft, long, 110H. (80H., prior to 30657)			9
Patulous.	2085 C	1 50			Cap for pump gear shaft, short, 110H. (80H., prior to 30657)			7
Paucity	2086 C	9 00			Pump pinion on crank shaft, 80H., prior to 30657			7
Prest	A2086 C	7 00			Pump pinion on crank shaft, 80H			7
Pauldron	2087 C	15 00			Pump drive gear, 110H. (80H., prior to 30657)	1697 C		12
Prestation.	A2087 C	15 00			Pump drive gear, 80H			9
Paulician.	2088 C	1 00			Flange for 16 bbl. tank			8
Paulist	2089 C	10 00			Ring for 8x53 extension rims			
Paunch	2090 C	1 50			Spacer collar on crank shaft, 80H			9
Pauper	2091 C	1 00			Tool box cover casting, R.H., 40 to 80H., B cab, see 1919C., prior to 32147		2251 C	8
Chromyl.	2092 C	50 00			Fly wheel, 26-in. diameter, 65H., special			11
Chronie.	2093 C	15 00			Base for 18" stack, 110H, skid			8
Chronical	2094 C	17 50			Winding drum, 65H			
Pause	2095 C	50 00			Clutch arm and pinion, 80H., prior to 28972	A1066C		8
Prester	A2095 C	40 00			Clutch arm, 80H			11
Pave.	2096 C	2 50			Cover for steering roller bracket, 110H			
Pavement	2097 C	7 00			Sleeve for friction clutch, 80H., prior to 28972	1081 C		8
Pavilion	2098 C	7 00			Clamp for sleeve, 80H., prior to 28972	1082 C		8
Presiding.	A2098 C	13 00			Clamp for clutch, 80H., prior to 30768, replaced by B2098C	1083 C		8
Chronicle	B2098 C	15 00			Clamp for clutch, 80H			8
Paving.	2099 C	4 00			Trunnion ring for clutch, 80H., prior to 28972			8
Presidio	A2099 C	8 00			Trunnion ring for clutch, 80H			8
Pavis	2100 C	5 50			Forked clutch lever, 80H	A1096C		11
Pavisade.	2101 C	3 00			Friction clutch lever, 80H., prior to 30657	292 C		10
Presignify	A2101 C	2 75			Friction clutch lever, 80H			10
Pavior.	2102 C	18 00			Quadrant shelf, 80H., prior to 30657	B1065C		11
Pressed	A2102 C	20 00			Quadrant shelf, 80H., traction			11
Pawn.	2103 C	20 00			Pump body, 80 and 110H	1966 C		12
Pawnee.	2104 C	1 00			Head for pump, 80H., prior to 30657			12
Paxillus.	2105 C	1 00			Head for pump, 80 and 110H			7
Payable.	2106 C	5 00			Plunger for pump, 80 and 110H			9
Payment.	2107 C	1 25			Spreader for pump yoke, 80 and 110H			9
Peace.	2108 C	75			Valve for pump, 80 and 110H	1962 C		12
Peaceable	2109 C	1 00			Cap for pump valve chamber, 80 and 110H			9
Peaceful	2110 C				Bushing in rod heads, 40, 50, 80 and 110H., use 04100C	1706 C		12
Peacock.	2112 C	35			Head for rod on oil pump			9
Peaked	2113 C	4 50			Crank for pump, 80H., prior to 30657		03345 C	1 12
Peaking	2114 C	125 00			Fly wheel, 48-in., 65H., special			11
Peakish.	2115 C	100 00			Fly wheel, 80H	1021 C		9
Pearl	2116 C	9 00			Connecting rod brass, crank end, 80H.	1020 C		8
	2117 C				Crank, 80H., (use 09260C1)			
Presternum.	2119 C	50 00			Wing plate, R.H., 110H., portable			9
Prestige	2120 C	50 00			Wing plate, L.H., 110H., portable			12
Peasant.	2121 C	75			Socket wrench for plug in boiler			12
Peasantry	2122 C	25			Cover for flange pipe, 1 1/8" hole, 30 to 75H			8
Peavey	2123 C	25			Cover for flange pipe, 1 1/8" hole, 30 to 75H., contractor's bunkers.			10
Pebble	2124 C	75 00			Rear hub, 40H., municipal and freighters			9
Pecan	2125 C	25 00			Brake drum, traction brake, 45 and 60H			8
Peccable.	2126 C				Front axle clamp, 110H—use 09244C			9
Peccancy.	2127 C	5 50			Chain clip, 110H			8
Peccant.	2128 C	9 00			Bushing for D1606C, 110H			10
Peccary	2129 C	1 00			Cross support for brick, 18H			10
Pecora.	2130 C	1 50			Straw grate support, 18H			1
Pectase	2131 C	1 50			Straw grate, 18H			2
Pectin	2132 C	1 75			Straw grate support, 30H			
Pectinate	2133 C	1 25			Cross support for brick, 30H			
Chronogram.	2134 C				Man hole plate (Hungary)			
Pectineal	2135 C	3 50			Crosshead shoe, 80H	122 C		3

CASE REPAIRS—Letter C

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
Pectineus.	2136 C		25.00		Crosshead, 80H	1019 C		8
Exudate	2137 C		7.50		Pinion on counter shaft, R.R., prior to 35304	A1764C		
Ekama.	A2137 C		17.00		Pinion on counter shaft, R.R., cast steel			
Pectoral	2138 C		4.00		Set collar for intermediate gear shaft, 110H			8
Pectose	2139 C		1.50		Short clutch lever, 80H., prior to 30657			10
Parallel	2141 C		2.00		Suction bowl, 40, 50, 65 and 80H., see 2031C			8
Presto	2142 C		9.00		Bolster bracket, 40, 65 and 80H.; 50H., prior to 31409, see 2159C, 1397C, 1749C, 1993C			
Pectus	2143 C		65.00		Crank shaft bearing, 110H.—09250C			
Peculate	2144 C		7.00		Connecting rod brass, crosshead end, 80H	636 C		9
Peculiar	2145 C		7.00		Rocker arm, 80H.	A1052C		9
Peculium.	2146 C		1.75		Draw block for slide valve, 50, 65 and 80H	A 853 C		1
Chronology.	2147 C		1.00		Filler between link and plate, R.R.			13
Presume	2149 C		3.25		Canopy dome ring, 60, 65, 75 and 80H.			10
Presumedly.	2150 C		1.25		Clutch toggle, single eye, 110H			12
Pedal	2151 C		6.50		Smokestack base, 80H., prior to 30657			8
Pretend.	A2151 C		7.50		Base for stack, 65, 75 and 80H.	A1074C		8
Pedaler.	2152 C		2.00		Wedge block for connecting rod, crank end, 80H.	A 640 C		12
Pedant	2154 C		20.00		Babbitt bearing for engine frame, 80H. (2 pieces)			8
Pedantic.	2155 C		23.00		Babbitt bearing for R.H., crank bearing, 80H. (2 pieces)			8
Chronopher	2158 C		6.00		Inlet to heater, 40H	1850 C		
Chrysalis.	2159 C		8.00		Bolster bracket, 30 and 50H., traction, 40H., portable, see 2142C	1739 C		8
Chrysaloid	2160 C		4.50		Frame for boiler front, 50H	582 C		7
Chrysene.	2161 C		75		Filler collar on countershaft, 50H., special.			9
Chrysolite.	2162 C		75		Filler collar on countershaft, 65H., special.			9
Chrysopa	2163 C		5.00		Bolster spacer, 30 and 80H., skid.			
Chrysorin	2164 C		6.00		Base for stack, 40, 45 and 50H., skid.			
Chrysotile.	2165 C		10.00		Base for stack, 65 and 80H., skid			
Exudation.	2170 C		7.00		Bracket for steering roller, R.H., 65 and 80H.	1752 C		
Exudative.	2171 C		5.00		Bracket for steering roller, L.H., 65 and 80H.	1753 C		
Ekana	2172 C		7.00		Steering roller bracket, R.H., for hand steer on road roller			
Pedantism..	2175 C		4.50		Crank disc for pump, 110H.			12
Pedantry.	2176 C		4.00		Cover for steering gear, 110H			11
Pedarian	2177 C		1.25		Cap for crank pin, 110H			12
Pedate	2178 C		1.50		Suction valve seat in pump, 80 and 110H	1963 C		9
Pedatifid	2179 C		2.50		Stuffing box for pump, 80 and 110H			9
Peddling.	2180 C		2.00		Friction steering lever, 110H			10
Pedestrian.	2181 C		25.00		Quadrant shelf, 110H			11
Pedial	2182 C		75		Head for reverse reach rod, 110H.			12
Pretense	2183 C		60.00		Spur gear for 40H., freighting and municipal wheel.			12
Pediatric	2184 C		1.25		Collar for rear axle, 1-in., 110H.			8
Pretended.	2185 C		11.00		Babbitt bearing for engine frame, 40H., and roller.			8
Pedicel.	2186 C		14.00		Babbitt bearing for R.H., crank bearing 40H.			8
Previous.	2187 C		6.00		Quadrant for throttle and reverse, 80H., portable.			8
Previs	2188 C		3.00		Reverse lever, 80H., portable.			10
Prevision..	2189 C		45.00		Bearing for crank, R.H., with cap 2080C, 80H., port., prior to 28852			11
Previsor.	A2189 C		45.00		Bearing for crank, R.H., with cap 2080C, 80H., portable.			11
Prismatic.	2190 C		1.50		Shake lever inside, for rocking gates, 36 to 60H., prior to 30768.			10
Chrysotype..	A2190 C		1.75		Shake lever for rocking gates, inside, 36 to 60H. (65H., prior to 30768)			10
Prismoid	2191 C		1.75		Shake lever, outside, for rocking gates, 36 to 60H. (65H., prior to 30768).			10
Prismy.	2192 C		2.00		Bearing for shake lever rocking gates, 36 to 60H. (65H., prior to 30768).			10
Prison.	2193 C		75		Bearing for hand lever rocking gates, 36 to 80H., and R.R., prior to 35609			10
Prey	2194 C		3.50		Clip for steering chain, 80H.	A1855C		9
Prism.	2197 C		12.00		Quadrant for reverse, 110H., portable.			8
Priapean	2198 C		5.50		Reverse lever, 110H., portable			10
Priceless	2199 C		20.00		Quadrant shelf, 80H., portable.			11
Pricker	2219 C		3.50		Forked end for clutch toggle, 110H.			9
Pricking	2220 C		17.00		Axle clamp, 80H., use 09453C	B 935 C		
Prickly	2221 C		4.50		Retainer collar on crank, 80H., port. and skid.			8
Pride.	2222 C		2.50		Retainer collar on crank, 50H., port. and skid			
Prideful.	2223 C		2.50		Retainer collar on crank, 40H., port. and skid.			8
Prier	2224 C		17.50		Winding spool, 80H.			
Priest	2225 C		15.00		Pump body, 30, 40, 50 and 65H., and R.R., use 09553C			11
Priestess.	2226 C		50		Head for pump, 30, 40, 50 and 65H., and R.R.			12
Priesthood	2227 C		75		Cap for pump valve chamber, 30, 40, 50, 65H., and R.R.			12
Priestly.	2228 C		2.00		Stuffing box for pump, 30, 40, 50, 65H., and R.R.			9
Priestly.	2229 C		1.25		IRON stuffing box nut for pump, 30, 40, 50, 65H., and R.R.			9
Priestly.	2230 C		1.00		Stuffing box gland for pump, 30, 40, 50, 65H., and R.R.			9
Priestly.	2231 C		1.00		Suction valve seat for pump, 30, 40, 50, 65H., and R.R.			9
Priestly.	2232 C		1.00		Discharge valve seat for pump, 30, 40, 50, 65H., and R.R.			9
Priestly.	2233 C		75		Suction and discharge valve for pump, 30, 40, 50, 65H., and R.R.			9
Priestly.	2234 C		4.00		Yoke for pump plunger, 30, 40, 50, 65H., and R.R.			7
Priestly.	2235 C		1.25		Spreader for pump yoke, 30, 40, 50, 65H., and R.R.			9
Priestly.	2236 C		5.00		Pinion on crank drives pump, 40H., and R.R.			
Priestly.	2237 C		5.00		Pinion on crank drives pump, 50H.			7
Priestly.	2238 C		1.00		Air chamber for pump, 30, 40, 50, 65H., and R.R., see 1315C			7
Priestly.	2239 C		10.00		Drive gear for pump, 30, 40, 50, 65H., and R.R.			7
Priestly.	2240 C				Bearing for pump shaft, 30, 40, 50 and 65H., use 09275C.			11
Priestly.	2241 C		75.00		Hub for 50H., freighting and municipal wheel			8
Priestly.	2242 C		1.75		Shield for pump gear, 40 and 50H			7
Priestly.	2243 C		30.00		Crank shaft bearing, R.H., with cap 2244C, 40H., traction.	A1155C		11
Priestly.	2244 C				Cap for R.H. crank shaft bearing, 40H., cannot furnish.			
Priestly.	2245 C		6.00		Bushing, long, for pump shaft, 30, 40, 50 and 65H.			9
Priestly.	2246 C				Bushing, short, for pump shaft, 40 and 50H., use 04101C			9
Priestly.	2247 C		17.00		Quadrant shelf, 40 and 50H., traction.	C 909 C		11
Priestly.	2248 C		25.00		Crank shaft, bearing, R.H., with cap 2244C, 40H., portable and skid.			11

CASE REPAIRS—Letter C

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
Primitive	2249 C		15 00		Quadrant shelf, 40 and 50H., portable.			11
Exulcerate	2250 C		25		Stop for grate lever, R.R., prior to 35609			
Exultancy.	2251 C		1 00		Casting for tool box cover, canopy, see 1919C, 2091C			
Exultant	2252 C		10		Fulcrum for rear draft door, 30H., and RR			
Exultation	2253 C		25		Stop for link on upper cannon box, R.R., prior to 35609			
Eyeful	2254 C				Body for 2-in. throttle, use 09669C			
Eyelet	2255 C		2 50		Bonnet for 2-in. throttle, 30, 40, 50H., and RR.			
Eyesight	2256 C				Valve for 2-in. throttle, use 09669C			
Eyetooth.	2257 C		75		Gland for throttle, 30, 40, 50, 65, 80H., and RR.			
Ekapa.	2276 C		7 50		Bushing for A1368C, prior to 35609		A1370C	
	2300 C				Engine frame, 50H., use 09414C.			11
	2301 C				Cap for engine frame, 50H., cannot furnish			
Prmp	2302 C		30 00		Crank shaft bearing, R.H., with cap 2303C, 50H., traction			11
	2303 C				Cap for R.H. crank bearing, 50H., cannot furnish			
	2304 C				Crank disc, 50H., (see 09407C-09408C)			8
	2305 C		25 00		Arm for friction clutch, 50H			11
Primula	2306 C		9 00		Pinion for clutch, 50H			12
Primuline	2307 C		30 00		Intermediate gear, 50H			9
Princedom	2308 C		15 00		Bracket for intermediate gear, 50H			8
Princekin	2309 C				Differential spur gear, 50H., use 09409C			12
Princely	2310 C		1 75		Cover for differential spur gear, 50H.			7
Princeps	2311 C		20 00		Center wheel for differential, 50H			11
Princess.	2312 C		17 00		Bevel gear keyed to counter shaft, 50H			12
Principal.	2313 C		20 00		Bevel, gear and pinion, 50H., bushed			12
Principle.	2314 C		4 00		Bushing for bevel gear, 50H.			8
Princox	2315 C		11 00		Pinion on counter shaft, 50H			12
Princum.	2316 C		60 00		Spur gear on traction wheel, 50H.			12
Prink	2317 C		70 00		Rear hub, 50H.			8
Print.	2318 C		30 00		Upper cannon bearing, 50H			9
Printable.	2319 C		50 00		Lower cannon bearing, 50H.			9
Printer	2320 C		10 00		Reverse bracket, 50 and 65H.			11
Printing	2321 C		6 00		Elbow for heater inlet, 50H., and RR.	1850 C		8
Printless	2322 C		1 00		Expansion cross, 30, 40, 50 and 65H., and RR.	1213 C		12
Prior	2323 C		30 00		Crank bearing, R.H., with cap 2303C, 50H., portable and skid			11
Priorate.	2324 C		6 00		Rocker arm, 50 and 65H., simple traction			9
Prioristic.	2325 C		6 50		Rocker arm, 50H., compounded traction			
Priority	2326 C		7 00		Base for stack, 40 and 50H.	1913 C		8
Priory.	2327 C		2 50		Hand lever for clutch, 40, 50, and 65H., R.R., see 1889C	292 C		10
Prisage	2328 C		4 50		Forked lever for clutch, 50H			11
Priscilla.	2329 C		13 00		Babbitt bearing for engine frame, 50H			8
Prism	2330 C		17 00		Babbitt bearing for R.H. crank bearing, 50H			8
Pretension..	2331 C				Bushing for eccentric and valve rod ends, 50H., use 04102C.			9
Preter.	2332 C		5 50		Rocker arm, 50 and 65H., simple portable and skid			9
Preterist	2333 C		5 50		Rocker arm, 50H., comp., portable and skid.			
Fabaceous..	2334 C		1 50		Bracket for throttle lever, 30, 40, 50 and 65H., portable and skid			9
Pretermit	2335 C		50		Spacer for R.H. gear shield, 50H., prior to 33099.			9
Pretonic	A2335 C		50		Spacer for R.H. gear shield, 50 and 80H.			
Fabella.	2336 C		75		Oil cup for intermediate gear, 65H., prior to 32147			
Chub.	2337 C		10		Cover for 2336C.			
Chubby	2338 C		50		Nozzle coupling for sprinkling hose, 30, 40, 50, 65, 80 and 110H., portable and skid.			
Pretorial								
Fabiform..	2339 C		25 00		Axle plate and arm, 65 and 80H., portable.	C1196C		
Prettify.	2340 C		25 00		Brake drum, 80H., traction brake			10
Prettiness	2341 C		25 00		Brake drum, 50 and 65H., traction brake			11
Pretty.	2342 C		4 00		Support for 50 and 65H., traction brake.			9
Pretzel	2343 C		2 50		Swivel collar for 50H., traction brake			9
Prevail	2344 C				Hose clamp, 1 3/4-in., 80 and 110H., portable and skid			9
Prevailing	2345 C		15 00		Bearing for pump gear shaft, 80H			9
Prevailing	2346 C		6 00		Bushing, large, for pump gear shaft, 80H.			9
Prevene	2347 C				Bushing, small, for pump gear shaft, 80H., use 04103C.			9
Prevenient	2348 C		50		Collar on pump drive shaft, 80H			9
Chuckling	2349 C		7 00		Rocker arm, 80H., compounded			9
Chuckle.	2350 C		75 00		Hub for municipal and freighting wheels. 65H.			
Preventer.	2351 C		2 25		Forked end for clutch toggle, 65 and 80H.			9
Prevention	2352 C		1 00		Single eye for clutch toggle, 65 and 80H			12
Preventive	2353 C		35		Nozzle for sprinkling hose, 3/4-in., see 1118C			
Chuddar	2358 C		1 00		Frame for peep hole door, R.H., swing, 40, 50, 65 and 80H			
Chufa	A2358 C		1 00		Frame for peep hole door, L.H., swing, 40, 50, 60, 65, 75 and 80H.			9
Chuff	2359 C		75		Door for peep hole, R.H., swing, 40, 50, 65 and 80H			
Chuffy.	A2359 C		1 00		Door for peep hole L.H., swing, 40, 50, 60, 65, 75 and 80H			9
Fabling	2360 C		10		Stop link on cannon box, 30H., and R.R., prior to 35609, see A1320C.			
Chum	2362 C		1 50		Bracket for brake shaft, 80H., prior to 34877.		1921 C	
Fabricant	2363 C		11 00		Bushing for engine frame, 30H.			
Fabricator.	2364 C		2 00		Hand lever for friction clutch, 30H.	292 C		
Fabrician	2365 C		4 50		Pinion on crank shaft for pump, 30H.			
Fabrile	2366 C		50		Spacer for pump pinion, 30H			
Fabular	2367 C		1 75		Shield for pump gear, 30H			
Fabulist	2368 C		75		Spacing collar for upper cannon box, 30H			
Fabulosity	2369 C		5 00		Single prong lock nut, 30H.	B 804 C		
Faburden	2370 C		5 00		Double prong lock nut, 30H	B1144C		
Faceable.	2371 C		3 00		Bushing for differential gear and pinion, 30H.			
Chummage.	2372 C		2 50		Collar for brake swivel, 65H			
Facitious	2373 C				Plunger for pump, 30, 40, 50, 65H., and R.R., use 09691C.			
Facient	2374 C				Plunger for pump, 80 and 110H., use 09692C			
Chump.	2375 C		90 00		Cylinder, 65H.			
	2377 C				Engine frame, 65H, use 09479C			
	2378 C				Cap for engine frame, 65H., cannot furnish.			
Chunam	2379 C		18 00		Bushing in engine frame, 65H.			2
Chunga	2380 C		40 00		Crank bearing with cap, R.H., 65H			

CASE REPAIRS—Letter C

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
Chunk	2381 C				Cap for R.H. crank bearing, 65H., cannot furnish			
Chunky	2382 C		20 00		Bushing for R.H. crank bearing, 65H			8
Chupatty	2383 C		8 00		Connecting rod bearing, crank end, 65H			9
Chuprassy	2384 C		1 75		Wedge block for connecting rod, crank end, 65H			12
Church	2385 C		20 00		Crosshead, 65H., steel			8
Churching	2386 C		3 00		Shoe for crosshead, 65H			8
Churchly	2387 C		4 00		Governor stand, 65H			12
	2388 C				Crank shaft, 65H.—use 09495C and 09496C			
Churchy	2389 C		1 00		Cap for crank pin, 65H., prior to 33099		04320 C	
Churlish	2390 C		15 00		Eccentric hub and governor pulley, 65H			8
Churlishly	2391 C		100 00		Fly wheel, 65H			
Churn	2392 C		35 00		Arm and pinion for clutch, 65H			11
Churning	2393 C		8 00		Trunnion ring for clutch, 65H			8
	2394 C				Clamp ring for clutch, 65H., replaced by A2394C			8
Chutney	A2394 C		15 00		Clamp ring for clutch, 65H			
Chylaceous	2395 C		5 00		Forked lever for clutch, 65H			11
Chyle	2396 C		7 00		Pump pinion on crank, 65H			7
Chylify	2397 C		1 75		Shield for pump gear, 65H			7
Chylocyst	2398 C		18 00		Quadrant shelf, 65H., traction, prior to 32147			11
Facile	A2398 C		18 00		Quadrant shelf, 65H., traction			
Chylous	2399 C		55 00		Cannon bearing for axle, 65H			9
Chymify	2400 C		40 00		Cannon bearing for counter shaft, 65H			9
Chymous	2401 C		20 00		Steering roller, 65H			11
Chyometer	2402 C		15 00		Bracket for intermediate gear, 65H			8
Ciborium	2403 C		35 00		Intermediate gear, 65H			12
Cibotium	2404 C				Spur gear for differential, 65H, use 09501C			12
Cicadan	2405 C		2 50		Cover for differential spring, 65H			7
Cicatrice	2406 C		25 00		Center wheel for differential, 65H			11
Cicatrix	2407 C		4 50		Bevel pinion for differential, 65H			9
Cicatrize	2408 C		20 00		Bevel gear for differential keyed to counter shaft, 65H			12
Cicer	2409 C		25 00		Bevel gear and pinion for differential, 65H., bushed			12
Cicerone	2410 C		5 50		Bushing for differential gear and pinion, 65H			8
Cichorium	2411 C		16 00		Pinion on counter shaft, 65H			
Ciclatoun	2412 C		85 00		Spur gear for traction, 65H			12
Ciconia	2413 C		70 00		Rear hub, 65H			
Ciconine	2414 C		30 00		Crank shaft, bearing, R.H., 65H., portable			11
Cidaris	2418 C		9 00		Cylinder head, 65H			8
Cider	2419 C		12 00		Steam chest cover, 65H			8
Ciderkin	2420 C		10 50		Piston, 65H			
Cidevant	2421 C		7 50		Rocker grate, 65H			10
Cigar	2422 C		7 00		Stationary grate, front, 65H			10
Cigarette	2423 C		7 50		Rocking grate, end, 65H			10
Cilia	2424 C		2 25		False cylinder head, 65H			8
Ciliary	2425 C		4 00		False steam chest cover, 65H			8
Cilia	2426 C		7 00		Exhaust between cylinder and heater, 65H			8
Ciliate	2427 C		9 00		Door for smoke box, 65H			7
Ciliated	2428 C		5 00		Door frame for smoke box, 65H			7
Ciliation	2429 C		17 00		Quadrant shelf, 65H., portable, prior to 32147			11
Facilitate	A2429 C		18 00		Quadrant shelf, 65H., portable			
Cilice	2430 C		6 00		Eccentric hub, 65H., portable			
Cilician	2431 C		5 00		Governor pulley, 65H., portable			9
Ciliosis	2432 C		50		Cover for A1777C, 65H			9
Cimbri	2433 C		3 50		Retaining collar, 65H., portable and skid			9
Cimbrian	2434 C		6 00		Rear skid bracket, R.H., 65 and 80H., skid, see 1389C			
Cimicide	2435 C		6 00		Rear skid bracket, L.H., 65 and 80H., skid, see 1389C			
Cimolite	2436 C		50		Spacer for R.H., gear shield, 40 and 65H			9
Cinch	2437 C		3 50		Rear water column, 65 and 80H., special			
Facilitator	2438 C		12 00		Bearing for pump crank shaft, RR			
Facinorous	2440 C		25		Fulcrum for front draft door lever, 30, 65, 80H., and RR			
Cinchene	2441 C		2 50		Brick support next to flue sheet, 65H			10
Factional	2442 C		75		Collar for filler pipe			
Factionary	2444 C		10 00		End bearing for bolster shaft, rear, RR	B1329C		
Factionist	2445 C		4 50		End rocker grate, RR	590 C		
Factious	2446 C		4 50		Center rocker grate, RR	589 C		
Factorial	2447 C		4 00		Stationary grate, RR			
Factorize	2448 C		25		Centering lever for steering bar, R.H., RR			
Factory	2449 C		25		Centering lever for steering bar, L.H., RR			
Cinchona	2450 C		10		Rear bracket for damper reach rod, 65 and 80H., prior to 32147			
Cinchonate	2451 C		75		Lever for Madison Kipp oil pump, 18H			
Factortum	2453 C		75		Spacer for lower cannon box, 80H			
Factual	2454 C		10 00		Quadrant shelf, 30H., portable			
Factuality	2455 C		2 25		Retainer collar on crank shaft, 30H			
Factum	2456 C		1 25		Suction flange for tank, 30, 40, 50, 65 and 80H			
Facula	2457 C		2 50		Lower bracket for combination steering, RR			
Faddist	2458 C		1 25		Clutch lever for combination steering, RR			
Fadeless	2459 C		1 50		Mud lug for 65H., freighter, R.H.			
Fagales	2460 C		1 50		Mud lug for 65H., freighter, L.H.			
Fagelia	2461 C		3 50		Bonnet for 2 1/2-in throttle, 60, 65, 75, and 80H			
Fagoting	2463 C		1 25		Worm for steering gear	A 865 C		
Fagus	2434 C		6 00		Worm wheel for steering, RR	866 C		
Fahrenheit	2465 C		1 00		Mud lug for freighter, R.H., 30H			
Faintness	2466 C		1 00		Mud lug for freighter, L.H., 30H			
	2467 C				Support for S.A. special brick, 75 and 80H., prior to 32147			
	2468 C				Support for S.A. special brick, 75 and 80H			
ne in Fairness	2469 C		7 00		Rocker arm, split, 80H., 27620 to 23971			
ometer	2471 C		4 00		Bonnet for throttle, 110H			2145 C
ine	2472 C		1 50		Gland for throttle, 110H			
iol	2475 C		1 50		Flange for pump suction, roller			
ra	2476 C		50		Cover for pump suction flange, roller			

CASE REPAIRS—Letter C

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
Ejiza	2477 C		4 50		Collar for cannon box, roller			
Ejoca	2478 C		4 50		Collar for lower cannon box, roller			
Agaye	2479 C		10 00		Base for pop valve, 18, 40, 50, 65, 80 and RR see 2487C			
Agaze	2480 C		5 00		Flange for blow off valve			
Agebe	2481 C		1 75		Pipe connection			
Agece	2482 C		4 50		Governor stand special, roller			
Agefe	2483 C		5 00		Governor stand special, 40H			
Agege	2484 C		4 50		Governor stand special, 50H			
Ageje	2485 C		4 50		Governor stand special, 18H			
Ageke	2486 C		2 50		Water filler and injector steam outlet, 18H. special			
Agele	2487 C		7 50		Base for pop valve, 18H			
Ageme	2488 C		8 00		Stack hinge, 40 and 50H., port. and skid			
Agene	2489 C		10 00		Stack hinge, 65 and 80H., port. and skid			

SHAFTING, WROUGHT IRON AND MISCELLANEOUS PARTS FOR SIDE CRANK SPRING MOUNTED ENGINE.

CASE REPAIRS—Letter C

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
Seditious.	01 C		30.00		Rear axle, 30H., traction, prior to 33099.			16
Feckless	01 C1		30.00		Rear axle, 30H., traction.			16
Sedulous	02 C		35.00		Rear axle, 36 and 40H., traction (RR, prior to 22870)	02010 C		16
Seedling	03 C		40.00		Rear axle, 45H., traction, prior to 10008			16
Sabadilla.	03 C1		40.00		Rear axle, 45H., traction			16
Seemless	04 C		40.00		Rear axle, 60H., traction, prior to 10008.			16
Sabbatic	04 C1		40.00		Rear axle, 60H., traction, prior to 18244			16
Sabbatical.	04 C2		55.00		Rear axle, 60H., traction.			16
Sabbatism.	05 C		60.00		Rear axle, 75H., traction, prior to 9385.			16
Seeker	05 C1		60.00		Rear axle, 75H., traction, prior to 17509			16
Sabbaton.	05 C2		75.00		Rear axle, 75H., traction.			16
Sabino.	07 C		125.00		Rear axle, 110H., traction, prior to 27319			16
Pedicular	07 C1		125.00		Rear axle, 110H., traction			16
Sabulous	08 C		45.00		Rear axle, 60H., traction, with special wheels, prior to 18244.			16
Saccade.	08 C1		55.00		Rear axle, 60H., traction, with special wheels.			16
Saccaton.	09 C		20.00		Front axle for convertible roller, prior to 26641			16
Clymene.	09 C1		25.00		Round front axle for convertible roller.			16
Seemly	010 C		35.00		Front axle (split) 30H., prior to 10008			16
Sacellum.	010 C1		15.00		Front axle, 30H., traction, prior to 20121.			16
Sacerdotal.	010 C2		15.00		Front axle, 30H., traction, prior to 26641.			16
Pediculus	010 C3		25.00		Front axle, 30H., traction, prior to 33099.			16
Feculence.	010 C4		25.00		Front axle, 30H., traction.			16
Sacral.	011 C		35.00		Front axle, (split) 36, 45 and 60H., prior to 8012, give engine number.			16
Sacrarium	012 C		20.00		Front axle, 36 and 45H., traction, prior to 21214.			16
Sacring.	012 C1		20.00		Front axle, 36, 40 and 45H., traction, prior to 26641			16
Pedicure.	012 C2		25.00		Front axle, 36H., traction			16
Sacrist.	013 C		25.00		Front axle, 60 and 75H., traction, prior to 22869.			16
Sabered.	013 C1		25.00		Front axle, 60 and 75H., traction, prior to 26641			16
Pedigree	013 C2		30.00		Front axle, 40 to 75H.: 80H., prior to 30332 (see 012C1).	03012 C	03406 C	16
Sacristan	014 C		15.00		Front axle, 30H., portable, prior to 20121			16
Saddenning.	014 C1		15.00		Front axle, 30H., portable, prior to 26641			16
Pediment.	014 C2		20.00		Front axle, 30H., portable			16
Safeguard.	015 C		16.00		Front axle, 36 and 45H., portable, prior to 21214			16
Saffian.	015 C1		16.00		Front axle, 36 and 45H., portable, prior to 26641.			16
Pedimental.	015 C2		22.00		Front axle, 36 to 110H., portable.			16
Safranine	016 C		19.00		Front axle, 60 and 75H., portable, prior to 22869.			16
Salivant	016 C1		19.00		Front axle, 60 to 75H., portable, prior to 26641			16
Sagacity	017 C		30.00		Front axle, 110H., prior to 22869.			17
Salivary	017 C1		35.00		Front axle, 110H., traction, prior to 27319			17
Pedograph	017 C2		60.00		Front axle, 110H., traction			16
	027 C		05		Gear shield angle			
Feculent	034 C1		35		Eye bolt for front axle clip, 30, 40, 50H			
Shingle	035 C		15		Eye bolt for boiler front			
Strass.	036 C		50		Eye bolt for steering chain, 36 to 75H., prior to 22870			
Cinchonic.	036 C1		50		Eye bolt for steering chain, 60, 65, 75 and 80H.			
Shipman	037 C		35		Eye bolt for clutch, R.H. thread, all engines prior to 8012 (30H. and roller, prior to 21214).			22
					Eye bolt for clutch, R.H. thread, 36 to 75H., prior to 21214.			22
Strath	037 C2		35		Eye bolt for clutch, R.H. thread, 36 to 80H., prior to 26641, see 02881C			22
Sagamore	037 C3		35		Eye bolt for clutch, R.H., 36, 40, 45, 50, 60 and 75H			22
Pedology	037 C4		35		Eye bolt for clutch, L.H., thread, all engines prior to 8012 (30H., prior to 21214).			22
Shipmate	038 C		35		Eye bolt for clutch, L.H. thread, 36 to 75H., prior to 21214			22
					Eye bolt for clutch, L.H. thread, 36 to 80H., prior to 26641, see 02882C			22
Stratum	038 C2		35		Eye bolt for clutch, L.H., 36, 40, 45, 50, 60 and 75H.			22
Sagapenum.	038 C3		35		Eye bolt for ash pan, 30 to 75H			
Prisoner.	038 C4		35		Bolt for connecting rod, crank end, 30 to 75H., 7089 to 21214.			15
Sagebrush	040 C		15		Bolt for connecting rod, crank end, 30, 36, 40, 45, 50, 60, 75H. and RR. (80H., prior to 28972).	0719 C1		15
Seminate	041 C		75		Bolt for connecting rod, crosshead end, 30 to 75H., 7089 to 21214.			15
Sagenite	041 C1		75		Bolt for connecting rod, crank end, 18H., crosshead end, 30 to 75H.; (80H., prior to 26641)	0718 C2		15
					Eye bolt for engine spring, 30H			22
Sagenitic	042 C		50		Eye bolt for engine spring, 36, 40, 45, 50, 60, 75H.; (80H., prior to 26641).			
Sagerose.	042 C1		50		Shoulder bolt for 170C, 162C, 221C, and 286C	03401 C		22
					Shoulder bolt for throttle lever	02532 C		21
Sense	043 C		75		Hand hole bolt.			21
Senseless.	044 C		1 00		Eye bolt for ash pan, 18H. (30H., prior to 33099)	040 C		22
					Eye bolt for engine spring, 110H., prior to 22869.			22
					Eye bolt for engine spring, 110H.			22
					Eye bolt for friction clutch, R.H. thread, 30H. and roller.			22

CASE REPAIRS—Letter C

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
Sagittoid	052 C1		.35		Eye bolt for friction clutch, L.H., thread, 30H., and roller			22
Saguaro.	054 C		.50		Eye bolt for friction clutch, R.H., 110H., prior to 21214			21
Saguerus	054 C1		.50		Eye bolt for friction clutch, R.H., 110H., prior to 22869			21
Sacredly	054 C2		.75		Eye bolt for clutch, R.H., 110H., prior to 27646			22
Pedometer	054 C3		.75		Eye bolt for clutch, R.H., 110H., prior to 28852		03400 C	1 22
Sahidic	055 C		.50		Eye bolt for friction clutch, L.H., 110H., prior to 21214			21
Sailing	055 C1		.50		Eye bolt for friction clutch, L.H., 110H., prior to 22869			21
Sacrilege	055 C2		.75		Eye bolt for clutch, L.H., 110H., prior to 27646			22
Pedotrophy	055 C3		.75		Eye bolt for clutch, L.H., 110H., prior to 28852		03400 C	1 22
	0106 C1		.35		Gear shield brace, R.H., 36, 45 and 60H.			
	0107 C1		.35		Gear shield brace, R.H., 30, 36, 45 and 60H., RR., prior to 32147			
	0109 C1		.35		Gear shield brace, R.H., 75H			
	0110 C1		.35		Gear shield brace, L.H., 75H...			
	0132 C2		1 50		Wheel brace, 36 and 45H...			
	0133 C2		1 50		Wheel brace, 36 and 45H			
	0134 C		1 50		Wheel brace, 45H., prior to 20300			
	0134 C1		1 50		Wheel brace, 40H			
	0135 C		1 50		Wheel brace, 60 and 75H., prior to 20300			
	0135 C1		1 50		Wheel brace, 60 and 75H			
Saleratus.	0147 C		1 00		Bracket for headlight			
Salesian	0150 C		1 00		Bracket for rear steps, 36 to 75H., prior to 22869			
Saddlery.	0150 C1		1 00		Rear bracket for step, 36, 45, 60, 75, 80 and RR			
Salicetum.	0151 C		1 00		Bracket for rear steps, 30H., prior to 22869			
Salivate.	0151 C1		1 00		Rear bracket for step, 40, 50, 65 and 110H			
Salicional.	0152 C		5 00		Spring pot bracket, R.H., 60 and 75H., 36 to 50H., prior to 30768	1187 C		
Cinchonine.	0152 C1		5 00		Spring pot bracket, R.H., 40, 50, and roller, prior to 31359		04331 C	
Cinchonism.	0152 C2		6 00		Spring pot bracket, R.H., 30, 40, and 50H.			
Saliency	0153 C		5 00		Spring pot bracket, L.H., 60 and 75H., 36 to 50H., prior to 30768	1188 C		
Cinchonize	0153 C1		5 00		Spring pot bracket, L.H., 40, 50 H. and roller, prior to 31359		04332 C	
Cinchotine	0153 C2		6 00		Spring pot bracket, L.H., 30, 40 and 50H.			
Salient	0154 C		4 50		Spring pot bracket, R.H., 30H., prior to 33099	1185 C	0152 C2	
Saliferous.	0155 C		4 50		Spring pot bracket, L.H., 30H., prior to 33099	1186 C	1053 C2	
Salifiable	0160 C		2 00		Fire brick, 36 and 40H.			23
Salivous.	0161 C		2 00		Fire brick, 30H., prior to 26641			23
Pedrail	0161 C1		2 00		Fire brick, 30H.			23
Sallenders	0162 C		2 25		Fire brick, 60H., replaced by 0162C1			23
Shelled	0162 C1		2 25		Fire brick, 60H.			23
Shekinah	0163 C		2 75		Fire brick, 75H., prior to 17509			23
Sacking.	0163 C1		3 00		Fire brick, 75 and 80H.			23
Fecundate..	0163 C2		3 00		Brick, special, 80H			
Salmonoid.	0164 C		2 00		Fire brick, 45H., replaced by 0164C1			23
Salpingo	0164 C1		2 00		Fire brick, 45 and 50H.			23
Salsify.	0165 C		3 25		Fire brick, 110H			23
Salsola.	0167 C		5 00		Spring pot bracket, L.H., 110H., prior to 30768			
Cinnus.	0167 C1		6 00		Spring pot bracket, L.H., 110H., see 1826C.			
Ablerom	0170 C		.75		Driver's seat, see 05339A			
Saltarello.	0220 C		.35		Catch for fire door			
Saltation.	0231 C		.75		Clevis for bolster			
Saltatoria	0233 C		1 00		Clip for front axle clamp, 793C, 36 and 45H., prior to 21214			
Saltatory.	0234 C		1 00		Clip for front axle clamp, 935C, 60 and 75H., prior to 22869			
Saltcellar	0235 C		1 00		Clip for front axle clamp, 937C, 30H., prior to 20121			
	0248 C		.50		Connection for cylinder cocks, 110H			
	0251 C		.50		Connection for cylinder cocks, 30, 36, 40H., and RR.			
	0252 C		.50		Connection for cylinder cocks, 60H., prior to 26600			
	0252 C1		.50		Connection for cylinder cocks, 60H			
	0254 C		.50		Connection for cylinder cocks, 75 and 80H.			
Pedrero	0259 C		10		Oil cover for A428C, replaces A429C			
	0261 C		.50		Connection for cylinder cocks, 45 and 50H			
Saltern	0262 C		.35		Eye bolt for steering chain, 30H., prior to 20121			
Sharpness	0279 C		1 00		Heater flue, 30H., prior to 25524, 36H., prior to 22869, see 01919C—01948C		01919 C	23
Saltigrade.	0280 C		1 00		Heater flue, 30H., prior to 10008			23
Salubrity.	0281 C		.50		Heater pipe, 30H., prior to 25524, 36H., prior to 22869			23
Salumin	0282 C		.50		Heater pipe, 30H., prior to 10008			23
Shatter.	0283 C		1 25		Heater flue, 45, and 60H., prior to 26642 (75H., prior to 9490)		02856 C	23
Salutary.	0284 C		.50		Heater pipe, 45 and 60H., prior to 26642 (75H., prior to 9490)			23
Salutation.	0285 C		1 50		Heater flue, 75H., prior to 26641		02858 C	23
Salutatory.	0286 C		.75		Heater pipe, 75H., prior to 26641			23
Salvable.	0293 C		1 75		Heater flue, 110H., not used after 1907		01584 C	23
Salvadora	0294 C		.75		Heater pipe, 110H., not used after 1907			23
Semicolon	0295 C		15		Key for 864C, 1099C, A864C and A1099C			20
Seminary.	0296 C		15		Key for 532C			20
Shadrach...	0297 C		25		Key for 893C, 706C, 1055C			20
Scorched.	0298 C		35		Key for 906C			20
Salvage.	0299 C		25		Key for 36C, 309C, 1054C			20
Salvation	0300 C		35		Key for 904C and 2315C			20
Shafted.	0301 C		25		Key for 475C and A475C			20
Shagreen	0302 C		25		Key for 408C and A408C			20
Shallow.	0303 C		25		Key for 547C, 700C, and 1113C			20
Salvelinus...	0304 C		15		Key for 431C, 629C, 224C and 1106C			20
Salvia	0305 C		40		Key for 1084C			20
Shaman	0306 C		10		Key for 866C			20
Shameful.	0307 C		15		Key for 824C and 760C, prior to 21214			20
Shameless	0308 C		10		Key for 825C			20
Samandura.	0309 C1		25		Key for worm wheel, 36 to 110H			
Samandura.	0309 C1		25		Key for eccentric hub, 30, 40 and RR.			
Samariform.	0310 C		25		Key for 1088C			
Samaritan.	0310 C1		25		Key for A1088C			
Samaritan...	0310 C1		25		Key for eccentric hub, 50 and 65H			

CASE REPAIRS—Letter C

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
Shamrock	0311 C		1 00		Key for fly wheel, ½-in., prior to engine 8012			20
Sheading	0311 C1		1 25		Key for fly wheel and winding drum, 40, 45, 60H., and RR.			20
Samarium	0312 C1		10		Key for steering wheel			20
Shaver	0313 C		50		Key for 444C			20
Shaping	0314 C		50		Key for 198C			20
Sharpen	0315 C		10		Key for governor pulley on crank shaft, prior to engine 8012			20
Shearer	0316 C		1 25		Key for fly wheel, 75H., simple, prior to engine 9490			20
Samaroid	0316 C1		1 50		Key for fly wheel and winding drum, 50, 65, 75H., (80H., prior to 28852)		03159 C	20
Sambuke	0317 C		10		Key for 1025C, 1026C, 1378C, and A2190C			20
Samisen	0318 C		1 00		Key for fly wheel, 18H.			20
Samolus	0322 C		2 00		Key for fly wheel and winding drum, 110H			21
Scholiast.	0323 C		35		Key for tire plug and spike, roller, prior to 22872			14
Samphire	0327 C		15		Pin for rocking grate lever, 110H			22
Senative	0332 C		4 50		Link for lower cannon box, 45 & 60H., contractor's tank, prior to 1824	4		19
Sanatorium.	0332 C1		5 00		Link for lower cannon box, 45H., contractor's tank			19
Sanatory	0333 C		4 00		Link for upper cannon box, 45 & 60H., contractor's tank, 60H., reg. tank			19
Sanbenito	0334 C		5 25		Link for lower cannon box, 60H., contractor's tank			19
Septenary	0335 C		7 00		Link, radius for upper cannon box, R.H., 30H., prior to 33099			18
	0335 C1		7 00		Radius link, R.H., 30H			
Sanctified	0336 C		6 50		Link, radius, for upper cannon box, L.H., 30H., prior to 33099			18
	0336 C1		7 00		Radius link, L.H., 30H			
Sanctimony	0337 C		7 50		Link, radius, for upper cannon box, R.H., 36H			18
Sanction	0338 C		7 00		Link, radius, for upper cannon box, L.H., 36H			18
Septum	0339 C		7 50		Link, radius, for upper cannon box, R.H., 45H. (60H., prior to 24278)		0797 C	18
Serenade.	0340 C		7 00		Link, radius, for upper cannon box, L.H., 45H. (60H., prior to 24278)		0798 C	18
Sepal.	0341 C		7 50		Link, radius, for upper cannon box, R.H., 75H., simple, prior to engine 9385			18
September.	0341 C1		7 50		Link, radius, for upper cannon box, R.H., 75H., prior to 17509			18
Sanctuary	0341 C2		8 00		Link, radius, for upper cannon box, R.H., 75H			18
Separate	0342 C		7 50		Link, radius, for upper cannon box, L.H., 75H., simple, prior to 9385			18
Septentrio	0342 C1		7 50		Link, radius, for upper cannon box, L.H., 75H., prior to 17509			18
Sanctum	0342 C2		8 00		Link, radius, for upper cannon box, L.H., 75H			18
Sandarac	0345 C		4 25		Link for lower cannon box, R.H. 30H., contractors tank prior to 18244			19
Sanderling.	0345 C1		4 50		Link for lower cannon box, R.H., 30H., contractors tank			19
Semilens	0346 C		4 50		Stub link, 75H., contractors bunker, prior to 17509			19
Sandstay	0347 C		4 00		Link for upper cannon box, 30H., contractors tank, prior to 33099			19
Fairy	0347 C1		4 00		Link for upper cannon box, for tank, 30H			
Sandstone	0348 C		5 00		Link for lower cannon box, 75H., contractors tank, prior to 17509			19
Sangaree.	0348 C1		5 00		Link for lower cannon box, 75H., contractors and regular tank			19
Sangler.	0349 C		4 25		Link for lower cannon box, L.H. 30H., contractors tank prior to 18244			19
Sanguinary	0349 C1		4 50		Link for lower cannon box, L.H., 30H., contractors tank			19
Serene.	0350 C		3 50		Drag link, 30, 36 and 45H., prior to 8012			18
Sepulcher	0351 C		6 50		Drag link, 30H., prior to 14808			18
Sanguine.	0351 C1		6 50		Drag link, 30H., prior to 18244			18
Sanicula	0351 C1 ½		7 00		Drag link, 30H., prior to 18674, 36H. prior to 18508, give engine No.			18
Sanidine	0351 C2		7 00		Drag link, 36 and 40H. (30H., prior to 33099)	0352 C1	04180C	18
Serenata	0352 C		6 50		Drag link, 36H., prior to 14814			18
Sanitarian	0352 C1		6 50		Drag link, 36H., prior to 18244		0351 C2	18
Serenely	0353 C		6 50		Drag link, 45H., prior to 14561			18
Sanitarium	0353 C1		6 50		Drag link, 45H., prior to 18244			18
Sanitary	0353 C1 ½		7 00		Drag link, 45H., prior to 18368			18
Sanitation	0353 C2		7 50		Drag link, 45H			18
Serenity	0354 C		3 50		Drag link, 60H., prior to 8012			18
Serf	0355 C		6 50		Drag link, 60H., not used after 1904			18
Sanoform	0355 C1		6 50		Drag link, 60H., prior to 18244			18
Sanskrit	0355 C2		8 00		Drag link, 60H			18
Sermonish.	0356 C		7 00		Drag link, 75H., prior to 14141			18
Santalin	0356 C1		7 00		Drag link, 75H., prior to 17509			18
Santolina	0356 C2		8 00		Drag link, 75H. (80H., prior to 33099)			18
Faithless	0356 C3		8 00		Drag link, 80H			
Santonica	0358 C		12 00		Drag link, 110H., prior to 20160			17
Santonin	0358 C1		12 00		Drag link, 110H.			17
Saphenous.	0359 C		12 50		Radius link, 110H. (4-inch counter shaft) not used after 1907			17
Sapidity	0359 C1		13 50		Radius link, 110H., prior to 27319			17
Pedro	0359 C2		13 50		Radius link, R.H., 110H			19
Sapience	0361 C		5 50		Stub link, R.H., 110H., prior to 22869			17
Sadness	0361 C1		5 50		Stub link, R.H., 110H			17
Sapient	0362 C		5 50		Stub link, R. and L.H. 110H. (4-in. counter shaft) not used after 1907			17
Sapiential	0362 C1		5 50		Stub link, L.H., prior to 22869			17
Sarcodous.	0362 C2		5 50		Stub link, L.H., 110H			17
Sapindus.	0365 C		3 50		Distance link, 30H., prior to engine 8012			18
Serration	0365 C1		8 00		Distance link, 30H., prior to engine 10008			18
Sapodilla.	0366 C		3 50		Distance link, 36H., prior to engine 8012			18
Server	0366 C1		9 00		Distance link, 36H., prior to engine 10008			18
Saponacity.	0367 C		3 50		Distance link, 45H., prior to engine 8012			18
Saponifier.	0367 C1		9 00		Distance link, 45H., prior to engine 10008			18
Saponify	0368 C		3 50		Distance link, 60H., prior to engine 8012			18
Serving	0368 C1		9 00		Distance link, 60H., prior to engine 10008			18
Session	0369 C		9 50		Distance link, 75H., simple, prior to engine 9385			18
Saponin	0369 C1		9 50		Distance link, 75H., prior to engine 10008			18
Saponite	0370 C		75		Fish plates for distance links, prior to 10008			18
Strayer.	0371 C		4 00		Distance link, upper half, 30H., prior to 33099			18
Fakir	0371 C1		4 00		Distance link, upper half, 30H			
Straying	0372 C		4 25		Distance link, 30H., prior to 18244			18
Strifing	0372 C1		4 25		Distance link, lower half, 36H.; roller, prior to 20003 and 32146 to 35609, 30H., prior to 33099 (see 0389C)	02555C		19
ra								
-bala	0372 C2		4 25		Distance link, lower half, 30H.			

CASE REPAIRS—Letter C

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
Streak.	0373 C		4 00		Distance link, upper half, 36H., RR., prior to 22876		02554 C	18
Streaking.	0374 C		4 50		Distance link, lower half, 36H., prior to 18244		0372 C1	18
Stream.	0375 C		4 25		Distance link, upper half, 45H			18
Streamlet	0376 C		4 50		Distance link, lower half, 45H., prior to 18244			18
Saporosity.	0376 C1		4 50		Distance link, lower half, 45H.			19
Strength.	0377 C		4 25		Distance link, upper half, 60H., prior to 25452			18
Settler	0377 C1		4 50		Distance link, upper half, 60H			19
Strenuous	0378 C		4 50		Distance link, lower half, 60H., prior to 18244			18
Saporous	0378 C1		4 75		Distance link, lower half, 60H			19
Stress	0379 C		4 25		Distance link, upper half, 75H			18
Stretch	0380 C		4 50		Distance link, lower half, 75H., prior to 17509			18
Sapphirine	0380 C1		5 25		Distance link, lower half, 75H			19
Saprolite	0383 C		6 50		Distance link, upper half, 110H. (4-in. counter shaft) not used after 1907)			17
Sapsago	0383 C1		7 50		Distance link, upper half, 110H., prior to 20207			17
Sapsucker.	0383 C2		7 50		Distance link, upper half, 110H., prior to 22869			17
Salpicon	0383 C3		7 75		Distance link, upper, 110H			17
Sapucaia.	0384 C		7 25		Distance link, lower half, 110H., prior to 20207			17
Saraband.	0384 C1		7 25		Distance link, lower half, 110H., prior to 22869			17
Saltant	0384 C2		7 50		Distance link, lower, 110H			17
Sarcasm	0385 C		3 50		Cross link for upper cannon box, 30H., prior to 10008			18
Sarcastic	0385 C1		4 00		Cross link for upper cannon box, 30H., prior to 21214			18
Sarcinic	0385 C2		3 50		Cross link for upper cannon box, 30H., prior to 24278			18
Severity	0385 C3		3 50		Cross link for upper cannon box, 30H., prior to 33099			18
Serial	0386 C		4 00		Cross link for upper cannon box, 36, 45 and 60H., prior to 24278	0387 C	0387 C1	18
Sewer	0386 C1		3 50		Cross link for upper cannon box, 36 and 45H			18
Seriate	0387 C		4 00		Cross link for upper cannon box, 60H., prior to 21214		0386 C	18
Sextan	0387 C1		3 50		Cross link for upper cannon box, 60H., prior to 25452	0386 C		18
Sexfid	0388 C		4 00		Cross link for upper cannon box, 75H., prior to 24278			18
Sextette.	0388 C1		4 00		Cross link for upper cannon box, 75H., prior to 25088			18
Sexto.	0388 C2		3 50		Cross link for upper cannon box, 75H. (80H., prior to 28852)			18
Peerage	0389 C		4 50		Distance link, lower, 40H. (RR., prior to 22876)		02555 C	19
	0390 C		2 00		Equalizing link, 110H., prior to 27646			
	0390 C1		2 25		Equalizing link, 110H			
Stretcher	0395 C		1 50		Mud hook, R.H., 36, 45, 60 and 75H., for rice territory only, 8-set			
Striation	0396 C		1 50		Mud hook, L.H., 36, 45, 60 and 75H., for rice territory only, 8-set			
Stricken	0397 C		1 00		Mud hook, R.H., 30H., for rice territory only, 6-set, prior to 18142			
Sarcodes	0397 C1		1 00		Mud hook, R.H., 30H., 6-set, 50 and 65H., 8-set, for rice territory only			
Strictly	0398 C		1 00		Mud hook, L.H., 30H., for rice territory only, 6-set, prior to 18142			
Sarcodic	0398 C1		1 00		Mud hook, L.H., 30H., 6-set, 50 and 65H., 8-set, for rice territory only			
	0406 C		10		Faced nut, $\frac{1}{8}$ " 40, 50H and RR			
	0407 C		35		Faced nut, $1\frac{3}{16}$ ", piston rod, 110H			
	0408 C		50		Faced nut, $1\frac{15}{16}$ ", 110H			
	0409 C		50		Faced nut, $1\frac{3}{4}$ ", cross head pin, 80 and 110H			
	0410 C		10		Nut, $\frac{9}{16}$ "			
	0411 C		15		Nut, $1\frac{1}{2}$ " cross head pin, 80H			
	0412 C		15		Nut for piston, RR			
	0413 C		10		Faced nut, $\frac{3}{4}$ "			
	0414 C		10		Faced nut, $\frac{1}{8}$ "			
Falcade	0416 C		30		Jam nut for crosshead, 30, 36, 40H			
	0431 C1		50		Gib key for steering cone, RR., 110H., prior to 27640			
	0431 C2		50		Gib key for steering cone, 110H			
	0433 C1		10		Key for shaker lever			
Prisonment.	0436 C		50		Key for differential bevel, 80H			
Pristine.	0436 C		50		Key for counter shaft pinion, 110H., prior to 27319	03407 C		20
	0437 C		50		Key for bevel gear, 65 and 110H			20
	0439 C		35		Key for 2312C			
	0439 C1		35		Key for B1604C			
Prithce	0441 C1		25		Key for pump pinion, 80 and 110H			20
	0443 C		50		Key for eccentric hub, 80 and 110H			
	0444 C		75		Key for clutch pinion, 110H., prior to 27646			
Serval	0450 C		22 00		Ash pan, complete, 30H., prior to engine 10008		0464 C	
Servant.	0453 C		23 00		Ash pan, complete, 36H., prior to engine 10008		0465 C	
Service	0456 C		24 00		Ash pan, complete, 45H., prior to engine 10008		0466 C	
Sarcolemma	0460 C		25 00		Ash pan, complete, 60H., prior to engine 10008		0467 C	
Sarcology	0461 C		26 00		Ash pan, complete, 75H., prior to engine 10008		0468 C	
Sarcoma	0464 C		5 00		Ash pan bottom, 30H., engines 10007 to 11581	0450 C		
Sarcoplasm.	0464 C1		5 00		Ash pan bottom, 30H., prior to 14835			
	0464 C2				See 08179C			
Sarcostyle	0465 C		5 50		Ash pan bottom, 36H., engines 10007 to 11581	0453 C		
Sardinian.	0465 C1		5 50		Ash pan bottom, 36H., prior to 14835			
	0465 C2				See 08211C			
Sardonic	0466 C		5 50		Ash pan bottom, 45H., engines 10007 to 11581	0456 C		
Sardonyx	0466 C1		5 50		Ash pan bottom, 45H., prior to 14835			
	0466 C2				See 08145C			
Sargasso	0467 C		5 50		Ash pan bottom, 60H., engines 10007 to 11581	0460 C		
Sarmatian	0467 C1		5 50		Ash pan bottom, 60H., prior to 14835			
	0467 C2				See 08316C			
Sarmatic	0468 C		6 50		Ash pan bottom, 75H., engines 10007 to 11581	0461 C		
Sarmatier.	0468 C1		6 50		Ash pan bottom, 75H., prior to 14835			
Sarmentose.	0468 C2		6 50		Ash pan bottom, 75H., prior to 17509			
	0468 C3				See 08257C			
	0469 C				See 08103C			
	0471 C				See 08052C			
	0477 C1		75		Draft door, 36, 40, 45, 50, 60, 75 and 110H (80H., prior to 30768), RR., prior to 32147			
	0526 C		50		Washer for draw bar, 110H.			
Sartorial	0529 C		5 50		Crank pin, 110H., prior to 27319			
Peeress	0529 C1		7 50		Crank pin, 110H			

CASE REPAIRS—Letter C

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
Segment	0530 C		3 50		Crank pin, prior to 7093, use 0530C1 with 696C cap			21
Segregate	0530 C1		3 50		Crank pin, 30, 36, 40, 45H., and RR. (75H., prior to 9489, 60H., prior to 33873)		03544 C	21
Sartorius	0531 C		3 75		Crank pin, 75H., (80H., prior to 26641)		02825 C	21
Sassaby	0532 C		3 00		Crank pin, 18H.			21
Seignior	0534 C		5 00		Crosshead pin, 30 to 75H. (80H., prior to 26641)		0537 C	21
Sassafras	0535 C		3 50		Crosshead pin, 18H.			21
Sassolite	0537 C		5 00		Crosshead pin, 80 and 110H.	0534 C		21
Satanical	0538 C		75		Pin for wheel lock nut, 75 and 80H.	0557 C		22
	0539 C		50		Pin for cannon box brace, 75H.			
Seine	0540 C		50		Pin for cannon box, grooved, prior to 8012.			22
Seldom	0541 C		25		Pin for spring pot eye bolt.			22
Servitor	0542 C		75		Pin for bevel pinion in differential, 30H., prior to 33099			22
Falcata	0542 C1		75		Pin for bevel pinion in differential, 30H.			
Sesban	0543 C		75		Pin for bevel pinion in differential, 45 and 75H. (60H., prior to 25452) see 0716C.			22
Sextuplet	0543 C1		75		Pin for differential bevel pinion, 50, 60, 65 and 80H.			21
Seseli	0544 C		75		Pin for wood block in reverse			21
Sesqui	0545 C		1 00		Pin for 830C and 560C.			21
Sessile	0546 C		50		Pin for 532C			21
Sesterce	0547 C		60		Pin for 276C, 632C, 1097C, A1097C, B1097C, 1669C			21
Satellite	0548 C		30		Pin for 210C, and A210C, prior to 26641		02532 C	22
Setose	0549 C		25		Pin for 168C, prior to 10003			21
Satelloid	0549 C1		30		Pin for 168C, prior to 21214			21
Satiety	0549 C2		30		Pin for A168C, prior to 26641			21
Settee	0550 C		20		Pin for throttle rod			22
Settling	0551 C		25		Pin for 292C and 1194C, prior to 26641			22
Peganum	0551 C1		25		Pin for clutch quadrant.			22
Satinette	0552 C		35		Pin for 1195C, prior to 26641			22
Pegasus	0552 C1		25		Pin for clutch forked lever, 30, 36, 45, 60 and 75H.			22
Sever	0553 C		20		Pin for 181C and 1031C.			22
Several	0554 C		30		Pin for 356C, 356½C, A356½C, and 789C, A789C, see 0611C.			22
Severed	0555 C		30		Pin for 357C, prior to 7093			
Satiric	0556 C		40		Pin for 469C and 469½C, prior to 8012.			
Satirical	0557 C		75		Pin for wheel lock nuts, 60 and 75H. (30, 36 and 45H., prior to 21214, 75H., prior to 17509).		0538 C	22
							01967 C	
Sexangle	0558 C		25		Pin for counter shaft collar, 45H. (75H., prior to 9385, 60H., prior to 25452).			22
Scanning	0559 C		25		Pin for counter shaft collar, 75H.			22
Sexless	0560 C		15		Pin for 690C and 954C.			22
Sextain	0561 C		35		Pin for king pin through front split axle, prior to 8012.			22
Shabbily	0562 C		35		Pin for king pin through 793C, prior to 21214			
Satirist	0563 C		35		Pin for king pin, 30 to 80H.,			22
Sextile	0564 C		25		Pin for 247C and 960C.			
Shackling	0565 C		30		Pin for 961C, 237C, and 230C, prior to 18142			
Shadowed	0567 C		10		Pin for fire door hinge.			22
Sextuple	0568 C		60		Pin for 864C, and A864C, see 04198C.			21
Satisfy	0569 C		75		Pin for 534C and 1052C (using 0730C), prior to 9046.			21
Satrapal	0570 C		75		Pin for 534C (using 1099C), prior to 21214			21
Saturable	0571 C		1 00		Pin for 1200C, prior to 26015.			21
Shabby	0572 C		20		Pin for 711C, prior to 26641			22
Saturant	0573 C		15		Pin for smoke box door hinge, 30, 36H. and RR (40H., prior to 32147)			22
Shake	0574 C		15		Pin for smoke box door hinge, 40 to 80H.			22
Saturate	0575 C1		15		Pin for bolster clevis.			22
Scatter	0577 C		15		Pin for front axle clip, prior to 26641			22
Falchion	0577 C1		15		Pin for pole clip			
Shackle	0578 C		30		Pin for 699C and 1082C, see 0611C			22
	0579 C		10		Dowel pin in clutch arm, RR., prior to 32147.			
Shanked	0586 C		40		Pin for 783C, 784C, 969C, 1158C, 1159C, 1175C, and 1176C, prior to 26641.			
					Pin for platform frame, 30H.			22
Shanty	0587 C		25		Pin for rocker arm, 30 to 65H., see 04159C			21
Saturation	0590 C		75		Pin for reverse block, 110H.			21
Saturnian	0591 C		1 00		Pin for spring pot eye bolt, 110H.		0617 C1	22
Salty	0594 C		25		Pin for friction sleeve, 110H., prior to 26641.			21
Saturnine	0596 C		20		Pin for bevel pinion in differential, 110H., prior to 27319			21
Satyrical	0597 C		75		Pin for bevel pinion in differential, 110H.			21
Pegged	0597 C1		75		Pin for countershaft collar 30, 36H., prior to 32147; RR prior to 22871.			22
Sauerkraut	0599 C		25		Side pipe for 484C stack, prior to 14835			
Serry	0600 C		1 00		See 08183C			
	0600 C1				See 08148C.			
Serum	0601 C				Nozzle for blower.			
Saunter	0604 C		20		Pipe for spring pot			
	0605 C		35		Plate for drag link, 110H., special			
Cincture	0606 C1½		3 00		Drag link plate, 80 and 110H., prior to 26601			
	0606 C1		3 00		Plate for drag link, 80 and 110H.			
Cinder	0606 C2		3 00		Bracket for radius link, 40H. and RR, prior to 35609 for drag link, 30 to 75H.		A1161 C	
Prius	0608 C		1 50		Pin for friction clutch eye bolt, 60, 65 and 80H., 110H., prior to 27319, see 0554C and 0578C			22
Saurel	0611 C		35		Pin for grate connections, 65, 80 and 110H., and RR			22
Saurian	0613 C		10		Pin for rocking grate lever, 110H.			22
Sauropod	0614 C		15		Pin for rear wheel lock nuts, 110H.			21
Saussurite	0615 C		1 25		Pin for counter shaft collar, 110H. (4-inch counter shaft).			22
Sauterelle	0616 C		25		Pin for counter shaft collar, 110H., prior to 27319.			22
Sapaterne	0616 C1		25		Pin for spring pot eye bolt, 110H., prior to 22870.		0594 C	22
Savorious	0617 C1		25		Stud for rocker arm, 110H.			21
andery	0620 C		4 25		Forged king pin, 45, 60 and 75H., 50, 65, 80 and 110 H., port., (80 H., traction, prior to 28852, 30H., prior to 33099) see 03175C		792 C	23
paloyard	0621 C		3 00					

CASE REPAIRS—Letter C

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
Saxatile	0623 C		3.50		Forged king pin, 36H., 40H., portable.	933 C		23
	0626 C1		75		Pin for steering forked lever, 110H., prior to 27646.			
	0654 C1		35		Pin for toggle crank, 110H., prior to 27646.			
Saxhorn.	0655 C		2.00		Draw bar, prior to 8012			23
Saxicola.	0655 C1		2.00		Draw bar, 30, 36, 45 and 60H., prior to 18543; 75H., prior to 9385.		0656 C	23
Saxifrage.	0655 C2		2.00		Draw bar, 60H., com. tank; 30H., prior to 33099, 36, 45H., prior to 28852, see 0656C1—03039C			23
Saxifragine	0656 C		2.00		Draw bar, 75H., prior to 17509.	0655 C1		23
Saxonism	0656 C1		2.25		Draw bar, 75H., 60H.; C.F.B. (40H., prior to 28852) see 0655C2		03573 C	23
Sayette	0658 C		2.75		Draw bar, 110H.			21
	0669 C		1.25		Butt strap for rear wheel, 30 and 36H.			
	0669 C1		1.75		Butt strap for rear wheel, 45H.			
	0678 C1		1.75		Butt strap for rear wheel, 60H.			
	0679 C		1.25		Butt strap for rear wheel, 75H., prior to 22871.			
	0679 C1		1.75		Butt strap for rear wheel, 75H.			
Cinefaction.	0680 C		25		Pin for clutch hand lever, 30, 40, 50 and 65H.			22
Privacy.	0680 C1		50		Pin for reverse rod lever end, 110H.			21
Scooping...	0681 C		20		Pin, steering rod to lever, RR., prior to 33099.		04276 C	22
Scalable	0684 C		3.00		Plug for pump plunger, 110H., prior to 24278			7
Shoal.	0685 C		1.50		Poker.			
Sailer...	0689 C		35.00		Connecting rod, 110H., prior to 27319.			15
Pegging.	0689 C1		35.00		Connecting rod, 110H.			
Senator.	0690 C		30.00		Connecting rod, with strap, gib and key, all engines prior to 7093.			15
Senate	0690 C1		25.00		Connecting rod, 30, 40, 45, 50 and 60H., and RR., all engines except 75H., prior to 14835 (75H., simple, prior to 9490).	0696 C	0694 C	15
Scalariform.	0691 C		6.00		Strap for 0690C			15
Scalene.	0692 C		1.00		Key for 0690C			15
Senna	0693 C		1.00		Gib for 0690C.			15
Sawing	0694 C		25.00		Connecting rod, solid ends, 75H., 80H., prior to 26641.	0690 C1	02885 C	15
Scalenous	0696 C		25.00		Connecting rod, 30, 36, 40H., and RR., prior to 32147		0690 C1	15
Scaliger.	0698 C		20.00		Connecting rod, 18H.			15
Selection.	0700 C		5.50		Piston rod, 30H., simple, prior to engine 8012 (for piston 981C).			
Scaling	0700 C1		5.50		Piston rod, 30H., simple, for piston 978C			15
Selective.	0701 C		5.50		Piston rod, 36H., simple, piston 823C, prior to 8012.			
Scallion	0701 C1		5.50		Piston rod, 36, 40H., and RR., simple, for piston 979C.			15
Selectman.	0702 C		5.50		Piston rod, 45H., simple, for piston 820C, prior to 8012			
Seidlitz.	0702 C1		6.00		Piston rod, 45 and 50H., simple, for piston 980C			15
Seleniate.	0703 C		6.00		Piston rod, 60H., simple, taper & riveted for piston 837C, prior to 8012			
Scallom.	0703 C1		6.00		Piston rod, 60H., simple, for piston 981C			15
Select.	0704 C		6.00		Piston rod, 75H., simple, for piston 1044C, 1 $\frac{1}{16}$ -in. rod engines prior to 9490			15
Scalloped	0704 C1		6.50		Piston rod, 75 and 80H., simple, for piston 1044C.			15
Scalma.	0705 C		4.50		Piston rod, 18H.			15
Scalpel.	0707 C		7.50		Piston rod, 110H.			15
Sexually.	0709 C		1.25		Eccentric rod, 30 and 40H., and RR., prior to 30768	0731 C2		23
Clutter.	0709 C1		5.00		Eccentric rod, 30 and 40H., and RR., see 02989C			23
Scalping.	0710 C		7.50		Piston rod, 30H., compounded, for pistons 415C & 417C, prior to 8012			15
Selon.	0710 C1		7.50		Piston rod, 30H., compounded, for pistons 982C and 983C.			15
Selenite.	0711 C		7.50		Piston rod, 36H., compounded, for pistons 205C & 207C prior to 3287			15
Selling.	0711 C1		7.50		Piston rod, 36 and 40H., compounded, for pistons 985C and 984C.			15
Selector	0712 C		8.50		Piston rod, 45H., compounded, for pistons 184C and 186C.			15
Selvedge.	0712 C1		8.50		Piston rod, 45 and 50H., compounded, taper and threaded, for pistons 986C and 981C.			15
Selenic.	0713 C		8.50		Piston rod, 60H., compounded, for pistons 586C & 585C, prior to 8012			15
Scamble	0713 C1		8.50		Piston rod, 60H., compounded, for pistons 988C and 989C and 1117C.			15
Semiannual.	0714 C		10.00		Piston rod, 75 and 80H., compounded, for pistons 1132C and 1124C...			15
Sclerosis	0715 C		75		Pin for differential bevel pinion, 40H., and RR.			21
Scammony	0716 C		75		Pin for bevel pinion in differential, 36H.			22
Scampavia	0717 C		40		Bolt for connecting rod, crosshead end, 18H., prior to 21214.			15
Clypeus.	0717 C1		40		Bolt for connecting rod, crosshead end, 18H.			15
Scandalize.	0718 C		65		Bolt for connecting rod, crosshead end, 110H., prior to 21214			15
Scandalous	0718 C1		65		Bolt for connecting rod, crosshead end, 110H., prior to 27319.			15
Pegology.	0718 C2		75		Bolt for connecting rod, crosshead end, 80 and 110H.	042 C1		21
Scandent.	0719 C		90		Bolt for connecting rod, crank end, 110H., prior to 21214.			15
Scandic.	0719 C1		90		Bolt for connecting rod, crank end, 80H., 110H., prior to 27319	041 C1		15
Pelage	0719 C2		1.00		Bolt for connecting rod, crank end, 110H.			21
Selfish	0720 C		1.00		Valve rod, 30 to 60H., simple traction, prior to 21214; 75H., simple, traction, prior to 9385			23
Scandium.	0720 C1		1.00		Valve rod, 36, 45 and 60H., simple, 30H., simple, portable, 30H., traction, prior to 26641			23
Scansorial	0721 C		1.00		Valve rod, 75H., simple, prior to 21240.			23
Scaphism	0721 C1		1.00		Valve rod, 30, 40, and 75H., simple, and RR., 80H., prior to 26641.		03371 C	23
Scaphoid	0722 C		75		Valve rod, 30 to 60H., compounded, prior to 21214			23
Scapinade	0722 C1		75		Valve rod, 30 to 60H., compounded, prior to 24278			23
Shack.	0722 C2		75		Valve rod, 30, 40, 45 and 60H., compounded.			23
Scapolite	0723 C		75		Valve rod, 75H., compounded, prior to 21214			23
Scapose.	0723 C1		75		Valve rod, 75 and 80H., compounded			23
Scapula	0724 C		1.00		Valve rod, 30 to 60H., simple, portable, prior to 21214, 75H., simple, portable, prior to 9490			23
Scaraboid.	0724 C1		1.00		Valve rod, 30 to 60H., simple, portable, prior to 26600			23
Scarcely.	0725 C		1.00		Valve rod, 18H., prior to 21214, 18 $\frac{1}{16}$ -in., long V thread.			23
Scarceness.	0725 C1		75		Valve rod, 18H.			23
Salinery	0727 C		1.25		Valve rod, 110H., prior to 21214			21
Scarious.	0727 C1		1.25		Valve rod, 110H.			21
Seller	0730 C		2.00		Eccentric rod, 30H. simple, prior to 7093; 36, 45, 60 & 75H., prior to 9046.			23
Scarlatina.	0731 C		1.00		Eccentric rod, 30H., simple, traction, prior to 21214.			23
Searoid	0731 C1		1.00		Eccentric rod, 30H., simple, traction, prior to 24278			23
Shad	0731 C2		1.00		Eccentric rod, 36H., traction and roller (30H., prior to 26641)		0709 C	23

CASE REPAIRS—Letter C

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
Scarpines	0732 C		50		Bushing for 0730C			23
Semination.	0733 C		2 00		Eccentric rod, 36H., portable (30H., prior to 28852).		02989 C	23
Scatheful	0734 C		1 00		Eccentric rod, 36, 45 and 60H., traction and 30H., compounded, traction, prior to 21214.			23
Scatheless.	0734 C1		1 00		Eccentric rod, 36, 45 and 60H., traction and 30H., compounded, traction, prior to 24278		0709 C	23
Shaky.	0734 C2		1 00		Eccentric rod, 45 and 60H. traction.			23
Scatology.	0735 C		1 00		Eccentric rod, 75H., traction, prior to 21214		0730 C	23
Scattered	0735 C1		1 00		Eccentric rod, 75H., traction, prior to 26641			23
Shall	0735 C2		1 00		Eccentric rod, 75H., traction.			23
Scattering.	0736 C		2 00		Eccentric rod, 75H., portable.			23
Scatula	0737 C		1 50		Eccentric rod, 18H., prior to 21214			23
Scaturient.	0737 C1		1 50		Eccentric rod, 18H.			21
Scauper	0739 C		1 00		Eccentric rod, 110H., prior to 21214			21
Scavage.	0739 C1		1 00		Eccentric rod, 110H.			
Scavenge.	0740 C1		4 00		Reach rod for front axle, 30H.			
Strawberry.	0741 C1		4 50		Reach rod for front axle, 36H. (40H., prior to 31359)			
Scenical	0742 C1		5 00		Reach rod for front axle, 40 and 45H. (50H., prior to 31409)		0743 C2	
Strawcolor	0743 C1		5 50		Reach rod for front axle, 60H., prior to 24278.			
Sham	0743 C2		6 50		Reach rod for front axle, 50 and 60H.,			
Scenograph.	0744 C		6 00		Reach rod for front axle, 75H., prior to 24278			
Shamble.	0744 C1		7 00		Reach rod for front axle, 75H. (80H., prior to 31288)			
Cinene	0744 C2		5 50		Reach rod for front axle, 65 and 80H.			
Scentwood	0746 C		10 00		Reach rod for front axle, 110H.			
Schedule.	0750 C2		1 00		Reach rod for ash pan damper, 30H., prior to 33099			
Falcidian.	0750 C3		1 00		Reach rod for ash pan damper, 30H.			
	0751 C1		1 00		Reach rod for damper, 36H. and RR., prior to 22872.			
Scheelite.	0751 C2		1 00		Reach rod for ash pan damper, 36 and 40H. (RR., prior to 25089)		04183 C	
Schematic.	0752 C2		1 00		Reach rod for ash pan damper, 45H.			
Schematism.	0753 C2		1 00		Reach rod for ash pan damper, 60H.			
Schematize.	0754 C4		1 00		Reach rod for ash pan damper, 40 and 75H.			
Scheming.	0760 C		1 00		Reach rod for ash pan damper, 110H.			
Privado.	0761 C		1 00		End washer for counter shaft, 50 and 60H.			
Schesis.	0762 C2		1 00		Reach rod for blower, 36H.	755 C		
Schiller.	0763 C2		1 00		Reach rod for blower, 45H.			
Schinus.	0764 C2		1 00		Reach rod for blower, 60H.			
Schismatic.	0765 C1		1 00		Reach rod for blower, 75H. (80H., prior to 28852)			
Cineograph.	0765 C2		75		Reach rod for blower, 65 and 80H., prior to 33099			
Falciform	0765 C3		50		Reach rod for blower, 65 and 80H.			
	0768 C		2 00		Eccentric rod, 45 and 60H., simp. port. and skid			
	0769 C		2 00		Eccentric rod, 60H., comp. port. and skid.			
Schizocarp	0770 C2		75		Reach rod for cylinder cock, 30H.			
	0771 C1		75		Cylinder cock rod, 36H., prior to 21214			
Schizont	0771 C2		75		Reach rod for cylinder cock, 36H.			
Semeiotic	0772 C2		75		Reach rod for cylinder cock, 40, 45, 50 and 60H., simple			
Shammer.	0774 C		75		Latch for reverse lever, 30 to 80H., and roller, see 1892C	A605C		
Schnapps	0775 C1		75		Reach rod for cylinder cock, 75H.			
Privant	0778 C		35		Bushing on valve rod pin, 30, 36, 40, 45, 60H.			
	0779 C		1 00		Cylinder cock rod, RR., prior to 32147			
	0779 C1		1 00		Reach rod for cylinder cock, RR.			
Shanghai	0786 C		50		Pin for clutch forked lever bracket, 36, 45, 60 & 75H. (40 & 80H., prior to 28852, see 03626C and 02884C), 30H. prior to 33099, see 04179C			22
	0788 C		75		Side arm for rocking grate, 110H.			
	0789 C		1 50		Connection for grate lever, 110H.			
Scholarch	0790 C3		50		Reach rod for clutch, 30H., prior to 26601			
Falconry.	0790 C4		50		Reach rod for clutch, 30H., prior to 33099.			
	0790 C5		50		Reach rod for clutch, 30H.			
	0791 C3		50		Reach rod for clutch, 36H. and RR., prior to 22871			
Scumble	0791 C5		50		Reach rod for clutch, 36H.			
	0792 C2		50		Reach rod for clutch, 45H. and 75H., prior to 21214			
	0792 C3		50		Reach rod for clutch, 45H., prior to 26601. 75H., prior to 24278			
Shape	0792 C5		50		Reach rod for clutch, 75H.			
	0793 C3		50		Reach rod for clutch, 60H., prior to 26601			
Schooling	0793 C4		50		Reach rod for clutch, 45 and 60H.			
	0796 C2		1 00		Reach rod for clutch, 110H., prior to 26601			
	0796 C3		1 00		Reach rod for clutch, 110H.,			
Shapely	0797 C		7 50		Radius link, R.H., 60H.	0339 C		19
Shaper	0798 C		7 50		Radius link, L.H., 60H.	0340 C		19
Sclerosed.	0799 C		50		Reach rod for reverse, 40H., and RR.	0799 C1		
Cineol	0799 C1		50		Reach rod for reverse, roller, 31612 to 32147	0801 C4	0799 C	
Shark.	0800 C4		50		Reach rod for reverse, 30H.			
	0801 C3		50		Reach rod for reverse, 36H., and RR., prior to 22872			
Sharker	0801 C4		50		Reach rod for reverse, 36H. (RR., prior to 31173)		0799 C	
	0802 C3		50		Reach rod for reverse, 45H., prior to 24278			
	0802 C4		50		Reach rod for reverse, 45 and 50H.			
Sharper.	0804 C2		50		Reach rod for reverse, 60 and 75H.			
Sheathe.	0806 C2		1 00		Reach rod for reverse, 110H.			
Cineraria.	0807 C3		5 50		Connecting rod for pump, 110H., with bushing.			20
Cinerarium.	0809 C		1 00		Reach rod for throttle, 40H., and roller, prior to 31113			
Sclerosal	0809 C1		1 00		Reach rod for throttle, 40H., and roller.			
Fallacious.	0810 C4		1 00		Reach rod for throttle, 30H., simple, traction, prior to 33099			
	0810 C5		1 00		Reach rod for throttle, 30H., traction			
Fallacy.	0811 C3		1 00		Reach rod for throttle, 36H., simple, traction			
Shave	0812 C3		1 00		Reach rod for throttle, 45H., simple, traction			
Shaveling	0813 C3		1 00		Reach rod for throttle, 75H., compounded, traction.			
	0813 C4		1 00		Reach rod for throttle, 60H.			
	0814 C3		1 00		Reach rod for throttle, 30H., compounded, traction.			
Shaving.	0815 C3		1 00		Reach rod for throttle, 36H., compounded, traction			
	0816 C3		1 00		Reach rod for throttle, 50H., compounded, traction.			

CASE REPAIRS—Letter C

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
Shaw.	0817 C3		1.00		Reach rod for throttle, 60H., compounded, traction			
Scolopax	0818 C3		1.00		Reach rod for throttle, 75H., simple, traction			
Scolymus	0850 C		75		Flue scraper rod, 18 to 80H.			
Scombroid.	0852 C		50		Rod for screen adjuster, 30H., prior to 33099			
	0853 C		50		Rod for screen adjuster, 36, 45, 60 and 75H.			
	0855 C		4.00		Band for front tire, 30H.			
	0858 C		4.00		Band for front tire, 40 and 50H.			
Scopoline	0870 C		75		Flue scraper rod, 110H			
Shocked	0875 C1		1.25		Ash pan scraper.			
Scopulate	0877 C1		50		Scraper to clean behind firebrick			
Serpigo	0878 C		3.50		Cone screen, 30H., for 484C, and 1211C			
Serrate.	0879 C		4.00		Cone screen, 36 to 75H., for 398C and 1212C			
	0879 C1		4.00		Cone screen			
Private.	0899 C2		1.00		Shaft for clutch forked lever crank, 110H., prior to 26641			
Cinerary	0899 C3		1.50		Shaft for clutch forked lever crank, 110H			21
Security.	0910 C		15.00		Counter shaft, 30H., prior to 19563			17
Scorbute	0910 C1		15.00		Counter shaft, 30H., prior to 33099			17
Fallible.	0910 C2		18.00		Counter shaft, 30H			
	0911 C		17.00		Counter shaft, 36H., road roller, prior to 20003.		0918 C	17
Sedate.	0912 C		19.00		Counter shaft, 45H.			17
Scorbutic	0913 C		19.00		Counter shaft, 60H., prior to 25452			17
Shawl.	0913 C1		25.00		Counter shaft, 60H.			17
Sedately	0914 C		22.00		Counter shaft, 75H., prior to 9385			17
Scorching	0914 C1		26.00		Counter shaft, 75H., prior to 17509			17
	0914 C2		26.00		Counter shaft, 75H			17
Salix	0916 C		33.00		Counter shaft, 110H., 4-in., not used after 1907			17
Scoriform	0916 C1		50.00		Counter shaft, 110H., prior to 27319			17
Pellet.	0916 C2		50.00		Counter shaft, 110H.			17
Scampion	0918 C		17.00		Counter shaft, road roller, prior to 22872		0911 C	17
Sagacious	0918 C1½		17.00		Counter shaft, used with 1763½C, roller, special			14
Saltier.	0918 C1		22.00		Counter shaft, roller, prior to 32147			14
Fallow.	0918 C2		22.00		Counter shaft, roller, prior to 35609			
Ekara	0918 C3		22.00		Counter shaft, RR			
Sedation.	0920 C.		6.50		Steering shaft, 30H., prior to 8012			25
Scornfully.	0920 C1		6.00		Steering shaft, 30H., prior to 14808			25
Scorodite.	0920 C2		5.00		Steering shaft, 30H., prior to 19563			25
Scorpene	0920 C3		5.00		Steering shaft, 30H.			25
Sedative	0921 C		6.50		Steering shaft, 36H., prior to 8012			25
Scorpion	0921 C1		6.00		Steering shaft, 36H., prior to 14808			25
Scotching	0921 C2		5.00		Steering shaft, 36H., prior to 19563			25
Scotograph.	0921 C3		5.00		Steering shaft, 36 and 40H.			25
Sedentary	0922 C		6.50		Steering shaft, 45H., prior to 8012			25
Sedge.	0922 C1		6.00		Steering shaft, 45H., prior to 14591			25
Perdiem.	0922 C2		6.00		Steering shaft, 45H., prior to 19563			25
Scoundrel.	0922 C3		6.00		Steering shaft, 45H.			25
Sediment.	0923 C		7.00		Steering shaft, 60H., prior to 7093			25
Sedition	0923 C1		7.00		Steering shaft, 60H., prior to 8012			25
Perdition...	0923 C2		6.50		Steering shaft, 60H., not used after 1904			25
Scraggly	0923 C3		6.00		Steering shaft, 60H., prior to 18244			25
Scrambling	0923 C4		6.00		Steering shaft, 50 and 60H.			25
Screecher.	0924 C		7.00		Steering shaft, 75H., prior to 14141			25
Scribal.	0924 C1		6.00		Steering shaft, 75H., prior to 19563			25
Scribble.	0924 C2		6.00		Steering shaft, 65, 75 and 80H.			25
Scribing.	0927 C		4.50		Worm for friction steering, 110H., prior to 27646			25
Cinereous	0927 C1		5.00		Worm shaft for friction steering, 110H			
Scrimmage.	0935 C		25.00		Intermediate shaft, two-speed, 110H			
Scrimshaw	0936 C		7.00		Steering shaft, 110H., prior to 19563			
Scription	0936 C1		7.00		Steering shaft, 110H., prior to 27646			
Cingulum	0936 C2		5.00		Steering shaft, 110H			
Sheaf.	0968 C		35		Key for counter shaft pinion, 60H			20
Shear.	0969 C		30		Key for bevel gear, 60H.			20
Scriptory.	0971 C		25.00		Intermediate shaft, single speed, 110H., prior to 27646			17
Cinnabar.	0971 C1		30.00		Intermediate shaft, 110H			
Shelter.	0980 C		.30		Spoke, square head, 30H., traction, prior to 19563			24
Scripture.	0980 C1		.50		Spoke, square head, upset, 8x53 extension rim (30H. traction, prior to 33099)		0981 C1	24
Shoel.	0981 C		.40		Spoke, square head, 36H., traction, prior to 19563			24
Scrivello	0981 C1		.60		Spoke, square head, upset, 30 and 36H., traction, see 0980C1			24
Shepherd.	0982 C		.35		Spoke, square head, 45H., traction, prior to 19653			24
Scrupulous	0982 C1		.55		Spoke, square head, upset, 45H., traction, and 8x60 extension rim			24
Scrutineer	0983 C		.35		Spoke, counter head, 36, 45, 60 and 75H., portable for hub A892C, (not used after 1906)			24
Scrutinize.	0983 C1		.35		Spoke, counter head, 36, 45, 60 and 75H. portable for hub B892C, prior to 19563, (front for 110H., prior to 22869)			24
Scrutinous.	0983 C2		.40		Spoke, counter head, 36 to 110H., portable, rear			24
Sherbet.	0984 C		.40		Spoke, square head, 60 and 75H., traction, prior to 19563			24
Scrutiny	0984 C1		.65		Spoke, square head, upset, 60 to 75H., traction, and 66-in. ext. rim			24
Sheriff.	0985 C		.25		Spoke, counter head, 48-in. front wheel, 60H., prior to 8012; 30H., portable, rear, with hub 1148C, not used after 1906			24
Shellac.	0986 C		.20		Spoke, counter head, 44-in. front wheel with 1146C hub; 60 and 75H., traction, not used after 1906			24
Scuffle	0986 C1		.20		Spoke, counter head, 60 and 75H., traction and 30H. portable, rear, used with hub A1146C, prior to 19563			24
Scullery.	0986 C2		.30		Spoke, counter head, upset, 60 and 75H., traction, 30H., portable, rear, prior to 26641			24
Shillalah.	0987 C		.20		Spoke, counter head, 42-in. front wheel, used with hub 1145C, 36 and 45H., traction, 36, 45, 60 and 75H., portable, not used after 1906			24
Scullion	0987 C1		.25		Spoke, counter head, 36 and 45H., traction, 36 to 75H., portable, used with hub A1145C, prior to 19563			24

CASE REPAIRS—Letter C

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
Sculptural	0987 C2		30		Spoke, counter head, upset, 40, 50, 60 and 75H., traction, 30H., portable, rear, 36 and 45H., traction, 36, 45, 60, 75 and 80H., portable, prior to 28852			
Sculpture	0988 C		20		Spoke, counter head, 42-in. front wheel, 30H., prior to 8012; 30H., portable front, used with hub 1147C			24
Shimmer	0989 C		20		Spoke, counter head, 36-in. front wheel, 30H., traction, used with hub 847C			24
Scumbling.	0989 C1		20		Spoke, counter head, 30H., traction and 30H., portable front, with hub A847C, prior to 19563			24
Scurrile.	0989 C2		25		Spoke, counter head, upset, 30H., traction and 30H. portable, with hub B847C, prior to 26641			24
Pellicle.	0989 C3		25		Spoke for wheel, 30H., portable, 30H. traction, prior to 33099, see 02748C			24
Scurrility	0992 C		15		Spoke, front, 18H., prior to 22869			24
Sectile	0992 C1		25		Spoke for front wheel, 18H.			24
Scutage.	0993 C		20		Spoke, rear, 18H., prior to 22869			24
Sagging.	0993 C1		25		Spoke, for rear wheel, 18H.			24
Scutellate.	0995 C		75		Spoke, square head, 110H., and 84-in. extension rim			24
Sectional.	0996 C		60		Spoke for front wheel, 110H., prior to 27319			24
Pellitory.	0996 C1		60		Spoke for front wheel, 110H.			24
Scleroid.	01000 C		75		Spoke for rear roll, 12 ton roller, prior to 22870 (60H., oil)		02085C	24
Scutellum.	01016 C		3 00		Spring for draw bar, 110H.			24
Scyllarian.	01017 C		3 50		Bolster spring, inner, 65, 75 and 80H., R.H. (draw bar, 80H. C.F.B.)			24
Scyphus.	01018 C		6 00		Bolster spring, outer, 65, 75 and 80H., R.H.			24
Scythe	01019 C		2 00		Spring for differential, 80H., and 110H			24
Sensible.	01020 C		40		Spring for platform, 30, 60 and 75H.			24
Sensuous.	01021 C				Spring for draw bar, 30 to 75H., use 01026C			24
Sentence	01022 C		75		Spring for steering chain, 30 and 36H., prior to 22869			24
Scalding.	01023 C		1 00		Spring for steering chain, 30 to 50H., and RR., see 01037C			24
Sentiment.	01024 C		2 00		Bolster spring, 30H., inside (draw bar 40, 50, 65 and 80H.) for steering chain, 110H			24
Sentinel	01025 C		4 00		Bolster spring, 30H., outside			24
Sentry.	01026 C		3 00		Bolster spring, 36 to 80H., inside (draw bar 30, 45, 60 and 75H.) RR., prior to 35609, see 02998C			24
Sepaloid	01027 C		5 00		Bolster spring, 36 and 60H., outside (L.H., 65, 75 and 80H.) RR., prior to 35609			24
Pellucid...	01028 C		7 00		Bolster spring, R.H., 110H			24
Perch...	01029 C		7 00		Bolster spring, L.H., 110H			24
Sepoy...	01030 C		1 00		Spring for differential, 30H., prior to 22869			24
Sago...	01030 C1		1 00		Spring for differential, 30H., prior to 33099			24
Falseness.	01030 C2		1 00		Spring for differential, 30H			24
Scythian.	01031 C		1 25		Spring for differential, 36 to 75H., and RR., see 04020C			24
Seaboard.	01032 C		15		Spring for 854C			24
Seafarer.	01033 C		10		Spring for 166C			24
Falsetto...	01036 C1		10		Spring for reverse lever, 110H.			24
Salable.	01037 C		1 00		Spring for steering chain, 60, 65, 75 and 80H., see 01023C			24
	01099 C		15		Washer for valve rod, 40H			
	01117 C1		50 00		Tire for rear wheel, 36H.			
	01118 C1		55 00		Tire for rear wheel, 45H.			
	01121 C2		45 00		Tire for rear wheel, 30H., 14x53-in., prior to 33099		04092 C	
	01126 C1		65 00		Tire for rear wheel, 60H.			
	01127 C1		75 00		Tire for rear wheel, 75H., prior to 23208			
	01127 C2		75 00		Tire for rear wheel, 75H			
	01158 C1		05		Spacing washer, RR., and 110H			
Seance.....	01160 C		50		Wood block for reverse, complete, prior to 7093			
Sheepish.	01161 C		50		Wood block for reverse, complete, prior to 14834			
	01161 C1				See 08296C			
	01176 C1		35		Eye bolt for toggle, 110H.			
	01178 C		10		Washer for brake hand lever, 18 and 30H., portable.			
	01178 C1		10		Washer for crank pin, 80H.			
Seaport	01182 C		2 25		Dead plate for wood burner, 30H			
Searching	01183 C		2 50		Dead plate for wood burner, 36, 40 and 45H			
Seascape.	01184 C		2 75		Dead plate for wood burner, 60H.			
Seashore	01185 C		3 00		Dead plate for wood burner, 75 and 80H.			
Seasick	01186 C		3 50		Dead plate for wood burner, 110H			
	01192 C		5 00		Channel for rear wheel, 60 and 75H			
	01193 C		7 50		Channel for rear wheel, 110H.			
	01198 C		75		Collar for front axle, 36, 40, 45, 60, 75 and 110H.			
	01215 C1		1 50		Front standard for canopy, R.H., 40, 50, 65 and 80H			
	01216 C1		1 50		Front standard for canopy, L.H., 40, 50, 65 and 80H			
	01220 C		2 50		Rear standard for canopy, R.H., 40, 50, 65 and 80H			
	01221 C		2 50		Rear standard for canopy, L.H., 40, 50, 65 and 80H			
	01236 C		50		Shield over C.S. pinion, top, R.H., 30, 36 and 45H			
	01237 C		50		Shield over C.S. pinion, top, R.H., 60H			
	01238 C		50		Shield over C.S. pinion, top, R.H., 75H			
	01242 C		50		Shield for spur gear, front, R.H., 30, 36 and 45H			
	01243 C		60		Shield for spur gear, front, R.H., 60H			
	01244 C		60		Shield for spur gear, front, R.H., 75H			
	01248 C		75		Shield side C.S. pinion, 30, 36, and 45H			
	01249 C		75		Shield side C.S. pinion, 60H			
	01250 C		1 00		Shield side C.S. pinion, 75H			
	01252 C		75		Bolt, engine frame to bracket, 30, 40H., and RR			
	01256 C1		1 00		Shield for differential, 75H., prior to 22871			
	01256 C2		1 00		Shield for differential, 75H.			
	01257 C1		1 25		Shield for differential, 75H.			
	01266 C		50		Shield for C.S. pinion, top, L.H., 30, 36 and 45H			
	01267 C		50		Shield for C.S. pinion, top, L.H., 60H.			
	01268 C		50		Shield for C.S. pinion, top, L.H., 75H.			
	01274 C		50		Shield for spur gear, front, L.H., 30, 36 and 45H.			

CASE REPAIRS—Letter C

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
	01275 C		.50		Shield for spur gear, front, L.H., 60H, prior to 24278.			
	01275 C1		.60		Shield for spur gear, front, L.H., 60H.			
	01276 C		.60		Shield for spur gear, front, L.H., 75H			
	01287 C		.50		Shield for spur gear, rear, R.H., 36H			
	01288 C		.50		Shield for spur gear, rear, L.H., 36H			
	01289 C		.50		Shield for spur gear, rear, R.H., 45H			
	01290 C		.50		Shield for spur gear, rear, L.H., 45H			
	01291 C		.50		Shield for spur gear, rear, R.H., 60H			
	01292 C		.50		Shield for spur gear, rear, L.H., 60H			
Seaside	01310 C	2	.50		Cross shaft for L.H. steering attachment, 36 and 45H.			
Seasoning	01311 C	2	.50		Cross shaft, L.H. steering attachment, 60H.			
Seating	01312 C	2	.50		Cross shaft, L.H. steering attachment, 75H.			
Seaweed	01314 C	5	00		Steering shaft for L.H. steering attachment, 36H			
Seaworthy..	01315 C	5	00		Steering shaft for L.H. steering attachment, 45H.			
Sebaceous.	01316 C	5	00		Steering shaft for L.H. steering attachment, 60H			
Sebacie	01317 C	6	00		Steering shaft for L.H. steering attachment, 75H.			
Sebesten..	01333 C	2	00		Dead plate for wood burner, 18H			
Salared..	01523 C		.75		Hand hole plate and bolt.			
Sedilia..	01524 C		.25		Crab for hand hole plate.			
Privateer.	01584 C	1	.75		Heater tube, 110H.	0293 C		23
Scleria	01595 C	1	00		Plug for spike hole, R.R., prior to 22872	02052 C	1383 C	14
Sclerema	01596 C	1	.50		Spike for roll, long, R.R., prior to 22872.	02035 C	2	14
Seepage.	01596 C1	1	.50		Spike for rear roll (set 80) RR			14
Scissors.	01597 C	1	.25		Spike for roll, short, R.R., prior to 22872.	02034 C	1	14
	01598 C	1	.25		Wheel brace, R.H., R.R., prior to 26601			
	01598 C1	1	.25		Wheel brace, long, 40H. and RR			
	01599 C	1	.25		Wheel brace, L.H., R.R., prior to 26601			
	01600 C		.50		Wheel brace bolt, 40H., prior to 26601			
	01600 C1		.50		Wheel brace bolt, R.R.			
Salify.	01601 C		.15		Pin for front axle cap, 30H., traction, 30 to 110H., port. conv. RR			
Cinnamate.	01621 C		1.00		Ice pick for municipal wheel, see 1014C.			
	01702 C		80.00		Rear wheel tire, R.H., 80H., prior to 26601...			
	01702 C1		80.00		Tire for rear wheel, R.H., 80H			
	01703 C		80.00		Rear wheel tire, L.H., 80H., prior to 26601			
	01703 C1		80.00		Tire for rear wheel, L.H., 80H			
	01712 C1		.75		Rear wheel spoke, 36 and 45H			
	01713 C1		.75		Rear wheel spoke, 75H.			
	01878 C		.50		Nut for steering roller rod, 65, 80 and 110H.			
Shearing	01919 C		.50		Heater tubes, 30H., prior to 33099	0279 C		
Falsidical.	01919 C1		.50		Heater tubes, 30H			
	01940 C		.35		Stem for foot valve, 80 and 110H.			
Cinnamic.	01942 C		.10		Leather for foot valve, 80 and 110H.			
	01945 C		.35		Screen for foot valve, 80 and 110H.			
Sheath.	01948 C1		.75		Heater tube, 36H.	0279 C		
Cinnamon	01961 C		.35		Bale for steering chain, 30, 40, 45, 50 and RR.			
	01962 C		.10		Plate for steering chain clevis, 30, 40 and 50H., and RR.			
	01963 C		.35		Side strap for grate, R.H., 75H.			
	01964 C		.50		Side strap for grate, L.H., 75H.			
	01965 C	2	.50		Lever for grate, 75H.			
	01966 C	2	.50		Lever connection for grate, 75H.			
Sebiferous	01967 C		.50		Pin for rear wheel lock nut, 30, 36, 40H. and RR.	0557 C		22
Sebright.	01968 C		.50		Pin for rear wheel lock nut, 45 and 50H.	0557 C		22
Ekawa.	01975 C		.50		Shoulder bolt for rocking grate lever connection.			
	01976 C	1	.50		Side strap extension, 80H., prior to 33099			
	01977 C		.75		Bolt thru link and grate lever, 75H.			
	01989 C	2	.50		Wheel brace, short, 36 and 45H			
	01990 C	2	.50		Gear brace, outside, 75H., prior to 26601			
	01991 C	2	.50		Wheel brace inside, 60H.			
Cinnamonic	01993 C		.50		Bale for steering chain, 60, 65, 75 and 80H.			
Seducement.	01995 C1	1	.25		Wrench for union nut on throttle, 75 and 80H.			
Seduction	01996 C	1	.25		Wrench for union nut on throttle, 110H.			
Seethe.	02007 C	4	00		Lower link for tank, roller, prior to 30768.			
Cinnoline.	02007 C1	4	00		Lower link for tank, roller, prior to 32147.			
Falsify.	02007 C2	4	00		Lower link for tank, R.R., prior to 35609			
Secamone	02008 C	4	00		Link for lower cannon box, 36H., contractors tank, prior to 18244.			19
Secancy...	02008 C1	4	.50		Link for lower cannon box, 36H., contractors tank, R.R., prior to 2887	2		19
Seceder.	02009 C	3	.50		Link for upper cannon box, 36H., contractors tank R.R. prior to 22872			19
Segmentary	02010 C	40	00		Rear axle, R.R., prior to 32149	02 C		14
Falsism.	02010 C1	40	00		Rear axle, R.R., prior to 35609			
Exasa.	02010 C2	40	00		Rear axle, roller			
Scottish.	02011 C	12	00		Bolster shaft, R.R., prior to 22872			14
Seignioral.	02011 C1	13	00		Bolster shaft, R.R., prior to 32149			14
Falsity.	02011 C2	14	00		Bolster shaft, R.R.			
Scholar	02012 C	20	00		Front axle, R.R.			14
	02013 C1	55	00		Bolster yoke, RR			
Seignior	02016 C		.25		Pin for front axle collar, RR			14
Scepter.	02018 C1	2	.50		Front scraper blade, RR			
	02019 C1	2	.00		Support for front roller scraper, RR			
	02020 C1	1	.00		Scraper for rear wheel, 1906 style road roller			
Secluded	02020 C2	1	.50		Scraper for rear wheel, road roller.			
	02021 C2	110	00		Tire for rear wheel, R.R.			
Scolex	02022 C		.75		Spoke for rear roll, roller, prior to 1908.			
Scooter.	02022 C1	1	.00		Spoke for rear roll, 10-ton R.R., see 02085C			14
Seclusion.	02023 C	3	.50		Vertical worm shaft for steering, road roller, prior to 22872.			20
Seismic.	02023 C1	3	.50		Vertical worm shaft, R.R., prior to 32147			
Famine.	02023 C2	3	.50		Vertical worm shaft, R.R.			
Scleroma.	02024 C2	5	.00		Shaft for steering gear, R.R., prior to 22872.			
Seismical.	02024 C3	5	.00		Shaft for steering gear, R.R., prior to 32147			
Famously	02024 C4	5	.00		Shaft for steering gear, R.R.			

CASE REPAIRS—Letter C

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
Famulus.	02025 C		.40		Pin for steering forked lever, RR.	02539 C		22
Sclaff	02026 C		2.00		Stud shaft for intermediate steering gear, RR., prior to 22872			
Scissel	02027 C1		1.00		Reach rod for steering gear, RR., prior to 22872			
Clypeal	02027 C2		1.00		Reach rod for steering, RR., prior to 32147			
Fanatical	02027 C3		1.25		Reach rod for steering, RR.			
	02028 C		.75		Bolt for oil cup, RR.			
	02031 C		1.00		End washer for counter shaft, 30, 40H. and RR			
	02032 C		.75		Cap screw in countershaft, RR., prior to 24278			
Fanaticism.	02032 C1		.75		End bolt for counter shaft, 30 to 80H., and RR			
Sciatic.	02034 C1		.50		Spike for wheel, short 10-ton RR., not used after 1908	01597 C		14
Scheme.	02035 C2		1.00		Spike for wheel, long 10-ton RR., not used after 1908	01596 C		14
	02041 C		.75		Slide for bunker door, 36 and 45H			
	02042 C		.75		Slide for bunker door, 110H			
	02042 C1/2		.75		Slide for bunker door, 110H			
Ekepa	02047 C		.50		Clevis, RR			
Scolder	02052 C		.10		Plug for tire, 10-ton RR., not used after 1908	01595 C		14
Seedtime.	02057 C		1.00		Reach rod for clutch, RR., prior to 32147	02905 C		2
	02060 C		.35		Gear guard brace, long, 36H			
	02061 C		.35		Gear guard brace, short, 36H			
	02062 C		.35		Gear guard brace, long, 45H			
	02063 C		.25		Gear guard brace, short, 45H			
	02064 C		.35		Gear guard brace, long, 75H			
	02065 C		.25		Gear guard brace, short, 75H			
Seedy	02066 C		7.00		Front scraper shaft for rear roll, prior to 22872			
Seeing	02066 C1		6.00		Front scraper shaft for rear roll, RR., prior to 32147			
Fanaticize.	02066 C2		6.00		Front scraper shaft for rear roll, RR			
Selenology.	02067 C		8.00		Rear scraper shaft for rear roll, RR., prior to 22872			
Seismicity.	02067 C1		6.00		Rear scraper shaft for rear roll, RR., prior to 32147			
Fanciful	02067 C2		6.00		Rear scraper shaft for rear roll, RR., prior to 35609			
Ekega	02067 C3		2.50		Scraper shaft, RR			
	02069 C		1.50		Wheel brace, R.H., RR., prior to 21214			
	02069 C1		1.50		Wheel brace, R.H., RR., prior to 26601			
	02070 C		1.50		Wheel brace, L.H., RR., prior to 21214			
	02070 C1		1.50		Wheel brace, L.H., RR., prior to 26601			
Fandangle.	02083 C		2.00		Grouter for road roller, convertible parts, R.H.			
Fanfaron.	02084 C		2.00		Grouter for road roller, convertible parts, L.H.			
Cinque	02085 C		.75		Spoke for rear roll, 12-ton RR., see 02022C1	01000 C		
	02087 C		.75		Top band for coal bunker, R.H., RR., prior to 22871			
	02087 C1		.75		Top band for coal bunker, R.H., RR			
	02088 C		.75		Top band for coal bunker LH prior to 22871			
Seneschal	02090 C		1.00		Socket for rear roll, RR	1831 C		
Senior	02091 C		.15		Retainer spring for spike and plug, 10-ton, RR.			
Sennit	02095 C		.35		Retainer spring for spike and plug, 12-ton, RR.			
Sensitize.	02098 C		.75		Heater flue, RR., prior to 24278			
Privately.	02098 C1		.75		Heater flue, (40H., prior to 30768) RR., prior to 32147			
Clysmian	02098 C2		1.00		Heater flue, 40H., and RR			
	02099 C		1.00		Heater tie rod, 40H., and RR			
	02134 C		.10		Retainer for mud lug for freighter			
Separatist	02175 C		*60.00		Curtains for RR., prior to 22872. NET			
Septic.	02175 C1		*60.00		Curtains for RR. NET			
	02214 C		1.25		Stiffener angle for front scraper, RR.			
	02215 C		.50		Tie rod for front scraper, RR			
Series.	02216 C		2.50		Steering lever shaft, RR., prior to 22872			
Serious	02219 C		.75		Scraper spring for front roller, R.H. (rear, prior to 22872) see 02530C			24
Sermonet	02220 C		.75		Scraper spring for front roller, L.H. (rear, prior to 22872) see 02530C			24
	02221 C		1.50		Scraper support spreader, RR			
Secretary	02223 C		2.00		Mud hook, R.H., 110H., prior to 19563, set 12, price each			
Secrete.	02223 C1		2.00		Mud hook, R.H., 110H., set 12, price each			
Secretion	02224 C		2.00		Mud hook, L.H., 110H., prior to 19563, set 12, price each			
Secretive	02224 C1		2.00		Mud hook, L.H., 110H., set 12, price each			
Secretly	02254 C		.50		Fiber for steering pinion, RR. (110H., prior to 27319, see 03414C)			
Fangle.	02272 C		1.00		Jam nut for distance link, R.H. thread, 110H			
Fangled.	02274 C		1.00		Jam nut for distance link, L.H., thread, 110H			
	02302 C		7.00		Bottom for coal bunker, 36 and 45H., prior to 26601			
	02305 C1		20.00		Tank head, top, 60H.			
	02306 C1		20.00		Tank head, bottom, 60H			
	02308 C		7.50		Coal bunker bottom, 60H., prior to 26601			
	02308 C1		7.50		Coal bunker, bottom, 60H			
	02310 C1		20.00		Tank top head, 75H., C.F.B			
	02311 C1		20.00		Tank bottom head, 75H., C.F.B			
	02319 C1		7.50		Coal bunker bottom, 75H			
	02320 C1		5.00		Platform bottom, short, 75H., C.F.B.			
	02326 C3		20.00		Tank head, upper, 40H. and RR			
	02327 C4		20.00		Tank head, lower, RR			
	02328 C		5.00		Coal bunker bottom, 40H., and RR., prior to 26601			
	02346 C1		5.00		Platform bottom, short, 60H., C.F.B			
	02408 C1		5.00		Platform bottom, short, 36 and 45H., C.F.B			
	02423 C		.50		Handle for C.F.B			
	02425 C		4.50		Platform side sheet, R.H., 36 and 45H., C.F.B., prior to 26601			
	02426 C		4.50		Platform side sheet, L.H., 36 and 45H., C.F.B., prior to 26601			
Secularist	02501 C		.75		Grouter, R.H., 75 and 80H., and 12x72 and 74-in. extension rim.	1056 C		
Secundine.	02502 C		.75		Grouter, L.H., 75 and 80H., and 12x72 and 74-in. extension rim	1057 C		
Cirquepace.	02521 C		4.50		Link to upper cannon box, R.H., RR., prior to 30768			14
Cipango.	02521 C1		4.50		Link to upper cannon box, R.H., RR			14
	02521 C2		10.00		Link to upper cannon box, R.H., RR			
	02524 C		.75		Side draw eye.			
ismism	02530 C		.65		Spring for rear roll scraper, RR., prior to 32147.	02219 C		
osa.	02531 C		.40		Pin for reverse rod head, 1893C	0548 C		22
osity	02532 C		1.25		Shoulder bolt for reverse lever, 1891C	045 C	03553 C	21

CASE REPAIRS—Letter C

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Pgae
Serotine	02533 C		75		Pin for clutch lever, 1889C			14
	02534 C		50		Clutch toggle connection, RR., prior to 32147			
	02535 C		15		Pin for toggle connection, RR., prior to 32147			
	02536 C		75		Bracket for clutch toggle lever, RR., prior to 32147			
	02537 C		75		Pin for clutch toggle lever, RR., prior to 32147			
Serpentry	02538 C		50		Shoulder pin for steering lever, 1896C, and 1898C, prior to 32147			14
Fanning	02538 C1		60		Shoulder bolt for hand steering lever, RR			
Serpuline.	02539 C		20		Pin for steering forked lever, A1346C		02025 C	14
	02540 C		15		Dowel for end of countershaft.			
	02541 C		05		Hinge pin for steering gear cover, RR., prior to 32147			
Privation	02545 C		30		Key for friction clutch pinion, 50H. and RR.			20
Privative.	02546 C		30		Key for countershaft pinion, 40H. (RR., prior to 32147, see 04277C)			20
	02546 C		30		Key for eccentric strap, 65H.			
Privet	02547 C		30		Key for bevel gear, 40H., and RR.			20
	02549 C		15		Pin for intermediate gear bracket bearing, RR			
Seismogram	02551 C		6.50		Radius link, R.H., RR., prior to 35609			14
Seismology.	02552 C		6.00		Radius link, L.H., RR., prior to 32147			14
Fantasia	02552 C1		6.00		Radius link, L.H., RR., prior to 35609			
Seize	02553 C		6.50		Drag link, RR. prior to 35609			14
Selago.	02554 C		4.00		Distance link, upper, 40H. (RR., prior to 32147) see 04082C	0373 C		14
Selected	02555 C		5.50		Distance link, lower, RR., prior to 32147	0389 C	0372 C1	14
Selenium	02556 C		3.50		Guide link, RR., prior to 24278			14
Clypeate	02556 C1		3.00		Guide link, RR., prior to 32147			14
	02558 C		50		Spacing ring on lower cannon bearing, RR., prior to 32147			
	02559 C		35		Stop, upper and lower cannon bearing RR., prior to 32147			
	02569 C		1.25		Clevis nut for rod head			
Peltast	02588 C		20		Jam nut for crosshead, 18H	1274 C		23
Peltate	02589 C		35		Nut for rocker arm pin, 80H			23
Pelting	02590 C		50		Jam nut for crosshead, 45, 50, 60 and 65H., replaces 209 1/2C			23
Peltry	02591 C		50		Jam nut crosshead, 75 and 80H			23
	02592 C		25		Washer for axle clamp, and radius links			
	02610 C		1.25		Standard for canopy RR., prior to 32147			
	02611 C		2.50		Standard for canopy, rear, R.H., RR			
	02612 C		2.50		Standard for canopy, rear, L.H., RR			
	02695 C		15		Lock washer for countershaft.			
	02696 C		05		Pin for lock washer, 60H.			
Probation	02739 C		25		Linch pin for skein cap, 40 to 80H., prior to 32147			
Fantasque.	02739 C1		25		Linch pin for front axle cap, 40 to 80H., traction, see 01601C			
Pelvimeter	02748 C		25		Spoke for front wheel, 30, 36, and 45H., traction, see 0989C3, 36 to 80H., portable and conv., RR.			24
								21
Pelvis.	02825 C		5.00		Crank pin, 80H.	0531 C		
Privilege.	02856 C		1.50		Heater tube, 45, 50, 60H., prior to 31409	0283 C		
Cipolin	02856 C1		1.50		Heater tube, 50H.			
Privity	02857 C		1.50		Heater tube, 60 and 65H			
Prize	02858 C		1.50		Heater tube, 75H.	0285 C		
Pemmican.	02880 C		.60		Pin for clutch eye bolt, 65, 80 and 110H.	994 C		22
Pemphigus.	02881 C		1.00		Turnbuckle for friction clutch, 36 to 75H. (80H., prior to 28852, see 03627C)			
Penal.	02882 C		.50		Eye bolt for friction clutch, R.H., 75H., prior to 28852	037 C3	037 C4	22
Penalize	02883 C		.50		Eye bolt for friction clutch, L.H., 75H., prior to 28852	038 C3	038 C4	22
Prizer	02884 C		2.00		Pin for forked clutch lever, 80H.	0786 C		
Proamnon.	02885 C		25.00		Connecting rod, 80H	0694 C		
Penalty	02900 C		20.00		Counter shaft, 40H			17
Penance.	02901 C		65		Spoke for rear wheel, 40H			24
	02902 C		1.00		Wheel brace, short, R.H., 40H			
	02903 C		1.00		Wheel brace, short, L.H., 40H			
Fundus.	02905 C		75		Reach rod for clutch, RR			
Panates.	02910 C		3.00		King pin, 40H., prior to 31762		03175 C	23
Probable.	02918 C		25		Eye for throttle rod, 30, 40, 50, 65, 110H., and RR., see 1685C			
Penchant.	02930 C		7.00		Radius link, R.H., 40H			18
Pencil	02931 C		7.00		Radius link, L.H., 40H			18
Pendant	02932 C		4.00		Stub link for lower cannon box, 40H., prior to 26641		03461 C	19
	02942 C		55.00		Tire for rear wheel, R.H., 40H			
	02943 C		55.00		Tire for rear wheel, L.H., 40H			
Cippus	02989 C		2.00		Eccentric rod, 30 and 40H., port., see 0709C1	0733 C		23
	02993 C		25		Bracket for steering foot board, 65 and 80H.			
Circar	02994 C		10		Spanner pin for geared pump			20
Fantassin.	02998 C		1.25		Spring for draw bar, 30H., RR., prior to 35609	01026 C		
	03000 C		75		Spoke for rear wheel, 80H., prior to 26601			
Pendentive.	03000 C1		1.00		Spoke for rear wheel, 80H			24
	03001 C		1.50		Wheel brace, long, 80H			
	03002 C		1.50		Wheel brace, short, 80H.			
Fantastic	03005 C1		60		Jam nut for distance link turnbuckle, R.H. thread, 80H			
Fantine.	03006 C1		60		Jam nut for distance link turnbuckle, L.H. thread, 80H			19
Probably	03007 C		5.00		Distance link, lower, 80H			19
Probang.	03008 C		4.50		Distance link, upper, 80H			17
Pendicle	03010 C		45.00		Counter shaft, 80H			16
Pending	03011 C		65.00		Rear axle, 80H.			16
Parameter.	03012 C		25.00		Front axle, 80H., prior to 26641		013 C2	16
Pendulous.	03014 C		7.50		Radius link, R.H., 80H			19
Clysmic.	03015 C		7.00		Radius link, L.H., 80H., prior to 30657			19
Pendulum.	03015 C1		7.00		Radius link, L.H., 80H			19
	03020 C1		5.00		Link for lower cannon bearing, 80H			
	03034 C		4.00		Tank link upper, 80H.			
	03036 C		50		Stop for upper cannon bearing, 80H			
Faradic	03039 C		1.00		Draw bar, 30H.	0655 C 2		22
	03040 C		75		Draw eye, short, 80H			
Faradism	03041 C		2.00		Draw bar, 80H., with contractor's bunker, see 03852C			22
	03042 C		3.50		Bracket for draw bar, 80H			

CASE REPAIRS—Letter C

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
Penetrable	03063 C		3.50		Lever for rocking grate, 80H., prior to 33099			
	03083 C		1.50		Mud hook, R.H., 40 and 80H., 8-set.			
Penetrant.	03084 C		1.50		Mud hook, L.H., 40 and 80H., 8-set			
	03085 C		1.25		Washer for counter shaft, 80H			
	03086 C		1.50		Reach rod for clutch, 80H., prior to 26601			
	03086 C1		1.50		Reach rod for clutch, 80H., prior to 28852			
	03086 C2		1.50		Reach rod for clutch, 80H			
	03088 C		1.00		Throttle rod, 80H.			
	03089 C		.50		Reverse rod, 65 and 80H.			
	03090 C		.50		Shoulder bolt for grate lever, RR.			
	03091 C		.15		Spacer for grate lever, 80H., prior to 33099			
	03092 C		2.00		Lever rod for rocking grate, 80H., prior to 33099			
	03092 C1		1.50		Connection for grate lever			
	03093 C		1.25		Front damper rod, 80H., prior to 32147			
Ekeja.	03097 C1		5.00		Rim for front wheel, 65 and 80H			
	03090 C		.50		Shoulder bolt for grate lever, RR.			
Penetrate.	03098 C		.35		Spoke for front wheel, 80H., prior to 28852			24
	03098 C1		.35		Spoke for front wheel, 65 and 80H			
	03100 C1		20.00		Tank head, upper, 80H., C.F.B.			
	03101 C1		20.00		Tank head, lower, 80H., C.F.B.			
Probate.	03116 C		1.50		Heater tube, 80H., prior to 32944.			
Faradize.	03116 C1		1.75		Heater tube, 80H.			
	03120 C		.50		Key for counter shaft pinion, 80H.			
Penguin	03143 C		1.50		Fire brick, 18H.			23
Peninsula	03144 C		1.00		Dead plate, 30H	762 C		
Penitence	03145 C		.75		Dead plate, 18H.			
Probe.	03157 C		.75		Spoke for 74-in. extension rim.			24
	03158 C		10.00		Center ring for 72 and 74 extension rim			
Probit.	03159 C		2.00		Key for fly wheel, and winding drum, 80H.	0316 C		20
Clyster	03168 C		3.50		Link for upper cannon box, L.H., road roller, prior to 32147			14
Farinose.	03168 C1		3.50		Link for upper cannon box, L.H., road roller.			
	03171 C		.25		Nut for clutch, L.H. thread, 65 and 80H.			
Problem.	03175 C		2.75		King pin, 30, 40, 50, 65 and 80H., see 0621C—02910C.			23
	03186 C		.75		Connecting bar for grate, short, 45H			
	03187 C		.75		Connecting bar for grate, long, 45 and 50H., prior to 30769.			
	03188 C		.75		Connecting bar for grate, short, 60H			
	03189 C		.75		Connecting bar for grate, long, 60H prior to 30769.			
	03190 C		.75		Connecting bar for grate, short, 36H. and RR.			
	03191 C		.75		Connecting bar for grate, long, 36H., 40H., and RR., prior to 30769			
	03219 C		.15		Gasket for filler cap.			
	03224 C		.75		Gasket between cylinders 40H., and RR., compounded.			
	03225 C		.75		Gasket between cylinder and frame, 50H., compounded			
	03226 C		1.00		Gasket between cylinder and frame, 80H., compounded.			
	03227 C		.75		Gasket for steam chest cover, 36H			
	03228 C		.75		Gasket for steam chest cover, 45H			
	03229 C		.75		Gasket for steam chest cover, 60H			
	03230 C		.75		Gasket for steam chest cover, 75H.			
	03234 C		.25		Gasket for steam valve, 40 and 50H. and RR			
	03235 C		.25		Gasket, governor stand to gov., 36H.			
	03236 C		.25		Gasket, exhaust ell to cylinder, 60 and 75H.			
	03239 C		.75		Gasket between cylinders, 50H., compounded			
	03243 C		.50		Gasket for cylinder head, 30H.			
	03244 C		.50		Gasket for cylinder head, 36H			
	03245 C		.50		Gasket for cylinder head, 45H.			
	03246 C		.75		Gasket for cylinder head, 60H.			
	03247 C		1.00		Gasket for cylinder head, 75H.			
	03248 C		1.00		Gasket for cylinder head, 110H			
	03252 C		.25		Gasket, exhaust ell to cylinder, 30, 40, 50H and RR.			
	03254 C		.25		Gasket, elbow to heater, 30, 40, 50H. and RR.			
	03255 C		.10		Gasket for heater tie rod, 30, 40 and RR			
	03257 C		.25		Gasket, angle valve to dome, 65 and 80H.			
	03259 C		.25		Gasket, governor stand to cylinder, 65 and 80H.			
	03268 C		.25		Gasket, governor stand to governor, 50, 65 and 80H			
	03297 C		2.00		Wheel brace, long, 50H., prior to 34475.			
	03298 C		2.00		Wheel brace, short, 50H., prior to 34475			
Penitent	03336 C		6.00		King pin, 110H.	1504 C		23
Pennant	03344 C		13.00		Radius link, L.H., 110H.			19
Circassian	03345 C		2.00		Crank shaft for pump, 110H. (80H., prior to 30657)	2113 C		20
	03345 C1		9.00		Crank shaft for pump, 80H.			20
Circean.	03346 C				Plunger and jacket for pump, 80 and 110H. prior to 33099, use 09692C	1968 C	09692 C	20
Probative.	03347 C		10		Stop for suction valve, 80 and 110H			20
Circensian.	03348 C		.35		Pin for pump yoke, 80 and 110H			20
Circinate.	03349 C		4.00		Stud for rocker arm, 80H.			21
	03351 C		8.00		Smoke stack body, 80H., prior to 28852			
Circinus	03351 C1		8.00		Smoke stack body, 65 and 80H.			
	03353 C		.90		Pin for eccentric rod, 65 and 80H			21
Circled.	03358 C		.20		Nut for eccentric rod, L.H. thread, 30, 40, 50, 65H. and RR.			
	03359 C		1.50		Pin for rocker arm, 80H.			21
Pennon.	03366 C		.50		Eye bolt for clutch, R.H., 80H., prior to 28852.		03627 C	22
Penny.	03367 C		.50		Eye bolt for clutch, L.H., 80H., prior to 28852.		03627 C	22
Circuit	03369 C		5.50		Eccentric rod, long, with bushing, 80H.			23
Circuital	03370 C		5.00		Eccentric rod, short, with bushing, 80H.			23
Penology.	03371 C		3.50		Valve rod with bushing, 80H	0721 C1		23
Proboscis	03375 C		.30		Pin for clutch lever, 65, 80 and 110H.			21
	03377 C		.20		Pin for grate shake lever, 36, 40, 45, 50, 60H. and RR., prior to 30769.			
	03378 C		4.00		Shaker lever for grate, 36, 45, and 60H.			
	03379 C		4.00		Shaker lever for grate, RR., prior to 32147.			
	03380 C		1.25		Pin for grate shake lever, 36, 45, 60H. and RR.			
	03381 C		.75		Shoulder bolt thru lever connection 36, 45, 60H. and RR.			

CASE REPAIRS—Letter C

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
Procacious.	03382 C		1 00		Lever connection for grate, 36H.			
	03383 C		1 25		Lever connection for grate, 45H.			
	03384 C		1 25		Lever connection for grate, 60H.			
	03385 C		8 00		Smoke stack body, 30, 40, 50H. and RR.			
	03387 C				Plunger and jacket for pump, 40, 50 and 65H., prior to 33099, see 2373C, use 09691C.		09691 C	20
Circuiteer.	03389 C		35		Pin for pump yoke, 30, 40, 50 and 65H. and RR.			20
Circuitous.	03390 C		10		Stop for pump suction valve, 40, 50 and 65H.			20
	03391 C		15		Gasket for pump head, 30, 40, 50, 65H. and RR.			
	03392 C		05		Gasket for pump cap, 30, 40, 50, 65H. and RR.			
	03393 C		4 50		Connecting rod for pump with bushing, 30H.			
Farming	03394 C		5 50		Connecting rod for pump with bushing, 40H., and RR.			20
Circuitant	03395 C		5 50		Connecting rod for pump with bushing, 50H.			20
Circular	03397 C		8 00		Crank shaft for pump, 30, 40, 50 and 65H., and RR.			20
Circulate	03398 C		.50		Washer end of pump shaft.			20
	03399 C		.30		Nut for distance link, L.H. thread, 30 and 40H.			20
Tension.	03400 C		1 50		Turnbuckle for clutch, 110H., prior to 28852.	1002 C		
Circulator	03400 C1		1 00		Adjusting screw for clutch shoe, 110H.			
Circumduce	03401 C		1 25		Eye bolt for spring pot, 65H., 80H., prior to 33099	044 C	04369 C	22
	03402 C		40 00		Bushing for intermediate gear shaft, R.H., 110H.			
Procacity.	03403 C		25 00		Bushing for intermediate gear shaft, L.H., 110H.			
	03406 C		40 00		Front axle, 80H.			
Circumduct	03407 C		50		Key for L.H. counter shaft pinion, 110H.	013 C2		16
	03408 C		2 50		Cap for counter shaft, 110H.	0436 C		20
	03410 C		5 00		End bolt for counter shaft, 110H.			
	03411 C		10		Pin for lock washer, 110H.			
	03412 C		2 50		Shaft for forked steering lever, 110H., prior to 32147.			
Circumflex.	03412 C1		3 00		Shaft for forked steering lever, 110H.			
	03413 C		25		Linch pin, 110H.			
Pensionary	03414 C		50		Fiber for steering cone, 110H.			
Circumfuse.	03420 C		1 50		Turnbuckle for eccentric rod, 80H.	02254 C		23
	03421 C		35		Nut for eccentric rod, R.H. thread, 80H.			
Circummure.	03422 C		35		Nut for eccentric rod, L.H., thread 80H.			
	03423 C		5 50		Connecting rod for pump with bushing, 80H.			20
Pensioner	03431 C		30		Nut for distance link, R.H. thread, 30 and 40H.			
	03432 C		75		Pin for clutch arm, 110H.			21
Farness.	03433 C		75		Spoke for 72-in. extension rim.			
	03435 C		50		Shoulder pin for reach rod forked lever end, prior to 32147.			
	03438 C		02		Nut for oil pump connecting rod.			
	03454 C		2 50		Draw bar bracket, RR., prior to 35255.			
	03461 C		3 50		Link to lower cannon bearing, 40H.			
	03464 C1		3 00		Link to upper cannon bearing, 40H.			
	03472 C		75		Long draw eye, RR., prior to 32147.			
	03473 C		75		Short draw eye, RR.			
Farnovian.	03471 C		1 75		Draw bar, 40, 50 & 65H., with contractor's bunker, see 03573C-03852C			22
Proceed.	03520 C		25 00		Counter shaft, 50H.			17
Proceeding.	03521 C		40 00		Rear axle, 50H.			16
	03522 C		60 00		Tire for rear wheel R.H., 50H.			
	03523 C		60 00		Tire for rear wheel, L.H., 50H.			
Procellas.	03526 C		75		Grouser, R.H., 50 and 65H., see 04355C			
Process.	03527 C		75		Grouser, L.H., 50 and 65H., see 04356C.			
Processing.	03528 C		90		Spoke for rear wheel, 50H.			24
	03529 C		2 00		Wheel brace, short, 50H. prior to 34471			
Circumoral	03530 C		4 00		Distance link, upper, 50H.			19
Procession.	03531 C		4 00		Distance link, lower, 50H.			19
Prochein.	03532 C		7 00		Radius link, R.H., 50H.			19
Prochoos.	03533 C		6 50		Radius link, L.H., 50H.			19
Prociduous.	03544 C		3 50		Crank pin, 50 and 60H., see 0530C1			21
Circumpose..	03545 C		4 50		Stud for rocker arm, 50 and 65H.			21
Proclaim	03546 C		6 00		Drag link, 50H.			19
Circumvent.	03549 C				Eccentric rod, long part with bushing, 50H., traction, use 09868C.			23
Circus	03550 C				Eccentric rod, short part with bushing, 30, 40 and 50H., traction and RR., use 09867C.			
Proclisis.	03551 C		3 50		Valve rod with bushing, 50H., simple			23
Farrago.	03553 C		35		Pivot pin for friction clutch hand lever, 30 to 65H., see 02533C			
Cireperdue.	03554 C		1 50		Pin for forked clutch lever, 50H.			21
Farsighted	03570 C		75		Valve rod, 50H., compounded			
Cirrate	03571 C		2 00		Eccentric rod, 50H., portable			23
Cirrhotic	03573 C		2 25		Draw bar, 40 and 50H., see 03471C	0656 C1		22
	03608 C		3 50		Link for upper cannon bearing, 50H.			
	03609 C		4 50		Link for lower cannon bearing, 50H.			
Cirriped	03626 C		1 25		Pin for forked clutch lever, 40H., and RR.			
Cirrose	03627 C		75		Adjusting screw for clutch shoe, 65 and 80H., see 02881C—03627C	0786 C		21
	03628 C		75		Pin for friction clutch toggle, 65 and 80H.			22
	03629 C		75		Pin for friction clutch toggle, 110H.			
	03634 C		20 00		Tank head, upper, 50H., C.F.B.			
	03635 C		20 00		Tank head, lower, 50H., C.F.B.			
Farthest	03667 C		60		Shoulder bolt for friction clutch forked lever, 40 and 50H. and RR.			
Fasces.	03668 C		45		Pin for throttle lever, 30, 40, 50, 65H.			
	03669 C		65		Pin, rocker arm to valve rod, 50 and 65H., port. and skid.			
Cirroid	03671 C		1 00		Turnbuckle for eccentric rod, 30, 40, 50, 65H. and roller.			23
Eliwa	03686 C		25		Key for crank pinion, RR.			
	03712 C		75		Screen for spark arrester cover			
	03713 C		1 50		Screen for spark arrester body			
	03752 C1		3 50		Shaker lever for grate, 40 and 50H.			
Cirsotomy.	03753 C		7 00		Spring pot bracket, 65H., prior to 30768			
Ciruela.	03753 C1		7 00		Spring pot bracket, 65 and 80H.			
Fascia...	03794 C		3 00		Valve rod, 80H., compounded, with bushing	03753 C1		
	03826 C		35		Nut for distance link, R.H. thread, 50 and 65H.			

CASE REPAIRS—Letter C

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
	03827 C		35		Nut for distance link, L.H. thread, 50 and 65H			
salpine.	03852 C		2.50		Draw bar, 65 and 80H., see 03041C—03471C			22
	03870 C1		1.00		Reach rod for front damper, 80H			
seo	03904 C		25.00		Connecting rod, 65H			
sleithan.	03905 C		5.50		Piston rod, 65H			15
smontane.	03906 C		4.50		Crank pin, 65H			21
spadane.	03908 C		30.00		Countershaft, 65H			17
ssing	03909 C		50.00		Rear axle, 65H			16
ssoid	03919 C		5.50		Connecting rod for pump with bushing, 65H			20
ssus	03920 C		4.00		Distance link, upper, 65H			19
stercian.	03921 C		4.50		Distance link, lower, 65H			19
stern.	03922 C		7.00		Radius link, R.H., 65H			19
stic.	03923 C		6.50		Radius link, L.H., 65H			19
stus.	03924 C		6.50		Drag link, 65H			19
stvaen	03926 C		3.50		Tank link to lower cannon box, 65H			
	03927 C		40		Key for counter shaft pinion, 65H			20
	03928 C		1.25		Washer for counter shaft, 65H			
adell.	03929 C		75		Spoke for rear wheel, 65H			24
	03930 C		65.00		Tire for rear wheel, 20-in., R.H., 65H., prior to 33099			
	03930 C1		75.00		Tire for rear wheel, 22-in. R.H., 65H			
	03931 C		65.00		Tire for rear wheel, 20-in., L.H., 65H., prior to 33099			
	03931 C1		75.00		Tire for rear wheel, 22-in. L.H., 65H			
	03934 C		1.50		Wheel brace, long, 65H			
itation.	03935 C		1.50		Wheel brace, short, 65H			
itatory.	03936 C		75		Connecting rod bolt, crank end, 65H			21
ithara.	03937 C		5.00		Valve rod, with bushing, 65H			23
ither	03938 C				Eccentric rod, long, with bushing, 65H., use 09869C			23
	03940 C		1.00		Pin for clutch forked lever, 65H			21
	03942 C		25		Connection for cylinder cocks, 65H			
	03943 C		1.00		Cylinder cock rod, 65 and 80H			
	03945 C		1.00		Reach rod for damper, 65H., prior to 32147			
	03948 C1		50		Draft door lifter, 65 and 80H			
	03949 C		1.50		Front draft door, 65 and 80H			
	03950 C		1.50		Front draft door, frame 65 and 80H			
	03955 C		1.25		Brace to upper cannon bearing, R.H., 65H			
	03956 C		2.00		Brace to upper cannon bearing, L.H., 65H			
	03971 C		75		Front diagonal brace, R.H., 65H., C.F.B			
	03972 C		75		Draw eye, long, 65H., C.F.B			
	03973 C		75		Draw eye, short, 65H., C.F.B			
	03974 C		75		Front diagonal brace, L.H., 65H., C.F.B			
	03975 C		20.00		Tank head, upper, 65H., C.F.B			
	03976 C		20.00		Tank head, lower, 65H., C.F.B			
	03982 C		4.00		Side for platform, R.H., 65H., C.F.B			
	03983 C		5.00		Side for platform, L.H., 65H., C.F.B			
	03984 C		7.50		Sheet for coal bunker, R.H., 65H., C.F.B			
	03985 C		7.50		Sheet for coal bunker, L.H., 65H., C.F.B			
	03986 C		50		Top band on bunker, 65H			
	03991 C		35		Bunker door slide, RR			
	03992 C		35		Bunker door slide, notched, RR			
itify.	04016 C		2.00		Eccentric rod, 65H., portable			23
itizen	04017 C				Eccentric rod, short, with bushing, 65H., use 09870C			23
itizenize	04020 C		1.00		Spring for differential, 65H			24
	04023 C		1.00		Gasket for steam chest cover, 65H			
loqa.	04029 C		1.00		Hand lever for cylinder cock rod, RR			
itole.	04036 C				Spring pot bracket, R.H., 80H., prior to 30768, use 0152C	03753 C	1	
itracomic.	04037 C				Spring pot bracket, L.H., 80H., prior to 30768, use 0153C	03753 C		
kika	04044 C		1.25		Key remover for counter shaft pinion, RR			
	04045 C		10		Key for friction clutch roller			
asciate.	04076 C		5		Centering spring for steering bar, RR			
asciated	04082 C		4.50		Distance link, upper, RR., prior to 35609	02554 C		
	04092 C		40.00		Tire for rear wheel, R.H., 30H. 14x60	01121 C	2	
	04093 C		40.00		Tire for rear wheel, L.H., 30H. 14x60	01121 C	2	
peaceful.	04100 C		1.00		Bushing for rod heads, 30, 40, 50, 65, 80, 110H., & RR, replaces 2110C			23
primeval.	04101 C		1.25		Bushing for pump shaft bearing 30, 40, 50, 65H. & RR, replaces 2246C			23
reter	04102 C		50		Bushing for eccentric rod head 30, 40 & 50H. & roller, replaces 2331C			23
	04102 C		50		Bushing for valve rod head, 50 and 65H			
revene.	04103 C		2.00		Bushing for pump shaft bearing, 80H., replaces 2347C			23
itral.	04104 C		3.25		Fire brick, 65H			23
itrange	04105 C		2.75		Dead plate for wood, 65H			
	04110 C		50		Stop for grate shaker lever, 40 and 50H			
itrate...	04123 C		20		Pin for reach, 65 and 80H			22
	04126 C		1.50		Draft door, 30, 65, 80H. and RR			
	04127 C		1.50		Frame for draft door, 30, 65, 80H. and RR			
	04130 C		75		Rear damper reach rod, 65H., prior to 32147			
	04130 C1		75		Rear damper reach rod, 65H			
itrazic.	04133 C		25		Pin for oil pump connecting rod			21
itrene	04141 C		15		Coupling body for oil pump			
itreous	04142 C		35		Connection, oil pump lever to rod			
itrine	04159 C		1.00		Pin, eccentric rod to rocker arm, replaces 0590C			21
itrometer	04160 C		1.25		Pin, eccentric rod to rocker arm, 80H			21
ascine.	04179 C		1.50		Pivot pin for friction clutch forked lever, 30H	0786 C		
asciol.	04180 C		7.00		Drag link, 30H	0351 C	2	
	04181 C		4.00		Spring pot link, L.H., RR., prior to 35509			
un'al.	04183 C		1.00		Reach rod for ash pan damper, RR., prior to 32147			
ngate	04183 C1		1.00		Reach rod for ash pan damper, RR			
	04192 C		4.00		Spring pot link, R.H., RR., prior to 35509			
	04195 C1		15		Short link for draft door, 30, 65, 80H., and RR			
	04196 C1		15		Long link for draft door, 30, 65, 80H., RR			
shious.	04198 C		60		Pin for eccentric rod to valve rod guide, replaces 0568C			

CASE REPAIRS—Letter C

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
Fassaite	04276 C		25		Pin steering rod to lever, R.H., RR	.0681 C		
Fungible	04277 C		1 50		Key for counter shaft pinion, RR	02546 C		
	04316 C		4 00		Steering shaft support and lever pin, RR, hand steering			
	04317 C		75		Extension chain, RR., hand steering			
Fastuous	04318 C		75		Cap for crank pin, 18H	1267 C		
Fatalism	04319 C		1 00		Cap for crank pin, 30, 40, 50, 60, 75H. and RR	696 C		
Fatalist	04320 C		1 00		Cap for crank pin, 65H	2389 C		
Fatalistic	04321 C		1 00		Cap for crank pin, 80H	1589 C		
	04321 C		1 00		Cap for rocker arm stud	1441 C		
	04329 C		2 50		Platform bottom extension, 50H., C.F.B			
Ekeva	04331 C		7 00		Spring pot bracket, R.H., RR., prior to 35609	0152C 1		
Ekewa	04332 C		7 00		Spring pot bracket, L.H., RR., prior to 35609	0153 C1		
	04337 C		75		Rear damper reach rod, 80H			
Fated	04341 C		2 00		Valve stem for 2-in. throttle, 30 to 80H	A 464 C		
	04347 C		30		Nut for intermediate gear bracket, RR...			
Fatuitous	04348 C		8 50		Bushing for upper cannon box, R.H., RR.			
Fatuity	04349 C		7 00		Bushing for upper cannon box, L.H., RR.			
Fauborg	04352 C		3 50		Bushing for pump gear shaft bearing, large, RR			
Faucal	04355 C		75		Grouter, short, for R.H. wheel with extra row of grouters, 50 and 65H. see 03526C			
Fauces	04356 C		75		Grouter, short, for L.H. wheel with extra row of grouters, 50 and 65H., see 03527C			
Faulty	04369 C		1 25		Eye bolt for spring pot, 80H	03401 C		
	04371 C		35		Stop for ash pan damper rod, 80H			
Ekexa	04375 C		75		Brass nipple for water column, RR			
	04376 C		1 00		Nipple for water column, 50, 65 and 80H			
Elewa	04385 C		50		Pin for clutch shifter lever, RR			
Fauna	04386 C		6 00		Gear on hand shaft for combination steering, RR			
Ekeya	04387 C		6 00		Sleeve for hand shaft, combination steering, RR			
Ekeza	04388 C		3 50		Clutch for hand shaft, combination steering, RR			
Elifa	04389 C		6 50		Shaft for hand wheel, roller			
Elesa	04390 C		5 00		Upper bearing for hand shaft, roller			
Faunus	04391 C		8 00		Gear on worm shaft for combination steering, RR			
Ekoqa	04392 C		4 00		Clutch for power shaft, combination steering, RR			
	04394 C		5 00		Power shaft for combination steering, RR			
	04395 C		3 00		Worm shaft for combination steering, RR			
Eliba	04397 C		50		Collar on hand steering shaft, RR			
Faust	04421 C		3 00		Brick, So. Am., special, 75 and 80H., prior to 32147			
Faustus	04422 C		3 00		Brick, So. Am., special, 75 and 80H			
Ekeqa	04752 C		40		Turned bolt for C.F.B. side plate, roller			
Ekeria	04753 C		15		Stud for draw bar bracket, roller			
Ekesa	04754 C		40		Turned bolt for draw bar spring side plate, roller			
Flatulent	716 E		75		Mud hook, R.H., 30H			
Flatuous	717 E		75		Mud hook, L.H., 30H			
Sheepskin	985 1/2 E		25		Wood shoe for clutch (2 holes), prior to 7093			
	986 1/2 E		75		Wood shoe for portable brake, 18 and 30H			
	987 1/2 E		1 00		Wood shoe for portable brake, 36 to 80H			
Shekel	1068 1/2 E		25		Wood shoe for clutch, 30H., and roller; 36, 45 and 60H., prior to 8012			
Sheepfold	1072 1/2 E		25		Wood shoe for clutch, 40-in., clutch, 36, 40, 45, 50, 60 and 75H			
	1116 1/2 E		5 00		Axle, wood only, 8-bbl., tender			
Sectarian	1160 1/2 E		1 25		Rear step for platform			
	1165 1/2 E		1 25		Rear step, 60 and 75H., C.F.B.			
Sectary	1180 1/2 E		1 00		Wood shoe for clutch, 110H., prior to 27319	1341 1/2 E		
	1242 1/2 E		75		Seat board, 80H., C.F.B., prior to 26601			
	1245 1/2 E		1 00		Seat board, 60 and 75H., C.F.B			
	1251 1/2 E		1 50		Running board, port. and skid			
Servaline	1285 1/2 E		1 00		Rear step board, roller			
	1317 1/2 E		3 50		Tank support, rear, 80H., C.F.B			
Fautor	1323 1/2 E		50		Wood shoe for clutch, 65 and 80H			
Favel	1341 1/2 E		75		Wood shoe for clutch, 110H	1180 1/2 E		
	1349 1/2 E		50		Foot board, 80H., C.F.B			
	1351 1/2 E		1 25		Tank support, front, 80H., C.F.B			
	1354 1/2 E		1 00		Platform seat board, L.H., 50 and 65H., C.F.B., prior to 32147			
	1362 1/2 E		1 00		Platform seat board, R.H., 50 and 65H., C.F.B., prior to 32147			
	1403 1/2 E		1 00		Platform seat board, 40H., C.F.B			

ASSEMBLED PARTS FOR SIDE CRANK ENGINES.

CASE REPAIRS—Letter C.

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
Seriality	08001 C		150.00		Engine frame, 110H			
	08003 C		8.00		Rocker arm, 110H			
	08006 C		20.00		Piston with rod and rings, 110H			
Roral	08008 C		3.50		Head for eccentric rod, slide, or rocker end, 36 to 110H., traction and 30H., compounded traction, for valve rod, 110H., A1099C, complete, prior to 21214			
Seductive	08008 C1		3 50		Head for eccentric rod, slide or rocker end, 36 to 110H., traction and 30H., compounded traction, for valve rod, 110H., A1099C, complete			
	08010 C1		30 00		Spur gear for differential, 60H.			
Seriation	08012 C		140.00		Crank shaft with disc and pin, 110H., prior to 27646			
Pentagram	08012 C1		140.00		Crank shaft with disc and pin, 110H.			
Sedulity	08018 C		4.00		Head for eccentric rod, strap end, 532C, complete, 30 to 110H.; 80H., prior to 26641		03370 C	
Seeming	08020 C1		.85		Wood block for reverse, complete, 110H			
Gaskin	08022 C		*35.00		Throttle valve, 3-in., 110H., prior to 23615. NET			
Gasoline	08022 C3		*35.00		Throttle valve, 3-in., 110H. NET			
	08022 C4		*30.00		Throttle valve, 110H			
	08024 C1		60.00		Heater, 110H., prior to 27646			
	08024 C2		60.00		Heater, 110H			
	08025 C1		70.00		Pump body, 110H., prior to 27646			
	08025 C3		70.00		Pump body, 80 and 110H			
	08026 C1		15.00		Pump piston and rod, 110H., prior to 24391			
	08026 C2		10.00		Pump connecting rod, 110H., prior to 27646			
	08026 C3		10.00		Pump connecting rod, 110H			
Sergeancy	08027 C1		7.50		Head for pump connection rod, 110H., prior to 27646			
Roccella	08037 C		7.00		Bevel pinion with cup for steering, RR., 110H., prior to 27640			
Parquet	08037 C1		7.00		Bevel pinion with cup for steering, 110H			
	08038 C		15.00		Friction cone for steering, 110H., prior to 27640			
Favoritism	08045 C3		5.50		Steering chain, 110H			
Seersucker	08046 C		20.00		Smoke stack, complete, 110H			
Seesaw	08052 C		12.00		Ash pan, 110H			
Ekifa	08058 C1		.65		Oil cup			
	08060 C1		75.00		Front wheel, 110H., prior to 27646			
	08060 C2		80.00		Front wheel, 110H.			
	08065 C4		200.00		Tank for 110H			
	08066 C		12.00		Gear shield, R.H., 110H., prior to 24391			
	08066 C1		12.00		Gear shield, R.H., 110H			
	08067 C		12.00		Gear shield, L.H., 110H prior to 24391			
	08067 C1		12.00		Gear shield, L.H., 110H			
	08068 C		4.50		Intermediate gear shield, 110H., prior to 24391			
	08068 C1		3.00		Intermediate gear shield, 110H			
Segmental	08071 C		12.00		Screen for stack, 110H.; 80H., prior to 30768		09380 C	
Pental	08072 C		6.00		Foot valve complete, 80 and 110H			
Ekiba	08073 C		1.25		Oil pocket			
Pailful	08074 C		45.00		Spur gear for differential, RR, prior to 35304			
Ejupa	08074 C1		75.00		Differential spur gear, RR			
	08075 C1		15.00		Smoke stack, 18H			
	08078 C		4.00		Lever for rocking grate, 110H			
	08079 C1		1.00		Door for coal bunker			
Rejecting	08081 C		75		Strainer for filling funnel			
Seraphine	08083 C2		60.00		Engine frame, 18H			
Revert	08086 C		3.50		Head for valve rod, 30 to 60H., simple traction, 75H. simple and compounded (head for eccentric rod 18H) 864C complete, prior to 21214			
Segmented	08086 C1		3.50		Head for valve rod, 30 to 60H., simple traction, 75H., simple and compounded (head for eccentric rod, 18H.) A864C, complete			
Ranch	08092 C		45.00		Crank shaft with disc and pin, 18H			
Seizing	08098 C1		20.00		Front wheel, 4-in., 18H., prior to 28852			
Proclivity	08098 C2		22.00		Front wheel, 5-in., 18H			
Seizure	08099 C1		23.00		Rear wheel, 4-in., 18H., prior to 28852			
Proclivous	08099 C2		25.00		Rear wheel, 5-in., 18H			
Selenious	08103 C		5.00		Ash pan, 18H., prior to 24278			
Pentalpha	08103 C1		5.00		Ash pan, 18H			
Selenodont	08104 C		3.50		Screen for stack, 18H., prior to 26641			
Pentarchy	08104 C1		4.00		Screen for stack, 18H			
Selinum	08126 C1		35.00		Front wheel, 45 to 75H., portable, prior to 26641			
Pentecost	08126 C3		*35.00		Front wheel, 45 to 75H., portable			
Seltzer	08127 C1		45.00		Rear wheel, 45 to 75H., portable, prior to 26641			
	08127 C2		45.00		Rear wheel, portable, prior to 35255			
Pentine	08127 C3		45.00		Rear wheel, 45 to 75H., portable			
	08136 C		17.00		Smoke stack, upper section, 30H., skid			
	08137 C		20.00		Smoke stack, lower section, 30H., skid			
Semantics	08138 C		25.00		Front axle, 18H			

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
Semaphore.	08145 C		7.50		Ash pan, 45 and 50H	0466 C1		
	08146 C		4.00		Rear draft door, 40 and 50H			
Serum	08148 C		1.75		Spark collector pipe for 389C, 36 to 75H	262 1/2 C		
Seraskier.	08152 C1		90.00		Engine frame, 45 and 60H., prior to 25452			
Pentane	08152 C3		90.00		Engine frame, 45 and 60H			
	08154 C		15.00		Piston and rod, 50H			
	08157 C1		42.50		Connecting rod, 30, 40 and 50H			
Ratsbane	08158 C		70.00		Crank shaft with disc and pin, 45 and 60H., portable			
	08163 C		*20.00		Throttle valve 30, 36 and 45H., prior to 26601			
Gartering	08163 C1		*20.00		Throttle valve, 2-in., 30 to 50H., RR., replaced by 09669C. NET			
	08165 C		36.00		Heater, 45 and 60H., prior to 26641	C1173C		
	08165 C1		45.00		Heater, 45, 50 and 60H., prior to 32150, see 08175C			
	08165 C2		45.00		Heater, 50H		09380 C	
Sematic	08166 C		5.50		Screen for stack, 398C			
	08166 C1		5.50		Smoke stack screen, 36, 45, 60 and 75H			
Semblable	08167 C		15.00		Pole, complete, 30 to 110H., portable			
	08169 C		9.00		Spark arrester, S.A			
Repudiate.	08173 C		12.00		Straw chute, complete, 36 to 75H			
Semichoric	08174 C		30.00		Front wheel, complete, 30H., portable, prior to 26641			
Pentosan.	08174 C2		30.00		Front wheel, 30H., portable	08165 C1		
	08175 C		45.00		Heater, 60 and 65H			
Semidine.	08178 C		35.00		Rear wheel, complete, 30H., portable, prior to 26641			
Pentose.	08178 C2		35.00		Rear wheel, 30H., portable	0464 C1		
Seminole.	08179 C		6.00		Ash pan, 30H., prior to 33099			
Favorless	08179 C1		6.00		Ash pan, 30H			
	08180 C		4.00		Front draft door, 30H., port			
Semipupa.	08183 C		1.75		Spark collector pipe for A484C			
Semolina.	08184 C		30.00		Front wheel, 36H., portable, prior to 26641			
Pentoxide.	08184 C2		30.00		Front wheel, 36 and 40H., portable			
Semuncial.	08185 C		40.00		Rear wheel, 36H., portable, prior to 26641			
Penumbra.	08185 C2		40.00		Rear wheel, 36 and 40H., portable	420 C		
Serbonian	08189 C1		75.00		Engine frame, 30H., prior to 26647			
	08189 C3		75.00		Engine frame, 30H., prior to 33099			
	08189 C4		75.00		Engine frame, 30H			
Penurious.	08189 C4		75.00		Front wheel, 30H., traction, prior to 26641		08230 C2	
Senatorial.	08192 C		35.00		Front wheel, 30H., traction, prior to 33099			
Penury	08192 C1		35.00		Crank shaft with disc and pin, 30H., portable			
Rattinet.	08196 C		55.00		Heater, 30H., prior to 26599	A1168C		
	08199 C1		35.00		Heater, 30H	A1173C		
	08199 C2		35.00		Screen for stack, 30H., A484C			
Senescent.	08201 C1		5.00		Straw chute, 30H			
Senility.	08205 C		10.00		Ash pan, 36 and 40H	0465 C1		
Seniority.	08211 C		7.00		Engine frame, 36H., prior to 25866	271 1/2 C		
Serdab.	08215 C1		80.00		Engine frame, 36H			
Peonage.	08215 C3		80.00		Engine frame, 40H			
Proconsul.	08215 C4		80.00		Piston and rod, 40H. and RR.			
	08217 C		14.00		Crank shaft with disc and pin 36 and 40H., portable			
Raucy	08218 C		70.00		Heater, 36H., prior to 26599	A1172C		
	08220 C1		40.00		Heater, 36H			
	08220 C3		40.00		Front wheel, 8x42-in., 36H., traction, prior to 26641			
Scaring	08230 C		40.00		Front wheel, 36H., traction	08192 C1		
People	08230 C1		40.00		Front wheel, 30H., traction, and convertible RR.			
Favus.	08230 C2		40.00		Piston and rod, 60H			
	08236 C		16.50		Engine frame, 75H., prior to 26014			
Serenoa	08247 C1		110.00		Engine frame, 75H., 80H., prior to 28852	08747 C		
Peperine	08247 C3		110.00		Piston and rod, 80H			
	08249 C		18.00		Connecting rod, 75H			
	08252 C1		45.00		Crank shaft with disc and pin, 75H., portable			
Sericin.	08253 C		80.00		Throttle valve, 2 1/2-in., 75H., prior to 22872, 60H., prior to 24524 and after 25452 to 26438. NET			
Gasconade	08255 C		*20.00		Throttle valve, 2 1/2-in., 75H., 22871 to 24278. NET			
	08255 C1		*25.00		Throttle valve, 2 1/2-in., 60H., 24524 to 25452; 75 and 80H., 24278 to 33873. NET	08749 C		
	08255 C4		*25.00		Heater, 75H	A 749 C		
	08256 C1		50.00		Ash pan, 75H. (80H., prior to 32944)	0468 C1		
Sensation	08257 C		8.50		Ash pan, 80H			
	08257 C1		8.50		Crank shaft with disc and pin, 45 and 60H., traction			
Sericite	08283 C1		70.00		Front draft door, 40 and 50H			
	08285 C		5.50		Reverse lever, prior to 1912			
	08295 C1		2.50		Wood block, complete, for reverse, see 08020C1			
Sensitive.	08296 C1		65		Throttle lever and quadrant, 80H			
	08297 C2		2.75		Friction clutch, 45H			
	08300 C2		60.00		Rear wheel, complete, R.H., with gear, 60H., traction, prior to 25452			
Sensorium.	08304 C		250.00		Rear wheel, R.H., with gear, 60H., traction			
Pepino	08304 C2		250.00		Rear wheel, complete, L.H., with gear, 60H., traction, prior to 25452			
Sensualism	08305 C		250.00		Rear wheel, L.H., with gear, 60H., traction			
Peplum.	08305 C2		250.00		Tire for rear wheel, with grouters, R.H., 60H			
	08306 C1		105.00		Tire for rear wheel, with grouters, L.H., 60H			
	08307 C1		105.00		Front wheel, complete, 60H., traction, prior to 26641			
Sensualist.	08308 C		45.00		Front wheel, 40, 50, and 60H., traction			
Pepper	08308 C1		45.00		Clutch lever complete			
	08310 C		3.00		Steering chain, 60H., prior to 22871			
	08311 C		4.00		Steering chain, 60H			
Palite.	08311 C1		4.00		Hand wheel for steering			
Remotive	08312 C		5.00		Platform frame, complete, 60H., prior to 22869; 75H., prior to 9385			
Sensualize	08313 C		20.00		Steel platform, 60H., prior to 22869			
Separately.	08315 C		35.00		Ash pan, 60H	0467 C1		
Separating	08316 C		8.00		Platform tank, 36 to 75H., prior to 22869			
Strapping.	08317 C		35.00		Platform tank, 30H., prior to 22869			
Separation	08325 C		35.00					

CASE REPAIRS—Letter C.

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
	08326 C		5 50		Front draft door and frame, 75 and 80H			
	08328 C		80 00		Crank shaft disc, 75H., prior to 24278			
Rumble.	08328 C1		80 00		Crank shaft with disc and pin, 75H., traction (80H., prior to 26641).		09260 C 1	
Separative.	08340 C1		300 00		Rear wheel, R.H., with gear, 75H., traction			
Septarium.	08341 C1		300 00		Rear wheel, L.H., with gear, 75H., traction			
	08342 C1		125 00		Tire for rear wheel with grouters, R.H., 75H			
	08343 C1		125 00		Tire for rear wheel with grouters, L.H., 75H.			
Septennate.	08344 C		60 00		Front wheel, 75H., traction, prior to 26641			
Pepsin	08344 C1		60 00		Front wheel, 75H., traction			
	08346 C		4 50		Steering chain, 75H., prior to 22871			
Faze.	08346 C1		4 50		Steering chain, 65 and 75H			
Septennial	08348 C		20 00		Platform frame, complete, 75H., prior to 22869			
Septfoil.	08349 C		35 00		Steel platform, 75H., prior to 22869			
Septicidal	08358 C		3 00		Balance plug, complete, 75 and 80H., compounded			
Runlet	08359 C		3 00		Packing in center head, 75 and 80H., compounded			
	08385 C		125 00		Platform and tank, 36 and 45H			
	08386 C		125 00		Platform and tank, 60H			
	08387 C		130 00		Platform and tank, 75H			
Septillion	08393 C		45 00		Front wheel, 10x42-in., 45H., traction, prior to 26641			
Pepsinate	08393 C1		45 00		Front wheel, 45H., traction			
Serrulate.	08406 C1		650 00		Rear roll with gear, R.H., 12-ton RR., prior to 32147			
	08406 C3		750 00		Rear roll with gear, R.H., 12-ton RR			1
Servable.	08407 C1		650 00		Rear roll with gear, L.H., 12-ton RR., prior to 32147			
	08409 C2		350 00		Rear roll complete, RR., prior to 32147			
Servian	08409 C3		350 00		Rear roll with gear, 10-ton RR., prior to 35609			
Ekipa.	08409 C4		375 00		Rear roll complete, RR			
	08411 C		70 00		Crank shaft and disc, 36H., prior to 25864			
Rorid.	08411 C1		70 00		Crank shaft with disc and pin, 36 and 40H., traction			
	08411 C2		70 00		Crank shaft and disc, 40H			
	08415 C2		60 00		Clutch complete, RR., prior to 32147			
Fealty.	08424 C1		3 50		Steering chain, RR			
	08425 C		3 50		Front scraper blade and stiffener, RR			
	08426 C		3 50		Rear scraper blade and holder, RR., prior to 22872			
	08426 C1		7 50		Rear scraper complete, RR			
Septime	08429 C		7 00		Ash pan, RR., prior to 32147			
Fearless.	08429 C1		7 00		Ash pan, RR			
	08430 C		100 00		Rim for roller, prior to 22876			
Ekaxa	08430 C2		125 00		Rim for roller, prior to 35609			
Ekeca	08430 C3		125 00		Rim for roller			
Fearsome	08431 C1		4 00		Steering chain, 36 and 40H			
Septimole	08435 C		20 00		Platform frame, complete, 36 and 45H., prior to 22869			
Septuple	08437 C		35 00		Steel platform, 36 and 45H., prior to 22869			
	08449 C		85 00		Rear tire with grouters, R.H., 30H., prior to 27045			
	08449 C1		85 00		Tire for rear wheel with grouters, R.H., 30H., prior to 33099			
	08449 C2		85 00		Tire for rear wheel with grouters, R.H., 30H.			
	08450 C		85 00		Rear tire with grouters, L.H., 30H., prior to 27045			
	08450 C1		85 00		Tire for rear wheel with grouters, L.H., 30H., prior to 33099			
	08450 C2		85 00		Tire for rear wheel with grouters, L.H., 30H			
	08451 C		200 00		Rear wheel, R.H., 30H., prior to 27045			
Sequela.	08451 C1		200 00		Rear wheel, R.H., with gear, traction, prior to 33099			
Feasance	08451 C2		200 00		Rear wheel, R.H., with gear, 30H., traction			
	08452 C		200 00		Rear wheel, L.H., 30H., prior to 27045			
Seppure.	08452 C1		200 00		Rear wheel, L.H., with gear, 30H., traction, prior to 33099			
Feasible	08452 C2		200 00		Rear wheel, L.H., with gear, 30H., traction			
	08453 C		95 00		Rear tire with grouters, R.H., 36H., prior to 27020			
	08454 C		95 00		Rear tire with grouters, L.H., 36H., prior to 27020			
	08455 C		215 00		Rear wheel, R.H., 36H., prior to 27020			
Sequacious	08455 C1		215 00		Rear wheel, R.H., with gear, 36H., traction			
	08456 C		215 00		Rear wheel, L.H., 36H., prior to 27020			
Scoffer.	08456 C1		215 00		Rear wheel, L.H., with gear, 36H., traction			
	08457 C		95 00		Rear tire with grouters, R.H., 45H., prior to 26643			
	08457 C1		95 00		Rear tire with grouters, R.H., 45H			
	08458 C		95 00		Rear wheel with grouters, L.H., 45H., prior to 26643			
	08458 C1		95 00		Rear tire with grouters, L.H., 45H			
	08459 C		225 00		Rear wheel, R.H., 45H., prior to 26643			
Scolding	08459 C1		225 00		Rear wheel, R.H., with gear, 45H., traction			
	08460 C		225 00		Rear wheel, L.H., prior to 26643			
Scooper	08460 C1		225 00		Rear wheel, L.H., with gear, 45H., traction			
	08484 C		4 50		Steering chain, 45H., prior to 21214			
Feathered	08484 C1		4 50		Steering chain, 45 and 50H			
	08485 C		40 00		Tank for oil burner			
Sequacity.	08488 C		20 00		Platform frame complete, 30H., prior to 22869			
Sequence.	08490 C		35 00		Steel platform, 30H., prior to 22869			
	08494 C		55 00		Crank shaft and disc, 30H., prior to 25573			
	08494 C1		55 00		Crank shaft and disc, 30H			
Seriema.	08494 C2		50 00		Crank shaft with disc and pin, 30H., traction			
Feathering	08504 C		3 50		Steering chain, 30H., prior to 33099			
Feathery	08504 C1		3 50		Steering chain, 30H			
Sequent.	08520 C		3 00		Balance plug, complete, 36 to 60H., compounded			
Recapture.	08521 C		3 00		Packing in center head, 30 to 60H., compounded			
Sequential.	08527 C		600 00		Rear wheel, R.H., with gear, 110H., prior to 27646			
Peptic.	08527 C1		600 00		Rear wheel with gear, R.H., 110H.			
Sequester	08528 C		600 00		Rear wheel, L.H., with gear, 110H., prior to 27646			
Peptogen.	08528 C1		600 00		Rear wheel with gear, L.H., 110H			
Sequestrum.	08529 C		3 00		Balance plug, complete, 30H., compounded			
Perdurance.	08546 C		6 00		Ash pan extension, 30H			
Saxophone	08547 C		7 00		Ash pan extension, 36, 40, 45, 50, 60, 75H			
Scouter.	08548 C		7 00		Ash pan extension, 110H			
	08572 C		4 50		Steering chain, 40H			

CASE REPAIRS—Letter C.

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
	08573 C		4 50		Steering chain, 50H....			
	08574 C		5.00		Steering chain, 60H....			
	08575 C		6.00		Steering chain, 65H....			
	08576 C		5.50		Steering chain, RR			
	08658 C				Strainer for 2-in. hose (see supply catalogue)....			
	08721 C		125 00		Rear tire with grouters, R.H., 60H., special, 24"			
	08722 C		125 00		Rear tire with grouters, L.H., 60H., special 24"			
Peptonize	08747 C		125 00		Engine frame, 80H.	08247-C 3		
	08749 C				Throttle valve, 60 and 65H., replaced by 08749C1. NET.	08255 C 4		
Featous.	08749 C1		*25 00		Throttle valve, 65 and 80H., NET.			
Serigraph	08751 C2		60 00		Crank shaft with disc and pin for winding drum, 30 and 40H			
Seringa	08752 C2		75 00		Crank shaft with disc and pin for winding drum, 36H			
Seriocomic	08753 C		75 00		Crank shaft with disc and pin for winding drum, 45 and 60H			
Seriously	08755 C		85 00		Crank shaft with disc and pin for winding drum, 75H			
Ravish	08756 C2		145 00		Crank shaft with disc and pin for winding drum, 110H.			
	08757 C		50 00		Crank bearing complete, 80H., prior to 30657			
	08757 C1		50 00		Crank bearing complete, 80H			
	08760 C		30 00		Boiler jacket, 18H			
	08761 C		40 00		Boiler jacket, 30H			
	08762 C		45 00		Boiler jacket, 36H			
	08762 C1		45 00		Boiler jacket, RR.			
	08763 C		55 00		Boiler jacket, 50H.			
	08764 C		55 00		Boiler jacket, 60H.			
	08765 C		60 00		Boiler jacket, 75H.			
	08765 C1		65 00		Boiler jacket, 80H.			
	08766 C		75 00		Boiler jacket, 110H			
	08783 C		12 50		Wood lagging for jacket, 45H			
	08784 C		15 00		Wood lagging for jacket, 60H			
	08785 C		15 00		Wood lagging for jacket, 75H			
	08786 C		20 00		Wood lagging for jacket, 110H			
Eliqa	08859 C		40 00		Heater, RR., prior to 24329	A1172C		
Elira	08859 C1		40 00		Heater, 40H., and RR., prior to 31173			
Elisa	08859 C2		40 00		Heater, 40H., and RR., prior to 32147			
Ekila	08859 C3		40 00		Heater, 40H., and RR.			
	08869 C		25		Coupling for oil pump tube			
	08874 C1		35 00		Gear shield, R.H., 80H., prior to 30657			
	08874 C2		35 00		Gear shield, R.H., 80H., prior to 33873			
	08874 C3		35 00		Gear shield, R.H., 80H.			
	08898 C		125 00		Spur gear for differential, 110H			
	08907 C		70 00		Spur gear for differential, 80H			
	08908 C		55 00		Differential spur gear, 75H			
	08909 C		30 00		Spur gear for differential, 36 to 40H., RR., prior to 22872			
Procreant	09010 C		100 00		Rear tire with grouters, R.H., 40H			
Procreate	09011 C		100 00		Rear tire with grouters, L.H., 40H			
	09012 C1		225 00		Rear wheel, R.H., 40H			
	09013 C1		225 00		Rear wheel, L.H., 40H			
	09023 C3		25 00		Gear shield, R.H., 40H.			
	09024 C		4 00		Spur gear shield, L.H., 40H., prior to 26601			
	09024 C1		4 50		Spur gear shield, L.H., 40H., prior to 29465			
	09024 C3		5 00		Spur gear shield, L.H., 40H.			
	09025 C		3 00		Shield over L.H. drive wheel, 40H., with C.F.B			
	09050 C		130 00		Rear tire with grouters, R.H., prior to 27620			
Percale	09050 C1		130 00		Rear tire with grouters, R.H., 80H.			
	09051 C1		325 00		Rear wheel, R.H., 80H			
	09052 C		130 00		Rear tire with grouters, L.H., 80H., prior to 27620			
Percaline	09052 C1		130 00		Rear tire with grouters, L.H., 80H.			
Perceive	09053 C1		325 00		Rear wheel, L.H., 80H			
	09054 C2		65 00		Front wheel, 80H.			
	09062 C		50 00		Heater, 80H., prior to 26641			
	09062 C1		50 00		Heater, 80H., prior to 29240			
	09062 C2		50 00		Heater, 80H., prior to 32945			
	09062 C3		50 00		Heater, 80H			
Expulsion	09063 C1		30 00		Spur gear for differential, 30H			
	09069 C		60 00		Platform frame, 80H			
	09070 C4		150 00		Tank, 80H., C.F.B			
	09085 C		85 00		Crank shaft and disc for winding drum, 50H.			
	09086 C		105 00		Crank shaft and disc for winding drum, 80H			
	09126 C1		150 00		Differential spur gear shield, R.H., RR.			
	09165 C		13 00		Front axle clamp, 30 and 36H. traction, 30 to 110H. portable			
	09168 C		13 00		Front axle clamp, 40 to 75H., 80H., prior to 30332.			
	09234 C		50 00		Connecting rod complete, 80H			
	09236 C		15 00		Gear shield, L.H., 80H., prior to 33398			
09236C 1/2			15 00		Gear shield, L.H., 80H., prior to 33873			
	09236 C1		10 00		Gear shield, L.H., 80H.			
Iron	09237 C		17 00		Stack, 80H., prior to 30657			
rector	09237 C1		20 00		Stack, 65, 75 and 80H	398 C		
	09238 C		13 00		Eccentric rod complete, 80H			
	09241 C		4.50		Valve rod complete, 80H			
	09244 C		30 00		Front axle clamp, 110H			
	09247 C		5 00		Shield for pump gear, 80H., prior to 28852			
	09252 C1		125 00		Tank only, 40H., C.F.B			
	09253 C1		4 00		Clutch lever, complete			
	09254 C		25 00		Pump drive gear, complete, 80H., prior to 30657			
	09255 C		25 00		Pump drive gear, complete, 110H			
	09256 C		12 00		Pump connecting rod, 80H			
	09260 C1		100 00		Crank shaft and disc, 80H., traction	8328 C 1		
	09269 C1		55 00		Rocking grates, 36H			
	09270 C		60 00		Rocking grates, 45H			
	09271 C1		65 00		Rocking grates, 60H.....			

CASE REPAIRS Letter C.

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
	09272 C1		55.00		Rocking grates, RR			
	09273 C1		45.00		Pump complete, 30, 40, 50 and 65H. and RR			
	09274 C		20.00		Pump crank and gear, 30, 40, 50, 65H. and RR			
	09275 C		20.00		Pump shaft bearing, 30, 40, 50, 65H.			
	09276 C		10.00		Pump connecting rod, 40H., and RR.			
	09277 C		10.00		Pump connecting rod, 50H			
	09278 C		40.00		Pump crank gear and bearing, 30, 40, 50 and 65H			
	09290 C1		65.00		Rocking grates, 75H			
	09317 C1		100.00		Crank shaft and disc, 80H., port. and skid.			
Proctorage	09379 C		18.00		Stack, 30H., and RR. (40, and 50H. prior to 31359) see A484C	398 C	09418 C	
Citronella	09380 C		12.00		Spark arrester, 30, 40, 50, 60, 65, 75, 80H. and RR	08166 C		
	09391 C		105.00		Rear tire with grouters, R.H., 50H			
	09392 C		105.00		Rear tire with grouters, L.H., 50H			
Proctorial	09393 C		250.00		Rear wheel, R.H., 50H			
Proclitic	09394 C		250.00		Rear wheel, L.H., 50H			
	09399 C1		80.00		Tank, 40H			
	09400 C		45.00		Platform frame, 40H			
	09401 C		100.00		Crank shaft and disc for winding drum, 65H.			
	09402 C		45.00		Platform frame, 45H			
	09404 C1		60.00		Rocking grates, 50H			
Featured	09403 C		70.00		Crank shaft and disc, RR			
Proctorize	09407 C		80.00		Crank shaft and disc, 50H., traction			
Proctotomy	09408 C		80.00		Crank shaft and disc, 50H. portable.			
Princely	09409 C		50.00		Spur gear for differential, 50H			
	09412 C		12.00		Eccentric rod complete, 50H			
	09413 C		125.00		Tank only, 50H., C.F.B			
Procumbent	09414 C		90.00		Engine frame, 50H.			
	09417 C		45.00		Platform frame, 50H., C.F.B.			
Procurable	09418 C		18.00		Stack, 40 and 50H	09379 C		
	09420 C		4.50		Valve rod complete, 50H			
	09433 C		25.00		Spur gear shield, R.H., 50H			
	09434 C		5.00		Spur gear shield, L.H., 30H			
	09435 C1		80.00		Tank, 50H			
	09445 C		50.00		Pump crank gear and bearing, 80H			
	09452 C		3.50		Chain clip, 80H			
Pricking	09453 C		17.00		Front axle clamp, 80H			
Featureful	09454 C		4.50		Steering chain, 80H.			
	09455 C		6.00		Steering chain, 80H.			
	09467 C		10.00		Pump connecting rod complete, 65H			
Citrophen	09468 C1		8.50		Ash pan, 65H.			
	09473 C		45.00		Connecting rod complete, 65H			
	09475 C		12.00		Eccentric rod complete, 65H			
	09477 C		4.50		Valve rod complete, 65H			
Citrous...	09479 C		100.00		Engine frame, 65H			
	09482 C2		4.50		Draft door complete, 65 and 80H			
Citrus	09488 C		55.00		Front wheel, 65H., traction.			
	09490 C1		90.00		Tank, 80H			
	09491 C		50.00		Platform frame, 80H			
Ekiqa	09492 C1		125.00		Tank, RR., prior to 35609.			
	09494 C1		135.00		Tank, 65H., C.F.B. prior to 32300.			
Cittern	09495 C		95.00		Crank shaft and disc, 65H., traction.			
	09496 C		95.00		Crank shaft and disc, 65H., port., and skid			
Cibotium	09501 C		50.00		Spur gear for differential, 65H			
	09503 C		5.50		Front draft door, 65 and 80H., prior to 32300			
	09503 C1		5.50		Front draft door, 65 and 80H			
	09525 C		110.00		Rear tire with grouters, R.H., prior to 33099.			
	09525 C1		125.00		Rear tire with grouters, R.H., 65H			
	09526 C		110.00		Rear tire with grouters, L.H., 65H., prior to 33099			
	09526 C1		125.00		Rear tire with grouters, L.H., 65H.			
Civet.	09527 C		275.00		Rear wheel, R.H., 65H., 20-in., prior to 33099.			
Feaze.	09527 C1		290.00		Rear wheel, R.H., 65H., 22-in.			
Civic	09528 C		275.00		Rear wheel, L.H., 65H., 20-in., prior to 33099.			
Febricity	09528 C1		290.00		Rear wheel, L.H., 65H., 22-in.			
	09543 C		25.00		Gear shield, R.H., 65H			
	09544 C		5.00		Gear shield, L.H., 65H.			
	09550 C		45.00		Platform frame, 65H.			
Priest.	09553 C		20.00		Pump body			
	09555 C		55.00		Rocking grates, 40H			
	09570 C		1.00		Connecting rod for Madison Kipp oil pump, 18, 30, 40 and RR.			
	09572 C		1.00		Connecting rod for Madison Kipp oil pump, 65H			
	09573 C		1.00		Connecting rod for Madison Kipp oil pump, 50, 60, 75, 80 and 110H.			
Eliza..	09574 C		75		Oil pipe for Madison Kipp oil pump 18, 30, 40, 50, 60, 75 and 80H and RR			
	09575 C		75		Oil pipe for Madison Kipp oil pump, 65 and 80H			
	09581 C		40.00		Smoke stack, lower section, 65 and 80H., skid			
	09582 C		30.00		Smoke stack, upper section, 65 and 80H., skid			
	09606 C		65.00		Rocking grates, 65H.			
	09607 C		70.00		Rocking grates, 80H			
	09608 C		60.00		Boiler jacket, 65H			
	09637 C		7.00		Ash pan extension, 65H			
	09641 C		55.00		Boiler jacket, 50H.			
Febrific	09669 C		*25.00		Throttle, 30, 40, 50H., and RR., replaces 08163C1. NET			
	09672 C		125.00		Tire with extra grouters, R.H., 50H. special			
	09673 C		125.00		Tire with extra grouters, L.H., 50H. special.			
	09674 C		265.00		Rear wheel with extra grouters, R.H., 50H. special.			
	09675 C		265.00		Rear wheel with extra grouters, L.H., 50H. special			
	09676 C1		150.00		Tire with extra grouters R.H., 65H. special			
	09677 C1		150.00		Tire with extra grouters, L.H., 65H. special			
	09690 C		2.50		Platform bottom extension, 80H.			

CASE REPAIRS—Letter C.

Telegraph Cipher	Number of Part	On Hand	Price in U.S.A.	Amount	NAME OF PART	Prior Piece	Later Piece	Plate Page
Ekira	09691 C		10 00		Plunger for pump, 30, 40, 50, 65H., and RR			
	09692 C		12 50		Plunger for pump, 80 and 110H			
	09724 C		20 00		Smoke stack, 60H.	398 C		
	09726 C		6 00		Cover for spark arrester			
	09727 C		6 00		Body for spark arrester			
	09728 C		25 00		Pump body, 80 and 110H			
	09759 C		12 50		Fuel bunker, R.H., 40H., C.F.B.			
	09760 C		12 50		Fuel bunker, L.H., 40H., C.F.B.			
	09762 C		12 50		Fuel bunker, R.H., 50H., C.F.B.			
	09763 C		12 50		Fuel bunker, L.H., 50H., C.F.B.			
	09765 C		12 50		Fuel bunker, R.H., 65H., C.F.B.			
	09766 C		12 50		Fuel bunker, L.H., 65H., C.F.B.			
	09768 C		12 50		Fuel bunker, R.H., 80H., C.F.B.			
	09769 C		12 50		Fuel bunker, L.H., 80H., C.F.B.			
	09797 C		45 00		Rear tank, RR			
	09807 C		15 00		Fuel bunker, R.H., 60H., C.F.B.			
	09808 C		15 00		Fuel bunker, L.H., 60H., C.F.B.			
	09809 C		15 00		Fuel bunker, R.H., 75H., C.F.B.			
	09810 C		15 00		Fuel bunker, L.H., 75H., C.F.B.			
Elema	09816 C		15 00		Fuel bunker, R.H., RR., prior to 35355			
	09817 C		15 00		Fuel bunker, L.H., RR., prior to 35355			
	09823 C		100 00		Tank only, 65H., C.F.B.			
	09824 C		95 00		Tank only, 60H., C.F.B.			
	09825 C		105 00		Tank only, 75H., C.F.B.			
	09826 C		110 00		Fuel bunker, 80H., C.F.B.			
	09827 C		20 00		Fuel bunker, R.H., 110H			
	09828 C		20 00		Fuel bunker, L.H., 110H			
	09833 C		85 00		Tank only, 36 and 45H., C.F.B.			
	09834 C		85 00		Tank only, 40H., C.F.B.			
	09835 C		85 00		Tank only, 30H., C.F.B.			
	09836 C		140 00		Tank only, 110H			
	09867 C		4 50		Eccentric rod, short, 30, 40, 50H. and RR			
	09868 C		5 00		Eccentric rod, long, 50H.			
	09869 C		5 00		Eccentric rod, long, 65H.			
	09870 C		4 50		Eccentric rod, short, 65H.			
	09871 C		75 00		Center tank, RR			
ipa								